



Creating WPC Walls For Green Stylish Living

## ABOUT US

**sales1@chanta.group**

[www.witopdecor.com](http://www.witopdecor.com)  
+86-0539-8622802

23 floor, B03, LuShang Center, Linyi City, Shandong, China.



SHANDONG WITOP DECOR MATERIALS CO., LTD.

# FACTORY OVERVIEW



Factory online VR



**SHANDONG  
WITOP  
DECORATION MATERIALS**

Welcome you to visit

Company Profile

Shandong Witop Decoration Materials Co., Ltd is located in Linyi City, with 10 years production experience on research and development .

Dedicated to strict quality control and thoughtful customer service, Our mission is to focus on customers' concerns and continuously create maximum value for customers.

We mainly export products to Southeast Asia, Middle East, South America, Africa and Europe.

We are specialized in new decoration materials.

Our company has rich experience in the wpc and spc industry.



## CERTIFICATIONS




ISO9001



Alibaba



Made in China



CE

## REPORT FOR QUALITY EVALUATION



## PROFESSIONAL TEAM

We have a young team. Everyone plays an important role in the team. They are responsible for market development, sales, quality inspection and publicity. Our common goal is to maintain customers and provide excellent products to you.





## WPC Wall Panel



CTWPC-15923  
159mm  
23mm



CTWPC-17713  
177mm  
13mm



CTWPC-20325  
203mm  
25mm



CTWPC-21020  
210mm  
20mm



CTWPC-16011  
160mm  
11mm



CTWPC-16012  
160mm  
12mm

## NEW DESIGN



CTWPC-15515  
155mm  
15mm



CTWPC-15915  
159mm  
15mm



CTWPC-15008  
150mm  
8mm

## WPC Wall Panel



CTWPC-15508A

155mm  
8mm



CTWPC-15509

155mm  
9mm




CTWPC-15912

159mm  
12mm



CTWPC-15518

155mm  
18mm



CTWPC-16824

168mm  
24mm



CTWPC-17017

170mm  
17mm



CTWPC-17824

177mm  
25mm



CTWPC-17816

178mm  
16mm



CTWPC-17020

170mm  
20mm



CTWPC-20260

202mm  
60mm



CTWPC-20512

205mm  
12mm



CTWPC-21015

210mm  
15mm

## WPC Wall Panel




CTWPC-16015

160mm  
15mm



CTYX-20025

200mm  
25mm



CTWPC-20015

200mm  
15mm



CTWPC-20512

205mm  
12mm



CTWPC-20515A

205mm  
15mm



CTWPC-18728

187mm  
28mm

## Installation Guide



Clips



Glue




Nail gun



Tape measure



Woodworking planer




1



2



3




4


## Half Covered Series




## WPC Corner Line



## Packing and Shipping





**WPC Timber Tube**



**WPC Ceiling**



CTFT-65R  
65mm



CTFT-4050  
40mm



CTFT-5050  
50mm



CTCE-4045  
45mm  
40mm



CTCE-4080  
80mm  
40mm



CTFT-5075  
50mm  
75mm




CTFT-50100B  
50mm  
100mm




CTFT-50150  
50mm  
150mm



CTCE-5060  
60mm  
50mm



CTCE-5090  
90mm  
50mm





CTCE-40100  
90mm  
50mm



## Wooden Acoustic Wall Panel

Name	Wooden Acoustic Wall Panel
Size	600x1200mm 600x2400mm 600x2700mm
Thickness	21mm
Weight	6-8kg/ m <sup>2</sup>
Surface	Natural Wood Veneer/Engineered Veneer Melamine Laminated Veneer/PVC Film
Component	MDF Panel + 100% polyester fiber panel
Application	Bedroom, kindergarten, school, cinema, conference room, recording studio, TV station, library, concert hall...





Natural Veneer 1



Natural Veneer 2



Natural Veneer 3



Natural Veneer 4



Natural Veneer 5



Natural Veneer 6



EV Veneer 1



EV Veneer 2



EV Veneer 3



EV Veneer 4



EV Veneer 5



EV Veneer 6




Start by measuring the dimensions you want to build. It should be noted that the height should be subtracted from the height of the baseboard as much as possible.



The second step is to cut the appropriate length of the acoustic panel according to the height



The third step is to apply nail-free glue on the back. For the firmness of the installation, apply it as evenly as possible



The fourth step is to paste the board coated with nail-free glue on the wall, and try to expose the side of the polyester fiber panel that is attached to the wall



The fifth step, install in sequence, you can simply make the shape




The sixth step, the installation is complete, wait for the glue to cure.

## PVC Marble Sheet

Name	PVC marble sheet
Size	1220*2440mm/2800mm (length can be customized)
Thickness	2/2.5/3mm(or customized)
Density	2000kg/m <sup>3</sup>
Surface	Mirror glossy,Matt,Skin feel,High glossy, Embossed stone,3D printing
Film	Heat transfer film,PVC film
Material	PVC,Calcium powder
Application	Home,Hotel,Restaurant,Hospital,School,Mall...



## Thermal Transfer Printing Marble Sheet



# PVC Film Marble Sheet



WPF-16




Matt



Mirror glossy

WPF-02



WPF-09



WPF-13



WPF-14



WPF-15



WPF-04



WPF-17




WPF-06



WPF-18




WPF-08



WPF-19



WPF-10



WPF-20



WPF-21

## Gilded Marble Sheet




WLJ-1



WLJ-2



WLJ-3



WLJ-4




WLJ-5



WLJ-6



WLJ-7



WLJ-8




WLJ-9




WLJ-10




WLJ-11




WLJ-12



WLJ-13



WLJ-14



WLJ-15

## Embossed Marble Sheet




WEB-10

WEB-01

WEB-05

## 3D Print Marble Sheet




WD-02

WD-05

WD-06

## 3D Print(Open Book) Marble Sheet



WTO-417

WTO-05

WTO-06



WTO-07

WTO-08

WTO-09




WTO-10


WTO-12

WTO-13


## Mirror steel profile




## Aluminum profile




A Shape




W Shape



H Shape



U Shape




L Shape



T Shape

## Inspection & Loading




## Bamboo Charcoal Wall Panel




Name	Bamboo Charcoal Wall Panel
Size	1220*2440mm/2800mm (length can be customized)
Thickness	5mm/8mm
Density	620-650kg/m <sup>3</sup>
Surface	PVC or PET film
Material	Polyvinyl chloride/Calcium powder


Application    Office; Hotel; Shopping mall;  
Living room, etc



### Bamboo Charcoal Wall Panel



### Bamboo Fiber Wall Panel





## BAMBOO CHARCOAL WALL PABLE PET STONE SERIES



WTMB-01




WTMB-03



WTMB-05



WTMB-07



WTMB-09



WTMB-02




WTMB-04



WTMB-06




WTMB-08



WTMB-10

BAMBOO CHARCOAL WALL PABLE  
WOOD SERIES



WTWG-01



WTWG-02



WTWG-03



WTWG-05



WTWG-11



WTWG-04



WTWG-06



WTWG-12



WTWG-07



WTWG-09



WTWG-13




WTWG-08





WTWG-10





WTWG-14





BAMBOO CHARCOAL WALL PABLE  
PET METAL SERIES



BAMBOO CHARCOAL WALL PABLE  
WATER RIPPLES SERIRS



BAMBOO CHARCOAL WALL PABLE  
TEXTURED METAL SERIES





## BAMBOO CHARCOAL WALL PABLE FABRIC SERIES



FS02



FS03

FS04

FS11

FS12


FS07

FS08

FS05



## BAMBOO CHARCOAL WALL PABLE MIRROR SERIRS



MIRROR-9



MIRROR-1

MIRROR-2

MIRROR-8

MIRROR-5



MIRROR-3



MIRROR-4



MIRROR-10



MIRROR-6


## 5mm Aluminum Alloy Accessories

Model name	Product Photo	Sectional View	Installation Drawing
------------	---------------	----------------	----------------------

WT5-1



WT5-2



WT5-3





WT5-4




WT5-5




WT5-6




WT5-7



WT5-8



WT5-9



## 8mm Aluminum Alloy Accessories

Model name	Product Photo	Sectional View
------------	---------------	----------------


WT8-1



WT8-2



WT8-3



WT8-4




WT8-5




WT8-6




WT8-7



WT8-8




WT8-9





## SPC Parameter



## SPC Flooring

Construction	Stone Polymer Composite(SPC)
Size	152*1220mm ;182*1220mm (Customized)
Slip film	1mm/1.5mm (EVA or IXPE)
Thickness	4/5/6/7/8mm <sup>3</sup> (Customized)
Wear layer	0.3/0.5/0.7mm (Customized)
Material	PVC and stone
Feature	Waterproof ;Fireproof ;Wearable

Engineered In Regiaster



WTSPC301E.I.R

## SPC Colors



## Indoor Artificial Grass Wall



CGUV-126  
SIZE:40\*60CM



CGUV-127  
SIZE:40\*60CM



CGUV-128  
SIZE:40\*60CM



CGUV-120  
SIZE:40\*60CM



CGUV-129  
SIZE:40\*60CM



CGUV-130  
SIZE:40\*60CM



CGUV-122  
SIZE:40\*60CM



CGUV-123  
SIZE:40\*60CM

## Outdoor Artificial Grass Wall



CGUV-016  
SIZE:100\*100CM



CGUV-017  
SIZE:100\*100CM



CGUV-018  
SIZE:100\*100CM



CGUV-023  
SIZE:100\*100CM



CGUV-019  
SIZE:100\*100CM



CGUV-020  
SIZE:100\*100CM



CGUV-021  
SIZE:100\*100CM



CGUV-024  
SIZE:100\*100CM



Item No.:CGUV-025  
Size:100\*100CM



Item No.:CGUV-026  
Size:100\*100CM



Item No.:CGUV-027  
Size:100\*100CM



Item No.:CGUV-028  
Size:100\*100CM



Item No.:CGUV-029  
Size:100\*100CM



Item No.:CGUV-030  
Size:100\*100CM



Item No.:CGUV-031  
Size:100\*100CM



Item No.:CGUV-032  
Size:100\*100CM



Item No.:CGUV-033  
Size:100\*100CM



Item No.:CGUV-034  
Size:100\*100CM




Item No.:CGUV-035  
Size:100\*100CM



Item No.:CGUV-036  
Size:100\*100CM

# Soft stone

Item	Specification
Material	Exterior decorative wall stone
Size	Stone powder, high polymer material, fiber etc
Weight	2.8-7.5kg/sqm
Usage	Flexible veneer sheet exterior decorative wall stone tiles
Application	Interior and exterior wall decoration




## Project Case Exterior Wall & Interior Wall



Fabric Stone  
粗布纹石

(590\*1225mm)  
(1200\*2470mm)  
**RL005**  
5-6mm




Slate Stone  
板岩

(600\*1200mm)  
(1200\*2400mm)  
**RL003**  
3mm

Herringbone Stone  
人字编

(590\*1190mm)  
**RL004**  
4-5mm



海底洞石

(1200\*2750mm)  
**RL001**  
4-5mm

Holes Stone  
洞石

(300\*600mm)  
(600\*1200mm)  
(1200\*2400mm)  
**RL002**  
3-5mm




细纹劈开石

(580\*1210mm)  
**RL013**  
3-4mm

Running Water Stone  
流水石

(590\*1190mm)  
**RL006**  
5-6mm




粗纹劈开石

(600\*1200mm)  
**RL012**  
4-6mm

斧开石

(600\*1200mm)  
**RL017**  
3-6mm




大板星月石

(1200\*3275mm)  
**RL015**  
3-8mm

城堡石

(300\*600mm)  
**RL018**  
2-4mm



奢土板


(570\*2390mm)  
**RL016**  
3.5-4.5mm

星月石

(580\*2400mm)  
**RL014**  
3-8mm

## PU stone

Item	Specification
Material	Polyurethane
Size	1200*600*(20-50)mm/(30-110)mm 1200*400*25mm/1200*300*(10-30)mm
Weight	2.0-4.5kg per Piece
Usage	Interior and Exterior Wall
Application	Villas, Apartment, Shopping Mall, Hotel, Restaurant, Hospital, School, Office Building, etc.



**H3-2** Size: 1200\*600MM Thickness: 25MM

**H3-3** Size: 1200\*600MM Thickness: 25MM

**H3-4** Size: 1200\*600MM Thickness: 30MM

**L3-3** Size: 1200\*600MM Thickness: 25MM

**L3-4** Size: 1200\*600MM Thickness: 25MM



**S3-1** Size: 1200\*600MM Thickness: 30mm

**S3-2** Size: 1200\*600MM Thickness: 30mm

**S3-3** Size: 1200\*600MM Thickness: 30mm

**S3-4** Size: 1200\*600MM Thickness: 30mm

**L3-2** Size: 1200\*600MM Thickness: 25MM




**H3-5** Size: 1200\*600MM Thickness: 25MM

**H3-8** Size: 1200\*600MM Thickness: 30MM

**H3-9** Size: 1200\*600MM Thickness: 40MM

**H3-10** Size: 1200\*600MM Thickness: 30MM

**H3-10** Size: 1200\*600MM Thickness: 25MM



**H3-12** Size: 1200\*600MM Thickness: 20MM

**H3-13** Size: 1200\*600MM Thickness: 25MM


**H3-14** Size: 1200\*600MM Thickness: 25MM

**L3-1** Size: 1200\*600MM Thickness: 25MM

**H3-1** Size: 1200\*600MM Thickness: 25MM



## WPC Classic Decking



## First Generation Color Option



## Decking Accessories



## WPC 3D Embossed Decking




## WPC Co-extrusion Decking


WITOP DECOR  
www.witopdecor.com




WTSIH3-14522




WTCRH-13822




WTCSL-13822



WTCRH-14822



WTCSA-7011



## Second Generation Color Option



IPE



Grey



Black



Antique



Walnut



Slate Grey



Rose wood



Maple



Light walnut



Teak




## WPC First Generation Timber Tube


WITOP DECOR  
www.witopdecor.com




WTTB-2525




WTTB-5050



WTTB-50100



WTTB-60150




## WPC Second Generation Timber Tube


WITOP DECOR  
www.witopdecor.com



WTCTB-5050




WTCTB-50100




## WPC Classic Wall Panel Surface Treatment



WTPC-21926




WTPC-14821




WTPC-15621




WTPC-17421



WTFC-16120



WTFC-20520



WTPC-19725



## Co-extrusion Wall Panel Surface Treatment



WTCC-21926



Wood Grain



Sanding



Straight Line



Embossed



WTCC-15621



WTCC-17421



WTPC-21726



WTFC-16020




WTFC-16020




WTCC-21926




## Installation



## Wall Cladding Accessories



## Decking Installation Steps



1. Boards must not be laid directly on the ground but should be fixed to the joists of a suitable supporting substructure. Fix the joists to the ground with expansion screws, the joist spacing should not exceed 350 mm

2. Attach the stainless steel starter clip to the end of the WPC joist before starting to lay your WPC decking boards

3. Our WPC boards are easily fastened to the joists of a supporting substructure with the help of our stainless steel screw and plastic T-Clip system. Start at the outside of the area to be decked. Place your first board and fix it to each joist it crosses using a row of starter clips.

4. Then fit T-clips into the groove along the side of the board and screw them into the supporting joists with the screws provided, one T-Clip for each supporting joist.

5. Fit your next board by sliding it onto the T-Clips used to secure the first board and fitting another set of T-Clips to secure the opposite side of the board, again one T-Clip for each supporting joist. Follow a similar process to fix subsequent boards.

6. At butt joints – where the ends of two decking boards meet, this may mean doubling up on supporting joists as you will need to ensure that each board is held in place with its own T-Clip where they meet.

7. Having fastened your boards all that remains is to tidy up the sides of your new deck with our WPC skirting and corner trims which can be used to hide the unfinished end of boards and supporting joists.

Our hollow decking end caps are used to seal off the ends of hollow core boards to give your decking a professional finished look, and are available in the same colours as all our composite decking boards. Apply them to neatly complete your decking project.

## Packing and Shipping



## Photos with Customers



## Photos with Customers

