F FWallSim · Firewall Course

CLASS 13

Dynamic routing: OSPF over VPN and BGP

OSPF neighbors, BGP peering, administrative distance

Advanced | ~30 minutes | FWallSim v1.0.0 (FortiOS 7.4 style)


YOU WILL LEARN

- OSPF neighbors
- BGP peering
- administrative distance

BEFORE YOU START

Finish Class 12 first.

The lab network



The goal

THE IDEA

The VPN to the branch is already up with a static route. Replace the static route with OSPF over the tunnel, and peer with your ISP using BGP (details on Network > BGP and OSPF).

How to start

1. Open FWallSim and log in.
2. Click **Labs** in the header.
3. Find **Dynamic routing: OSPF over VPN and BGP** and click **Start**.
4. The Lab Guide panel opens. Each task below gets a green tick as soon as it works.

Tasks

1. **BGP session with the ISP is Established**

   Network > BGP: Local AS 65010, neighbor 203.0.113.1 remote AS 64500.

2. **OSPF neighbor 10.20.0.1 is Full**

   Give tunnel to-branch IP 169.254.1.1/32 with remote IP 169.254.1.2/30 (Network > Interfaces), then OSPF: area 0.0.0.0, network 169.254.1.0/30.

3. **10.20.0.0/24 is now learned by OSPF (static route removed)**


   Delete the static route to 10.20.0.0/24 via the tunnel. Static (distance 10) beats OSPF (110), so the OSPF route only becomes active without it. Keep the blackhole.

4. **PC1 still reaches Branch-PC**


   Ping 10.20.0.10 from PC1.

Screenshots


Numbered red markers show where to click or what to look at.




CLI Routing




Policy Route Form




Route Walk



Routing Monitor



Static Form



Static List

Next: Class 14: Nobody can browse the internet