F FWallSim · Firewall Course

CLASS 3

Logs: seeing what the firewall did

Log Allowed Traffic, implicit deny logging, Forward Traffic log

Beginner | ~10 minutes | FWallSim v1.1.0 (FortiOS 7.4 style)


YOU WILL LEARN

- Log Allowed Traffic
- implicit deny logging
- Forward Traffic log

BEFORE YOU START

Finish Class 2 first.

The lab network



The goal

THE IDEA

By default a policy only logs security events, so normal allowed traffic does not show up in the logs. Turn on full logging and find both an allowed and a denied entry.

How to start

1. Open FWallSim and log in.
2. Click **Labs** in the header.
3. Find **Logs: seeing what the firewall did** and click **Start**.
4. The Lab Guide panel opens. Each task below gets a green tick as soon as it works.

Tasks

1. **Policy 1 logs All Sessions**

   Edit policy 1 (LAN-to-Internet) > Logging Options > Log Allowed Traffic: All Sessions.

2. **Log violation traffic on the Implicit Deny**

   Firewall Policy list: right-click the Implicit Deny row > Enable "Log Violation Traffic" (or Log & Report > Log Settings).

3. **Produce an allowed Forward Traffic log**


   Send traffic from PC1 to the internet, then open Log & Report > Forward Traffic.

4. **Produce a denied log (policy 0)**


   Send traffic from Web-Server to PC1 (192.168.1.110): there is no dmz → internal policy, so the Implicit Deny drops it.

Screenshots


Numbered red markers show where to click or what to look at.




Events



Forward Log



Implicit Log



Logging Options

FortiView Sessions

Refresh | End Session | End All Sessions | 3 sessions | Search

Session ID	Source	Destination	Protocol	Src Intf	Dst Intf	Policy	NAT Source	NAT Destination	State	Bytes	Expires (s)
00002a03	Internet-User 198.51.100.77:57958	203.0.113.10:80	TCP	wan1	dmz	2		10.10.10.10:80	established	8.0 kB	3600
00002a02	PC1-Admin 192.168.1.110:61070	93.184.216.34:443	TCP	internal	wan1	1	203.0.113.10:60984		established	52.8 kB	3599
00002a01	PC1-Admin 192.168.1.110:55177	96.45.45.45:53	UDP	internal	wan1	1	203.0.113.10:62405		may_dirty	178 B	179

Each row is one entry in the session table. Replies are matched against these sessions instead of the policy table, which is how stateful inspection works. Ending a session forces the next packet back through the policy lookup.

Sessions

Next: Class 4: Objects: addresses and service groups