F FWallSim · Firewall Course

CLASS 4

Objects: addresses and service groups

Address objects, service groups, least privilege

Beginner | ~15 minutes | FWallSim v1.1.0 (FortiOS 7.4 style)


YOU WILL LEARN

- Address objects
- service groups
- least privilege

BEFORE YOU START

Finish Class 3 first.

The lab network



The goal

THE IDEA

The LAN currently has "all to all, ALL services". Tighten it so the LAN may only browse the web, using objects instead of raw values.

How to start

1. Open FWallSim and log in.
2. Click **Labs** in the header.
3. Find **Objects: addresses and service groups** and click **Start**.
4. The Lab Guide panel opens. Each task below gets a green tick as soon as it works.

Tasks

1. **Create address LAN-Net = 192.168.1.0/24**

   Policy & Objects > Addresses > Create New > Address. Type Subnet.

2. **Create service group Web-Basic with DNS, HTTP, HTTPS**

   Policy & Objects > Services > Create New > Service Group.

3. **Policy 1 uses LAN-Net as source and Web-Basic as service**


   Edit policy 1: replace Source all with LAN-Net and Service ALL with Web-Basic.

4. **PC1 can still browse, but ping to 8.8.8.8 is now blocked**


   Send two tests from the Traffic Generator: PC1-Admin → www.example.com (HTTPS) must work, and PC1-Admin → 8.8.8.8 (Ping) must be blocked. Ping is not in Web-Basic, so it falls to the Implicit Deny.

Screenshots


Numbered red markers show where to click or what to look at.




Addresses




New Address




New Service Group



Policy Objects



Results



Services

Next: Class 5: Publish a web server with a Virtual IP