F FWallSim · Firewall Course

CLASS 15

Pings work, websites do not

Troubleshooting: DNS

Advanced | ~10 minutes | FWallSim v1.1.0 (FortiOS 7.4 style)


YOU WILL LEARN

- Troubleshooting: DNS

BEFORE YOU START

Finish Class 14 first.

The lab network



The goal

THE IDEA

"I can ping 8.8.8.8 but no website opens." Find out why.

How to start

1. Open FWallSim and log in.
2. Click **Labs** in the header.
3. Find **Pings work, websites do not** and click **Start**.
4. The Lab Guide panel opens. Each task below gets a green tick as soon as it works.

Tasks

1. **PC1 can browse www.example.com**

   In the Traffic Generator, compare pinging an IP with browsing a name. After the fix, send PC1-Admin → www.example.com (HTTPS) again.

Hints


1. Browsing by name needs something before the HTTPS connection.
2. Look at the [DNS] steps in the Packet Walk.
3. Which service does policy 1 allow?

Solution


1. Edit policy 1.
2. Add the service DNS (or use the group Web Access).
3. OK, then test again.

Screenshots


Numbered red markers show where to click or what to look at.



Lab Started



Packet Walk Before



Lab Solved

Firewall Policy


+ Create New | Edit | Delete | Policy Lookup | Interface Pair View | By Sequence

Search

Name	ID	From	To	Source	Destination	Schedule	Service	Action
internal → wan1 (1)								
LAN-to-Internet	1	internal	wan1	LAN-Subnet	all	always	HTTP HTTPS PING DNS	✓ ACC
wan1 → dmz (1)								
Web-Server-Inbound	2	wan1	dmz	all	VIP-WebServer-HTTP	always	HTTP	✓ ACC
dmz → wan1 (1)								
DMZ-to-Internet	3	dmz	wan1	WebServer-DMZ	all	always	DNS HTTP HTTPS	✓ ACC
Implicit (1)								
Implicit Deny	0	any	any	all	all	always	ALL	DEN

Policies are evaluated from top to bottom and the **first match wins**. Drag rows to reorder them. Right-click for more actions (insert, clone, enable/disable, logs). Right-click the Implicit Deny row to log violation traffic.

Firewall Policy



Packet Walk After

Next: Class 16: Our website is down