F FWallSim · Firewall Course

CLASS 16

Our website is down

Troubleshooting: VIP

Advanced | ~10 minutes | FWallSim v1.1.0 (FortiOS 7.4 style)


YOU WILL LEARN

- Troubleshooting: VIP

BEFORE YOU START

Finish Class 15 first.

The lab network



The goal

THE IDEA

Customers cannot open http://203.0.113.10. The web server itself is fine.

How to start

1. Open FWallSim and log in.
2. Click **Labs** in the header.
3. Find **Our website is down** and click **Start**.
4. The Lab Guide panel opens. Each task below gets a green tick as soon as it works.

Tasks

1. **Internet-User reaches http://203.0.113.10**

   Use the Traffic Generator quick test "Internet user visits your website" (Internet-User → 203.0.113.10, HTTP). After the fix, run it again.

Hints


1. Follow the packet after the Destination NAT step.
2. Which internal address does the VIP translate to?
3. The web server is 10.10.10.10.

Solution


1. Policy & Objects > Virtual IPs > VIP-WebServer-HTTP.
2. Map to IPv4 address: 10.10.10.10.
3. OK, then test again.

Screenshots


Numbered red markers show where to click or what to look at.



Lab Started



Packet Walk Before



Lab Solved


Virtual IPs

+ Create New | Edit | Delete | Search

Name	Details	Interface	Comments	Ref.
Virtual IP (1)				
VIP-WebServer-HTTP	203.0.113.10 → 10.10.10.10 (TCP: 80 → 80)	wan1	Publish web server to the internet	1

A Virtual IP is destination NAT: traffic to the external IP (and port) is translated to an internal server. A VIP does nothing on its own; a firewall policy with the VIP as destination must allow the traffic.

Virtual IPs



Packet Walk After

Next: Class 17: PC2 has no network