F FWallSim · Firewall Course

CLASS 19

The backup line never takes over

Troubleshooting: SD-WAN health checks

Advanced | ~15 minutes | FWallSim v1.1.0 (FortiOS 7.4 style)


YOU WILL LEARN

- Troubleshooting: SD-WAN health checks

BEFORE YOU START

Finish Class 18 first.

The lab network



The goal

THE IDEA

SD-WAN is configured with two ISPs, yet during the current ISP1 outage the office is offline. Find out why SD-WAN keeps using wan1.

How to start

1. Open FWallSim and log in.
2. Click **Labs** in the header.
3. Find **The backup line never takes over** and click **Start**.
4. The Lab Guide panel opens. Each task below gets a green tick as soon as it works.

Tasks

1. **During the ISP1 outage, PC1 reaches 8.8.8.8**

   Keep the outage on (Lab > WAN) while you fix it. Then send PC1-Admin → 8.8.8.8, Ping (Traffic Generator quick test "PC1 pings 8.8.8.8").

Hints


1. Network > SD-WAN > Performance SLAs: is wan1 alive or dead?
2. What server is the health check probing? Is it beyond the ISP?
3. Also check which members the health check probes.

Solution


1. Performance SLAs: set the server to 8.8.8.8.
2. Make both wan1 and wan2 participants.
3. Apply, then test again.

Screenshots


Numbered red markers show where to click or what to look at.




Lab Started




Packet Walk Before



Lab Solved



SD-WAN



Packet Walk After

Next: Class 20: The branch can reach the tunnel, but not HQ