

2520030405 Sashank Chivukula

The screenshot shows the Databricks Data Explorer interface. On the left, the 'CLUSTERS (1)' sidebar is visible, showing a cluster named 'Cluster0' with several jobs listed: 'admin', 'bankdb', 'customers', 'transactions', 'local', and 'sample_mflix'. The 'customers' job is selected. The main area displays the 'Cluster0 > bankdb > customers' view. The 'Documents' tab is active, showing a table of customer data. The table has columns: '_id', 'customer_id', 'name', 'city', 'account_type', 'balance', and 'status'. The data is filtered to show 1-8 of 8 rows. The first row shows a customer with ID 101, name 'Ravi Kumar', city 'Hyderabad', account type 'Savings', balance 85000, and status 'Active'. The second row shows a customer with ID 102, name 'Priya Sharma', city 'Vijayawada', account type 'Current', balance 125000, and status 'Active'. The third row shows a customer with ID 103, name 'Arjun Reddy', city 'Hyderabad', account type 'Savings', and status 'Active'.

_id	customer_id	name	city	account_type	balance	status
{ }	101	Ravi Kumar	Hyderabad	Savings	85000	Active
{ }	102	Priya Sharma	Vijayawada	Current	125000	Active
{ }	103	Arjun Reddy	Hyderabad	Savings		Active

[illegible]

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

DATA Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

Cluster0 > bankdb > customers

View monitoringVisualize Your Data

Documents8AggregationsSchemaIndexes1Validation

```
{  "balance": {    "$gt": 100000  } }
```

Generate query + Explain Reset Find Options

ADD DATA

BULK

EXPORT CODE

251 - 4 of 4

```
_id: ObjectId('6a891419ce9950b31e66b8f0')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"
```

```
_id: ObjectId('6a89142ece9950b31e66b8f4')
customer_id: 104
name: "Sneha Rao"
city: "Warangal"
account_type: "Savings"
balance: 210000
status: "Active"
```

```
_id: ObjectId('6a8914b3ce9950b31e66b8fa')
customer_id: 106
name: "Anjali Singh"
city: "Hyderabad"
account_type: "Savings"
balance: 175000
status: "Active"
```

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

DATA Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

Cluster0 > bankdb > customers

View monitoringVisualize Your Data

Documents8AggregationsSchemaIndexes1Validation

```
{  "city": "Hyderabad" }
```

Generate query + Explain Reset Find Options

ADD DATA

BULK

EXPORT CODE

251 - 4 of 4

```
{  "_id": {},  "customer_id": 101,  "name": "Ravi Kumar",  "city": "Hyderabad",  "account_type": "Savings",  "balance": 85000,  "status": "Active" }
```

```
{  "_id": {},  "customer_id": 103,  "name": "Arjun Reddy",  "city": "Hyderabad",  "account_type": "Savings",  "balance": 45000,  "status": "Active" }
```

```
{  "_id": {},  "customer_id": 106,  "name": "Anjali Singh",  "city": "Hyderabad",  "account_type": "Savings",  "balance": 175000,  "status": "Active" }
```

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{
 "account_type": "Savings"
}

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a89140bce9950...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a891424ce9950...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a89142ece9950...	104	"Sneha Rao"	"Marangal"	"Savings"	210000	
4	ObjectId('6a8914b3ce9950...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a8914cbce9950...	108	"Meena Devi"	"Chennai"	"Savings"	320000	

PAPPULA GNANESH...

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

{
 "amount": {
 "\$gt": 20000
 }
}

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9950...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9950...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9950...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9950...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a8915fdce9950...	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a89160fce9950...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9950...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9950...	1014	108	"Deposit"	150000	"NEFT"	
9	ObjectId('6a89163ace9950...	1015	108	"Withdrawal"	30000	"ATM"	

PAPPULA GNANESH...

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

{
 "type": "Deposit"
}

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9950...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9950...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9950...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9950...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a891607ce9950...	1009	105	"Deposit"	15000	"UPI"	
6	ObjectId('6a89160fce9950...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9950...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9950...	1014	108	"Deposit"	150000	"NEFT"	

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	1002	101	"Withdrawal"	10000	"ATM"
2	1004	102	"Withdrawal"	15000	"ATM"
3	1006	103	"Withdrawal"	5000	"ATM"
4	1008	104	"Withdrawal"	25000	"ATM"
5	1011	106	"Withdrawal"	20000	"ATM"
6	1013	107	"Withdrawal"	12000	"ATM"
7	1015	108	"Withdrawal"	30000	"ATM"

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain

ADD DATA BULK EXPORT CODE

25 1-3 of 3

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

```
{
  "_id": {},
  "transaction_id": 1007,
  "customer_id": 104,
  "type": "Deposit",
  "amount": 100000,
  "mode": "NEFT",
  "date": "2026-08-04",
  "status": "Success"
}
```

```
{
  "_id": {},
  "transaction_id": 1010,
  "customer_id": 106,
  "type": "Deposit",
  "amount": 75000,
  "mode": "NEFT",
  "date": "2026-08-06",
  "status": "Success"
}
```

```
{
  "_id": {},
  "transaction_id": 1014,
  "customer_id": 108,
  "type": "Deposit",
  "amount": 150000
}
```

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8AggregationsSchemaIndexes 1Validation

{
 "city": "Hyderabad",
 "balance": {
 "\$gt": 100000
 }
}

ADD DATA BULK EXPORT CODE

{
 "_id": {},
 "customer_id": 106,
 "name": "Anjali Singh",
 "city": "Hyderabad",
 "account_type": "Savings",
 "balance": 175000,
 "status": "Active"
}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8AggregationsSchemaIndexes 1Validation

Sort

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

1 {
2 "balance": -1
3 }

Output preview after \$sort stage (Sample of 8 documents)

_id: ObjectId('6a8914cbce9950b31e66b8fe')
customer_id: 108
name: "Keena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"

_id: ObjectId('6a89142ecet...
customer_id: 104
name: "Sneha Rao"
city: "Marangal"
account_type: "Savings"
balance: 210000
status: "Active"

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation + Explain Run Options

Sort Customer... SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

```
1 {
2   "balance": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "_id": ObjectId("6a8914cbce9950b31e66b8fe"),
  "customer_id": 108,
  "name": "Meena Devi",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a89142ce5..."),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group

Generate aggregation + Explain

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "total_amount": 602000
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group

Generate aggregation + Explain

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "average_amount": 40133.333333333336
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Deposit" total_amount : 485000	_id: "Withdrawal" total_amount : 117000
---	--

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 103 transaction_count : 2	_id: 102 transaction_count : 2
-----------------------------------	-----------------------------------

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a8915b8ce9950b31e66b902') transaction_id : 1001 customer_id : 101 type : "Deposit" amount : 25000 mode : "UPI" date : "2026-08-01" status : "Success" customer details : Array (1)	_id: ObjectId('6a8915c2ce9950b31e66b904') transaction_id : 1002 customer_id : 101 type : "Withdrawal" amount : 10000 mode : "ATM" date : "2026-08-02" status : "Success" customer details : Array (1)
--	---

Stage 2 \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a8915b8ce9950b31e66b902') transaction_id : 1001 customer_id : 101 type : "Deposit" amount : 25000 mode : "UPI" date : "2026-08-01"	_id: ObjectId('6a8915c2ce9950b31e66b904') transaction_id : 1002 customer_id : 101 type : "Withdrawal" amount : 10000 mode : "ATM" date : "2026-08-02"
--	---

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e66b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01",
  "status": "Success",
  "customer": Array (1)
}
```

Stage 2 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e66b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "date": "2026-08-02",
  "status": "Success",
  "customer": Array (1)
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000
}
```

Stage 2 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Array (1)
}
```

Stage 3 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Object (7)
}
```

Stage 4 \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

```
{
  "total_transaction": 65000,
  "customer_id": 102,
  "customer_name": "Priya Sharma"
}
```

Organization: PAPPUA GNANESH... Project: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents: 18 | **Aggregations** | Schema | Indexes | Validation

Generate aggregation | Explain | Run | Options

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

```

1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }

```

Output preview after aggregation (Sample of 8 documents)

customer_id	customer_name	total_transaction
102	Priya Sharma	65000
106	Anjali Singh	95000
108	Reena Devi	180000
104	Sneha Rao	125000

Stage 5: Sort

```

1 {
2   "total_transaction": -1
3 }

```

Output preview after Sort stage (Sample of 8 documents)

customer_id	customer_name	total_transaction
108	Reena Devi	180000
104	Sneha Rao	125000
106	Anjali Singh	95000
102	Priya Sharma	65000

Organization: PAPPUA GNANESH... Project: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents: 8 | **Aggregations** | Schema | Indexes | Validation

Generate aggregation | Explain | Run | Options

Sort Customer... - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

8 Documents in the collection

Stage 1: \$match

```

1 {
2   "status": "Active",
3   "balance": {
4     "$gt": 100000
5   }
6 }

```

Output preview after \$match stage (Sample of 6 documents)

customer_id	name	city	account_type	balance	status
101	Ravi Kumar	Hyderabad	Savings	85000	Active
102	Priya Sharma	Vijayawada	Current	125000	Active
106	Anjali Singh	Mumbai	Current	95000	Active
108	Reena Devi	Hyderabad	Savings	180000	Active

Stage 2: \$lookup

```

1 {
2   "from": "transactions",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "transactions"
6 }

```

Output preview after \$lookup stage (Sample of 6 documents)

customer_id	name	city	account_type	balance	status
101	Ravi Kumar	Hyderabad	Savings	85000	Active
102	Priya Sharma	Vijayawada	Current	125000	Active
106	Anjali Singh	Mumbai	Current	95000	Active
108	Reena Devi	Hyderabad	Savings	180000	Active

ORGANIZATION: PAPPUA GNANESH... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankub
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankub > customers

Documents | Aggregations | Schema | Indexes | Validation

Smatch | Slookup | Sunwind | Sgroup | Sort

Generate aggregation + | Explain | Run | Options

Sort Customer... - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

Stage 3: Sunwind

1. *transactions*

Output preview after Sunwind if stage (Sample of 10 documents)

```
{ "_id": ObjectId("6a89140bc9950b31e66bde"), "customer_id": 101, "name": "Ravi Kumar", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active", "transactions": Object (8) }
```

Stage 4: Sgroup

1. {

```
  "customer_id": "customer_id",
  "customer_name": {
    "first": "fname"
  },
  "city": {
    "first": "scity"
  },
  "balance": {
    "first": "sbalance"
  },
  "total_transactions": {
    "sum": "transactions.amount"
  },
  "transaction_count": {
    "sum": 1
  }
}
```

Output preview after Sgroup if stage (Sample of 6 documents)

```
{ "_id": 104, "customer_name": "Sneha Rao", "city": "Marangal", "balance": 210000, "total_transactions": 125000, "transaction_count": 2 }
```

Alert System Status: All Good

ORGANIZATION: PAPPUA GNANESH... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankub
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankub > customers

Documents | Aggregations | Schema | Indexes | Validation

Smatch | Slookup | Sunwind | Sgroup | Sort

Generate aggregation + | Explain | Run | Options

Sort Customer... - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

Stage 5: Sort

1. {

```
  "total_transactions": -1
}
```

Output preview after Sort if stage (Sample of 6 documents)

```
{ "_id": 108, "customer_name": "Meena Devi", "city": "Chennai", "balance": 320000, "total_transactions": 180000, "transaction_count": 2 }
```