


Little bit of Elixir

So, what is Elixir?

Saachi Kaup

September 2026

Zombie apocalypse



Credits to Distribunomicon

“the language for communication”

José Valim, creator of Elixir

- It's built on top of the BEAM VM (Erlang)
- It is a functional programming language.
- Distributed by Default?

Run Nodes on the same machine

```
iex --sname cthulu  
iex --sname lovecraft
```

```
node1@host> Node.ping(:"cthulu@Saachis-MacBook-Air")  
pong # good result
```

How to talk to another camp's member?

- Can do with two machines on this same network?
- Will try it with docker for now.
- Docker containers connected by the same network.

They talk to each other internally.

```
root@client:/app# getent hosts server  
172.18.0.3 server
```

```
root@server:/app# getent hosts client  
172.18.0.2 client
```

Logs might help?

```
tcpdump -n -i any -l 'port 4369 or portrange 9100-9101'
```


```
server-machine.port > client-machine.4369
```

```
server-machine.port > client-machine.9100
```

What is going on?

- The cthulu node first resolves the host.
- Then connects to EPMD (Erlang Port Mapper Daemon) of the remote machine.
- This then allows it to connect to the port where Elixir node is running.

Still these two machines are effectively still kind of like talking to your own camp.



I wanted to know if this would work over the internet?

Turns out it can.

Spun up a server on AWS, configured some ports to ensure traffic flows -

```
> Node.ping(:'lovecraft@ec2-54-261-398-873.compute-1.amazonaws.com').
```

```
pong
```

Thank You!

- LinkedIn Profile - [linkedin.com/saachi-kaup](https://www.linkedin.com/saachi-kaup)
- Fred Hebert's Distribunomicon - learnyoussomeerlang.com



- Blog Post - blog.skaup.co/little-bit-of-elixir