FINWISE

Growth strategy

First useful forecasts.
A measured path to sustained paid use.

A proposed 12-month experimentation plan

Saad Binnffal / Product School / October 2026

CONTEXT

The growth problem

2%

Trial users become paying customers

$10M

Annual recurring revenue

40%


Paid customers retained after one year

Paid acquisition brings trials, but the strategy needs more useful first experiences and sustained paid use.

Source: course scenario. These are givens, not measured project results.

FUNNEL EVIDENCE

Trial-to-paid has the largest relative loss



98.01%

Trial starts do not appear as paid.
Conversion is 1.99%.

Revenue is the observed drop-off stage.
Its cause is unresolved.

Bars share a visits-based scale. Cohort alignment still needs verification.

Source: 04-signals/data-signals.md and supplied monthly table.

EXECUTION ROADMAP

A 12-month plan with evidence gates

MONTHS 1-2

First value

Instrument the data path and run the accountant-invitation A/B test.

MONTHS 3-5

Useful recurrence

Read the first test, then test meaningful weekly cash reviews.

MONTHS 6-8

Packaging

Audit entitlements, then test the free/paid boundary if needed.

MONTHS 9-12

Distribution

Validate cross-business introductions and scale with retained revenue.

Proposed sequence: November 2026 to October 2027. Timing depends on feasibility.

MODULE 1

The Bet


Working hypothesis

Trial users may not reach repeatable value early enough to pay and stay.

First bet

Offer optional accountant review before the first financial model.

Cross-business introductions need separate validation.



Source: 01-bet/growth-bet.md. All loop links remain hypotheses.

MODULE 2

The Solution

Candidate Aha moment


A healthy ending balance can hide an earlier cash dip.

01 Goal
Choose one outcome.

02 Data
Use own data or a sample preview.

03 Review
Confirm inputs. Invite is optional.

04 Forecast
See the cash dip and its timing.



Source: 02-solution/activation-solution.md. Screen uses fictional USD sample data.

MODULE 3

The Mechanic


Weekly Cash Review

1 Confirm current data

2 Review the low cash point

3 Save a decision or note

Progress rewards useful work.
Past reviews stay available.



Source: 03-mechanic/engagement-mechanic.md. Static concept, not a tested retention result.

MODULE 4

The Signals

Aim

Own data and first modeling output


Move

Import completion
First-model completion among importers

Prove

Paid conversion and retained paid use

Import usage and trial-to-paid conversion



r = -0.05. No clear monthly linear association.

Source: 04-signals/data-signals.md. 13 monthly aggregates. Conversion axis zoomed.

MODULE 5

The Validation

Method	50/50 A/B assignment by trial workspace
Single change	An optional accountant invitation in input review
Primary	Own-data import and first valid model within 7 days
Success target	+10 percentage points, credible evidence, guardrail met
Guardrail	Day-1 noncompletion deterioration at most +2 points
Sample plan	At least 800 workspaces. Guardrail precision may need more.
Read date	4 January 2027, after recruitment and final follow-up

Source: 05-validation/experiment-brief.md. Targets and dates are proposed.

MODULE 6

The Model

Stage 1 priority: useful first value

Existing reverse trial. Freemium with paid workspace subscriptions.

Proposed free first-value path

Own-data import

One editable 30-day forecast

Optional accountant review

Manual weekly review

Paid expansion to validate

Additional forecast scenarios

Recurring planning needs

Servicing cost to verify

Audit entitlements first. If this path is already free, retain it and prioritize the activation test.

Source: 06-model/pricing-model.md. Packaging and willingness to pay remain unvalidated.

REFLECTION

The Story

One friction

A required invitation could delay first value. I kept collaboration optional.

One Aha

A positive ending cash balance can hide an earlier dip below the buffer.

What changed my thinking

Monthly import usage did not validate a payment predictor. I revised that assumption.

Next decision: verify the events and run a feasible first-value test.