# Table of Contents

| 1.0  | Getting Started                     | 2 |
|------|-------------------------------------|---|
| 2.0  | Framework Architecture              |   |
| 3.0  | Dependencies and Plugins            | 3 |
| 4.0  | Reporting                           | 3 |
| 5.0  | Executing Test Automation Scripts   | 3 |
| 5.1  | Environment Prerequisites           | 3 |
| 5.2  | Getting Code from GitHub            | 4 |
| 5.3  | Executing Scripts from Command Line | 4 |
| 5.3. | 1 Running API and Web Scripts       | 4 |
| 5.   | 3.2 Running API Only Scripts        | 4 |
| 5.   | 3.3 Running Web Only Scripts        | 4 |
|      |                                     |   |

# 1.0 Getting Started

To Complete Automation assignment for Web and Rest API Automation, Following technologies, tools and processes are considered

Programming Language: Java


• Dependency Management: Maven

Test Approach: Behavior Driven Development

Web Automation: SeleniumAPI Automation: RestAssuredReports: Cucumber Reports

### 2.0 Framework Architecture

Following diagram depicts a Framework architecture used for given assignment



# 3.0 Dependencies and Plugins

Following dependencies and plugins were used in the framework

| Dependencies     |          |  |
|------------------|----------|--|
| Name             | Version  |  |
| Junit            | 4.13.1   |  |
| Selenium-java    | 3.141.59 |  |
| Cucumber-java    | 6.9.0    |  |
| Cucumber -junit  | 6.9.0    |  |
| webdrivermanager | 5.1.0    |  |
| restassured      | 5.0.1    |  |
| hamcrest         | 2.2      |  |
| Jackson-databind | 2.13.2.2 |  |
| Scribejava-apis  | 2.5.3    |  |

| Plugins                |          |  |
|------------------------|----------|--|
| Name                   | Version  |  |
| Maven-compiler-plugins | 3.10.1   |  |
| maven-surefire-plugin  | 3.0.0-M6 |  |
| maven-resources-plugin | 3.1.0    |  |

### 4.0 Reporting

Since there were no explicit requirements of Reporting for Assignment, therefore, Cucumber Reports are used to display results for Test Execution of both API and Web Automation scripts. Link to cucumber reports will be provided in Test results.

# 5.0 Executing Test Automation Scripts

### 5.1 Environment Prerequisites

Before starting the execution of script, please ensure, that environment is configured with

- Java 1.8
- Maven

For this assignment, Java version 1.8 and Maven version 3.8.1 is used.

### 5.2 Getting Code from GitHub

Clone project from following URL https://github.com/SaadHamid11/TestRepository.git

#### 5.3 Executing Scripts from Command Line

#### 5.3.1 Running API and Web Scripts

Type following commands in command line

- mvn clean
- mvn compile
- mvn test

Or write a single command to compile and run both API and Web tests

• mvn compile verify

#### 5.3.2 Running API Only Scripts

Type following command in command line to run API Only tests

- mvn clean
- mvn compile
- mvn test -Dcucumber.filter.tags="@APITest"

#### 5.3.3 Running Web Only Scripts

Type following command in command line to run Web Only tests

- mvn clean
- mvn compile
- mvn test -Dcucumber.filter.tags="@WebTest"