



Agenda

- **≻**Carousel
- **≻**Modals
- **≻**Dropdowns
- **≻**Card
- **Forms**

Carousel

The carousel component is used to create a slideshow for cycling through images or content.

```
<div id="carouselExample" class="carousel slide" data-bs-ride="carousel">
   <div class="carousel-inner">
     <div class="carousel-item active">
       <img src="image1.jpg" class="d-block w-100" alt="...">
     </div>
     <div class="carousel-item">
       <img src="image2.jpg" class="d-block w-100" alt="...">
     </div>
   </div>
   <button class="carousel-control-prev" type="button" data-bs-target="#carouselExample" data-bs-slide="prev">
     <span class="carousel-control-prev-icon" aria-hidden="true"></span>
   </button>
   <button class="carousel-control-next" type="button" data-bs-target="#carouselExample" data-bs-slide="next">
     <span class="carousel-control-next-icon" aria-hidden="true"></span>
   </button>
 </div>
```

Modals

Modals are pop-up dialogs used to display content or collect user input without leaving the page.

```
<button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#exampleModal">
  Open Modal
</button>
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Modal Title</h5>
        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">
        Modal content goes here.
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
        <button type="button" class="btn btn-primary">Save changes
      </div>
    </div>
  </div>
</div>
```

Dropdowns

Dropdowns are used to display a list of actions or links triggered by a button or link.

Forms

Bootstrap forms provide pre-designed elements like text fields, checkboxes, radio buttons, and submit buttons.

```
<form>
   <div class="mb-3">
     <label for="exampleInputEmail1" class="form-label">Email address</label>
     <input type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp">
   </div>
   <div class="mb-3">
     <label for="exampleInputPassword1" class="form-label">Password</label>
     <input type="password" class="form-control" id="exampleInputPassword1">
   </div>
   <div class="form-check">
     <input type="checkbox" class="form-check-input" id="exampleCheck1">
     <label class="form-check-label" for="exampleCheck1">Check me out</label>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
 </form>
```

THANK Y ® U

