

PART I

THE NATIONAL ESSENTIAL MEDICINES LIST (NEMLIT)

Background Information

The National Essential Medicines List (NEMLIT) presents essential medicines, for which health facilities at all levels requisite for management of priority diseases. The NEMLIT is based on the concept of essential medicines, defined by the World Health Organization (WHO) as those medicines that meet priority healthcare needs of the population and intended to be available within the context of functioning health systems at all times, with assured quality and at a price the individual and the community can afford. The concept emphasizes carefully and systematically selection of essential medicines using an evidence-based process with due consideration of clear evidence of safety and efficacy and comparative cost effectiveness. The rationale for selecting a limited number of essential medicines is to enhance supply, improve rational use, and lower costs.

Categorization of antibiotics

A new categorization of antibiotics into Access, Watch, Reserve (AWaRe) classification has been introduced to guide their prudent use and reduce antimicrobial resistance.

Access Group Antibiotics

This group includes antibiotics that have activity against a wide range of commonly encountered susceptible pathogens while also showing lower resistance potential than antibiotics in the other groups. Access group antibiotics are recommended as essential first or second choice empiric treatment options for infectious syndromes. They are essential antibiotics that should be widely available, affordable and quality assured.

Watch Group Antibiotics

This group includes antibiotic classes that have higher resistance potential. These medicines should be prioritized as key targets of stewardship programs and monitoring. The selected Watch group antibiotics are recommended as essential first or second choice empiric treatment options for a limited number of specific infectious syndromes.

Reserve Group Antibiotics

This group includes antibiotics that should be reserved for treatment of confirmed or suspected infections due to multi-drug-resistant organisms. Reserve group antibiotics should be treated as “last resort” options. While they must be accessible when required, their use should be limited to highly specific patients and clinical settings, when other antibiotic alternatives have failed or are not suitable. They should be protected and prioritized as key targets of national and international AMR stewardship programmes, involving monitoring and utilization reporting, to preserve their effectiveness.

Prescribing of Medicines with Regard to Level of Service Provision and Professional Expertise

Similar to previous editions, the NEMLIT will be used with regard to levels of care. Additionally, a new categorization of prescribing medicines with regards to expertise has been introduced to facilitate reimbursement of medicines by the NHIF. In summary, stocking and prescribing of medicines as per level of care will be: tertiary hospitals (**A, B, C, D & S**); Regional Referral Hospitals (**A, B, C & D**); District Hospitals (**A, B & C**); Health Centers (**A & B**) and dispensaries (**A**). Additional category reflects professional expertise; regardless of level of care: Specialists (**A, B, C, D & S**); Medical Officers (**A, B, C & D**); Assistant Medical Officer (**A, B & C**); Clinical Officers (**A & B**) and Assistant Clinical Officers (**A**).

Table 1: Restrictions for Prescribing Medicines Listed in the NEMLIT

Level of Medicines with Regard to Service Provision		Level of Medicines with Regard to Professional Expertise	
Tertiary Hospital	A,B,C,D,S	Specialist	A,B,C,D,S
Regional Referral Hospital	A,B,C,D	Medical Officer (MO)	A,B,C,D
District Hospital	A,B,C	Assistant Medical Officer (AMO)	A,B,C
Health Centre	A & B	Clinical Officer (CO)	A & B
Dispensary	A	Assistant Clinical Officer (ACO)	A

Hence, at tertiary level hospitals (**S**); the National, Zonal Referral and Specialized hospitals, all medicines in the NEMLIT may be stocked; as per hospital needs and specialists may prescribe all medicines listed in the NEMLIT. However, level (**S**) medicines are restricted to other experts. Implying that, a Medical Officers at tertiary hospital will be prescribe medicines listed A, B, C and D and Assistant Medical Officer A, B, & C but not S.

At Regional Referral Hospitals (RRH) level, medicines listed as (**A, B, C & D**) will be stocked. Specialists at that level may prescribe medicines at level (**A, B, C, D, S**) as per their specialty areas e.g. cardiologist may prescribe cardiovascular diseases medicines at that level. Medical officer at RRH will prescribe medicines at level (**A, B, C, D**). If there is an Assistant Medical Officer at RRH allowed to prescribe medicines listed (**A, B, C**) and Clinical Officers (**A & B**).

At District hospitals level, medicines listed as (**A, B & C**) will be stocked. Specialists prescribe medicines listed (**A, B, C, D, S**) as above. Medical Officers will prescribe medicines listed (**A, B, C, D**) and AMO (**A, B, C**). If their Clinical Officers (CO) at that level will be permitted to prescribe medicines listed A & B only. Health Centers stock medicines listed as A & B and dispensaries A, but if there is AMO, MO or specialist will prescribe as above.

Note

- Different from previous editions, the arrangement of STG/NEMLIT have changed; the NEMLIT starts followed by chapters of STG to make easy reference of essential medicines by users.
- All medicines indicated for treatment of various diseases in the STG are listed in the NEMLIT.
- Some medicines are listed in some levels for the treatment of specific disease condition e.g. cefixime is level (**D**) but, may be prescribed in lower HFs for treatment of STI only.
- Medicines in the NEMLIT are grouped according to pharmacological groups and written alphabetically, in generic names, with their dosage forms and strengths.
- All health facilities in the public sector will adhere to the NEMLIT in procurement of medicines from MSD and other sources.
- The NHIF will adhere to the NEMLIT for reimbursement of medicines in both public and private health facilities.
- Special arrangement to quantify and procure medicines, which are not managed at specific health facilities but are needed due to presence of expertise as stated above; for that case the Hospital Pharmacists in collaboration with the Office of Chief Pharmacist shall facilitate the process.

Further recommendations, advices and clarifications of the use of this document are much welcome; please, you may communicate with the office of the Director Pharmaceutical Services - Ministry of Health, Community Development, Gender, Elderly and Children. We believe that all medicines stocked in our health facilities are of assured quality. However, for recommendations and advices concerning all aspects of the quality of medicines and any adverse reaction please contact the Tanzania Medicines and Medical Devices Authority at www.tmda.go.tz.

The National Essential Medicines List, 2021 Edition

Name of drug	Dosage forms and Strengths	Level
1.0 Anesthetics, Preoperative Medicines and Medical Gases		
1.1 General Anaesthetics and Oxygen		
1.1.1 Inhalational Medicines		
Halothane	Liquid for inhalation, bottle 250mL	B
Isoflurane	Liquid for inhalation, 250MmL	B
Nitrous oxide	Cylinder (F gas) for inhalation	C
Oxygen	Cylinder (medical gas) for inhalation	B
Sevoflurane	Inhalation	S
1.1.2 Injectable Medicines and Other Pre-Medication		
Atropine	Injection 1mg (as sulfate in 1mL ampoule)	A
Calcium chloride	Injection 10mcg/mL	D
Clonidine	Injection 500mcg/mL	S
Dexmedetomidine	Injection 100mcg/mL	S
Ephedrine injection	Injection 30mg/mL	B
Flumazenil	Injection 0.2mg (IV)	A
Etomidate	Injection 20mg/mL	S
Glycopyrrolate	Injection 200mcg/mL in 1mL, 600mcg in 3mL	S
Ketamine	Injection (hydrochloride), 10mg/mL in 20mL	B
Labetalol	Injection 10mg/mL	C
Lipid emulsion	Solution 20%	S
Metaraminol	Injection 1mg/mL	S
Midazolam	Injection 1mg/mL, 5mg/mL	D
Noradrenaline	Injection 2mg/mL	S
Ondansetron	Injection 2mg/mL	S
Phenylephrine	Injection 10mg/mL	S
Propofol	Injection 10mg/mL, 20mg/mL	D
Sodium citrate	Solution 0.3 moles	D
Thiopental	Injection (sodium salt), in 20mL	C

1.2 Local Anaesthetics		
Bupivacaine	Injection 0.5% (hydrochloride) in 7.5% dextrose spinal	C
Bupivacaine	Injection 2.5mg/mL, 5mg/mL, 7.5mg/mL	C
Lidocaine	Injection hydrochloride 1% & 2%;	A
Lidocaine	Gel 2% & 5%; Spray 10%	B
Lidocaine in Dextrose	Injection (hydrochloride), 5% in 7.5% dextrose	B
Lidocaine + epinephrine (adrenaline)	Injection (hydrochloride) 2% with adrenaline 1:100,000 in 2mL ampoule for dental use	A
1.3 Muscle Relaxants and Cholinesterase Inhibitors		
Atracurium	Injection 50mg/5mL	S
Baclofen	Tablet 10mg	S
Neostigmine	Injection (hydrochloride or hydrogen tartarate), 1mg/mL in 1mL ampoule, Injection (hydrochloride or hydrogen tartarate), 2.5mg/mL in 1mL ampoule	B
Pancuronium	Injection (bromide) 4mg/mL in 2mL ampoule	C
Rocuronium	Injection 50mg/5mL	S
Sugammadex	Injection: 100mg/mL	S
Suxamethonium	Powder for injection (bromide or chloride) 50mg/mL in 2mL vial	C
Tizanidine	Tablet/Capsule: 2mg; 4mg	S
2.0 Medicines for Pain and Palliative Care		
2.1 Non-opioids and Non-steroidal Anti-inflammatory Medicines (NSAIDs)		
Acetylsalicylic acid	Tablet 300mg	A
Dexketoprofen	Tablet 25mg	S
Diclofenac	Injection 25mg/mL; Recto caps 100mg (slow release); Gel.	A
Diclofenac	Tablet (sodium/potassium salt) 50mg, 100mg;	C
Ketoprofen	Tablet/Capsule: 50mg, 75mg, 200mg; Gel 2.5% w/w	S
Ibuprofen	Tablet 200mg; 400mg ; Syrup 100mg/5ml	A
Mefenamic Acid	Tablet 500mg	B
Meloxicam	Tablet 7.5mg; 15mg	D
Paracetamol	Tablet 500mg; Syrup 125mg/5mL, suppositories 125mg	A
	10 mg/mL Solution for Infusion	D

Piroxicam	Tablet 20mg	A
Sulfasalazine	Tablets 500mg	D
2.2 Opioid Analgesics/Antagonists		
Fentanyl	Injection 100mcg/2mL; Patches	S
Methadone	Tablet: 5mg; 10mg (as hydrochloride); Oral liquid: 5mg/5mL; 10mg/5mL (as hydrochloride); Concentrate for oral liquid: 5mg/mL; 10mg/mL (as hydrochloride)	C
Morphine	Tablet 10mg (morphine hydrochloride or morphine sulfate); Granules (slow-release: to mix with water) 20mg-200mg (morphine sulfate); Oral liquid: (10mg morphine hydrochloride or morphine sulfate)/5mL; Injection: 10mg (morphine hydrochloride or morphine sulfate) in 1mL ampoule	C
Naloxone	Injection (hydrochloride) 0.4mg/mL in 1mL ampoule	B
Pethidine	Injection (hydrochloride) 50mg/mL in 1mL and 2mL ampoule	B
Tramadol	Tablet 50mg; Injection 50mg/mL in 2mL	B
2.3 Medicines for Other Common Symptoms in Palliative Care		
Amitriptyline	Tablet 25mg	A
Haloperidol	Injection: 5mg/1mL ampoule; Tablet 5mg	B
Hydrocortisone	Powder for injection (as sodium succinate) 100mg in vial	A
Hyoscine butyl bromide	Tablet 10mg	A
Hyoscine butyl bromide	Injection: 20mg/mL	B
Loperamide	Tablet 2mg	B
Imipramine	Tablet 25mg	C
3.0 Anti-allergies and Medicines Used in Anaphylaxis		
Betahistine	Tablet as dihydrochloride 16 mg	C
Bethametasone	Injection: 4mg/mL	D
Cetirizine	Oral solution 5mg/5mL; Tablet (hydrochloride) 10mg	A
Chlorpheniramine	Injection (maleate 10mg/mL in 1mL ampoule); Elixir (maleate) 2mg/5mL; Tablet (maleate) 4mg	A
Desloratadine	Tablet: 5 mg film-coated	S

Dexamethasone	Injection: 4mg/mL in 1mL ampoule (as disodium phosphate salt);	B
Epinephrine (Adrenaline)	Injection: 1mg (as hydrochloride or hydrogen tartrate) in 1mL ampoule	A
Loratadine	Syrup 5mg/5mL; Tablet 10mg	C
Promethazine	Injection (hydrochloride) 25mg/mL in 2mL; Syrup 5mg/5mL; Tablet (hydrochloride) 25mg	A
4.0 Antidotes and Other Substances Used in Poisonings		
4.1 Antidotes (Non-specific)		
Charcoal, activated	Tablet or Powder, 50g	A
Magnesium sulfate	Powder salt, 5g	C
4.2 Antidotes (Specific)		
Acetylcysteine	Injection: 200mg/mL in 10mL ampoules	C
Atropine	Injection 1mg (as sulfate in 1mL ampoule)	A
Calcium gluconate	Injection 100mg/mL in 10mL	A
Deferoxamine	Injection 500mg (mesylate) in vial	D
D-penicillamine	Tablet 250mg	D
Dimercaprol	Injectable 50mg/mL in 2mL ampoule	D
Ethylenediaminetetra-acetic acid (EDTA)	Injection 200mg/mL in 5mL	D
Flumazenil	Injection: 100mcg/mL in 5mL	D
Pralidoxime	Injection 600mg	S
Sodium bicarbonate 8.4%	Injection 10mLs	C
Sugammadex	Injection 100mg/mL	S
Succimer	Capsule 100mg (2,3-Dimercaptosuccinic acid)	D
5.0 Anticonvulsants and Antiepileptics		
Carbamazepine	Syrup 100mg/5mL; Tablet 100mg; 200mg	A
Clonazepam	Tablet 0.5mg, 2mg	D
Diazepam	Tablet 5mg	C
	Injection 5mg/mL in ampoule 2mL	A
Lamotrigine	Tablet 100mg, 200mg	S

Levetiracetam	Injection 5mg/mL, 10mg/mL, 15mg/mL, 100mg/mL, Tablet 250mg, 500mg, 750mg, 1000mg	S
Lorazepam	Injection: 2mg/mL in ampoule; 4mg/mL in ampoule, Tablet 1mg/2mg	C
Magnesium sulfate	Injection 50mg/mL in 10mL vial	A
Phenobarbital	Injection (as sodium salt), 100mg in 2mL ampoule;	A
	Tablet (as sodium) 30mg, 100mg	A
Phenytoin	Suspension (as sodium salt) 30mg/5mL; Tablet/Capsule (as sodium salt) 50mg, 100mg, Injection 100mg/2mL	C
Pregabalin	Tablet/Capsule 75mg, 100mg; 150mg	D
Sodium Valproate	Tablet 200mg, 500mg	C
6.0 Anti-Infective Medicines		
6.1 Anthelmintics		
6.1.1.Intestinal anthelmintics		
Albendazole	Suspension 100mg/5mL in 30mL bottle; Tablet 200mg, 400mg, chewable	A
Mebendazole	Suspension 100mg/5mL in 30mL bottle; Tablet 100mg, chewable	A
6.1.2 Antifilariasis		
Ivermectin	Tablet 3mg, 6mg	A
6.1.3 Anti-schistosomiasis and Other Anti-trematode Medicines		
Praziquantel	Tablet 600mg	A
Albendazole	Tablet 200mg, 400mg	A
6.2 Antibacterial		
6.2.1 Access Group Antibiotics		
Ampicillin	Powder for injection (as sodium salt) 250mg, 500mg in vial	A
Ampicilin + cloxacillin	Capsule 250/250mg, injection	B
Amoxicillin	Capsule (as trihydrate) 250mg; Dispersible tablet 250mg, 125mg	A
Amoxicillin + Clavulanic acid	Powder for suspension (as trihydrate) 125mg+ 31.25mg (as potassium salt) in 5mL AND 250mg amoxicillin + 62.5mg clavulanic acid/5mL; Tablet (as trihydrate) 500mg + 125mg clavulanic acid (as potassium salt)	B
Amoxicillin + Clavulanic acid	Powder for injection 500mg (as sodium), + 100mg (as potassium salt) in vial	C

Benzathine benzyl penicillin	Powder for injection 1.44g (2,400,000 IU) in vial	A
Benzyl Penicillin	Powder for injection (as sodium or potassium salt) 3g (5,000,000 IU) in vial	A
Cephalexin	Capsule 250mg (as monohydrate); Powder for reconstitution 125/5mi; 250mg/mL	B
Cloxacillin	Powder for injection (as sodium salt) 250mg, 500mg in vial	B
Doxycycline	Capsule (as hydrochloride), 100mg	A
Erythromycin	Powder for suspension (as ethylsuccinate), 125mg/5mL in 100mL bottle; Tablet (as stearate or ethyl succinate), 250mg, film coated	A
Flucloxacillin + Amoxicillin	Tablet 500mg (as combination) ;	C
Flucloxacillin	Injection (sodium) 250mg; 125mg/5mL Oral solution	C
Metronidazole	Suspension as (benzoate) 200mg/5mL in 100mL; Tablet 200mg	A
	Injection (I.V) 5mg/mL in 100mL bottle;	B
Nitrofurantoin	Tablet 100mg	A
Phenoxymethylpenicillin	Powder for suspension 125mg/5mL; (as potassium salt), Tablet 250mg	A
Tetracycline	Capsule 250mg	S
Oxytetracycline	Eye ointment 1% (hydrochloride)	A
6.2.2 Watch Group Antibiotics		
Ampicillin + Sulbactam	Powder for injection (ampicillin 1g/sulbactam 0.5g), (ampicillin 2g/sulbactam 1g), (ampicillin 10g/sulbactam 5g)	C
Azithromycin	Capsule/Tablet (as dihydrate) 250mg, 500mg; Oral liquid 200mg/5mL	B (level A for STI only)
Clarithromycin	Tablet 250mg, 500mg	C
Chloramphenicol	Oily injection 0.5g (as sodium succinate)/mL in 2mL ampoule; Powder for injection (as sodium succinate) 1g, 125mg/5mL injection (as Phosphate), 150mg/mL in 2mL ampule	B (Reserved for meningitis)
Ceftriaxone	Injection 250mg, 500mg, 1g in vial	B (level A for STI only)
Ceftriaxone+sulbactam	Injection 1.5g vial	D
Ciprofloxacin	Tablet (as hydrochloride) 250mg, 500mg	A
Ciprofloxacin	Solution for IV infusion 2mg/mL in 100mL	C

Gentamicin	Injection (as sulfate) 40mg/mL in 2mL ampoule, 20mg/mL in 2 mL ampoule	A
Piperacillin + tazobactam	Powder for injection 2g (as sodium salt) + 250mg (as sodium salt); 4g (as sodium salt) + 500mg (as sodium salt) in vial	S
Sulfamethoxazole + trimethoprim	Suspension (Sulphamethoxazole 200 mg/5mL + trimethoprim 40mg/5mL in 100mL bottle; Tablet 480mg; Sulphamethoxazole 400mg/trimethoprim 80mg	A
Ceftazidime	Powder for injection (as pentahydrate) 250mg in vial	D
Cefixime	Capsule 200mg/ 400mg	S (A for STI and Typhoid)
Cefuroxime	Powder for Injection 250mg, 750mg, 1.5g (as sodium salt) in vial	D
	Oral suspension 125mg/5mL, 250mg/5mL; Tablet 250mg, 500mg; injection	D
6.2.3 Reserve Group Antibiotics		
Amikacin	Injection 250mg/mL (as sulfate)	S
Cefepime	Injection 1000mg	S
Clindamycin	Capsule 150mg (as hydrochloride);	S
	Injection (as phosphate) 150mg/mL in 2mL ampule	S
Colistin	Powder for Injection 1MIU per vial	S
Dapsone	Tablet 100mg	S
Meropenem	Injection 500mg, 1000mg	S
Vancomycin	Capsule: 125mg; 250mg (as hydrochloride)	S
	Powder for injection 250mg (as hydrochloride) in vial	S
6.2.3 Antileprosy Medicines		
Clofazimine	Capsule: 50mg; 100mg	A
Dapsone	Dapsone Tablet 50mg, 100mg	A
Rifampicin	Tablet 25mg; 50mg; 100mg	A
6.2.4 Antituberculosis Medicines		
Ethambutol	Tablet (as hydrochloride) 400mg	A
Ethambutol+Isoniazide	Tablet 400mg + 100mg	A
Ethionamide	Tablet 125mg, 250mg	S

Isoniazid	Tablet 100mg	A
Pyrazinamide	Tablet 500mg	A
Rifampicin+Isoniazid	Capsule/Tablet, 150mg+75mg, 50mg+150mg	A
Rifampicin+Isoniazid+Pyrazinamide+Ethambutol	Tablet 150mg + 75mg + 400mg + 275mg	A
6.2.5 Reserved Second-line for Treatment of Multidrug Resistance Tuberculosis (MDR-TB)		
Cycloserine	Tablet 250mg	S
Bedaquiline	Tablet 100mg	S
Capromycine	Powder for injection 1g (as sulfate) in a vial	S
Delamanide	Tablet 50mg	S
Kanamycin	Powder for injection: 1g (as sulfate) in vial	S
Levofloxacin	Tablet 250mg	S
Linezolid	Injection for intravenous administration: 2mg/mL in 300mL bag; Tablet 400mg; 600mg	S
Moxifloxacin	Tablet 400mg	S
p-Amino salicylic acid (PAS)	Granules 4g in a sachet; Tablet 500mg	S
6.3 Antifungal Medicines		
Amphotericin B	Amphotericin B Powder for injection 50mg in vial	S
Clotrimazole	Clotrimazole Vaginal cream (nitrate) 1%, 10%; Clotrimazole Pessaries 100mg; 500mg ; Topical cream/Ointment	A
Fluconazole	IV infusion 2mg/mL in vial	C
	Tablet/Capsule 150mg, 200mg	A
Flucytosine	Isotonic infusion solution containing flucytosine (1%) and 0.805% sodium chloride	S
	Tablet 250mg, 500mg	S
Griseofulvin	Tablet 500mg	A
Itraconazole	Capsule 100mg	D
Miconazole	Miconazole Oral gel 2%; Vaginal Pessaries, Topical cream/ointment	C
Nystatin	Suspension oral 100,000 IU/mL	A
Terbinafine	Tablet 250mg ; Topical cream	C
6.4 Antiviral Medicines		
6.4.1 Antiherpes Medicines		

Acyclovir	Cream 5%; Tablet 200mg, 400mg,	B
	Injection 500mg/Vial	D
Valganciclovir	Tablet 450mg	S
6.4.2 Antiretrovirals (ARVs)		
6.4.2.1 Nucleoside/Nucleotide Reverse Transcriptase Inhibitors		
Abacavir (ABC)	Tablet: 300mg (as sulfate)	A
Lamivudine (3TC)	Oral Liquid 50mg/mL; Tablet: 150mg	A
Tenofovir disoproxil fumarate (TDF)	Tablet: 300mg	A
Zidovudine (AZT)	Capsule 250mg; Oral liquid 50mg/5mL	A
6.4.2.2 Non-nucleoside Transcriptase Inhibitors		
Efavirenz (EFV)	Tablet: 200mg; 600mg	A
Nevirapine (NVP)	Oral liquid: 50mg/5mL; Tablet 50mg (dispersible); 200mg	A
6.4.2.3 Protease Inhibitors		
Atazanavir	Tablet 100mg; 300mg (as sulfate)	C
Atazanavir + Ritonavir	Tablet: 300mg (as sulfate) + 100mg	C
Lopinavir + Ritonavir (LPV/r)	Capsule 40mg + 10mg; Oral liquid 400mg + 100mg/5mL; Tablet 100mg + 25mg; 200mg + 50mg	C
Ritonavir	Oral liquid 400mg/5mL; Tablet 25mg; 100mg	C
Darunavir	Tablet 75mg, 400mg, 600mg, 800mg	S
6.4.2.4 Integrase Inhibitors		
Raltegravir	Tablet 25mg, 100mg, 400mg	S
6.4.2.5 Fixed Dose Combinations		
Abacavir/Lamivudine	Dispersible Tablet 60/30mg; Dispersible tablet; 120/60mg; Tablet 600/300mg Scored	A
Tenofovir /Emtricitabine	Tablet 300/200mg	A
Tenofovir/Emtricitabine/Efavirenz	Tablet 300/200/600mg	A
Tenofovir/Lamivudine/Efavirenz	Tablet 300/300/600mg	A
Tenofovir/Lamivudine/Dolutegravir	Dispersible tablet 60/30mg; Tablet 300/300/50mg	A
Zidovudine/Lamivudine	Tablet 300/150mg	A

Zidovudine/Lamivudine/Nevirapine	Tablet 300/150/200mg	A
6.4.2.6 Medicines for Prevention of Opportunistic Infections		
Isoniazide	Tablet 300mg	A
Pyridoxine	Tablet 25mg	B
Sulphamethoxazole + trimetoprim	Tablet 400mg + 80mg	A
6.4.3 Antihepatitis Medicines		
6.4.3.1 Medicines for Hepatitis-B		
Entecavir	Tablet 0.5mg	S
Tenofovir disoproxil fumarate (TDF)	Tablet: 300mg	A
6.4.3.2 Medicines for Hepatitis-C		
Ledipasvir	Tablet 90mg	S
Ribavirin	Tablet 600mg	S
Sofosbuvir	Tablet 400mg	S
6.5 Antiprotozoal Medicines		
6.5.1 Antiamoebic and Antigiardiasis Medicines		
Metronidazole	Suspension 200mg/5mL; Tablet 200mg	A
Tinidazole	Tablet 500mg	B
6.5.2 Anti-malarial Medicines		
Artemether/Lumefantrine (ALU)	Tablet 20mg/120mg	A
Artemether	Injection 80mg/mL ampoules	B
Artesunate	Injection: ampoule, containing 60mg anhydrous artesunic acid with separate ampoule of 5% sodium bicarbonate solution	A
Dihydroartemisinin+Piperaquine (DPQ)	Tablet 40mg+320mg, 20mg+160mg	C
Primaquine	Tablet (as phosphates) 2.5mg, 7.5mg, 15mg	A (restricted to few HFs under the project)
Sulfadiazine	500mg tablet	D
Pyrimethamine	25mg tablet	D
6.5.3 Malaria Prophylaxis		
Sulfadoxine + Pyrimethamine	Tablet 500mg + 25mg	A

7.0 Antimigraine Medicines		
7.1 Medicines for Treatment of Acute Attack		
Acetylsalicylic acid	Tablet 300mg	A
Ibuprofen	Tablet 200mg; 400mg	A
Ergotamine tartrate	Tablet 1mg, 2mg	C
7.2 Medicines for Prophylaxis		
Propranolol	Tablet 40mg as hydrochloride)	A
8. Antineoplastics, Immunosuppressives and Immunomodulators		
5-fluorouracil	Injection: 250mg; 500mg; 000mg;	S
Abiraterone acetate	Tablet 250mg	S
Actinomycin D	Powder for injection: 500 micrograms in vial	S
Alfuzocin	Tablet 10mg	D
Allopurinol	Tablet 100mg; 300mg	B
Anastrozole	Tablet 1mg	S
Antithymocyte globulin (ATG) (rabbit/horse)	Injection 25mg/mL in 5mL	S
Azacitidine	Injection 25mg/mL	S (with control)
Azathioprine	Tablet 50mg, 75mg, 100mg	S
basiliximab	Injection 20mg	S
Bicalutamide	Tablet 150mg, 50mg	S
Bleomycin	Powder for injection: 15 IU (as sulfate) in vial	S
Bortezomib	Injection 3.5mg/vial	S
Capecitabine	Tablet 500mg	S
Carboplatin	Injection 10mg/mL	S
Chlorambucil	Tablet 2mg	S
Cisplatin	Powder for injection 50 mg; 10mg in vial.	S
Cyclophosphamide	Injection	S
Cyclosporine	Injection: 50 mg/mL in 1-mL ampoule; Capsule: 25 mg; 50mg; 100mg	S
Dacarbazine	Powder for injection: 100 mg in vial; 200mg/; 500mg	S
Danazol	Capsule 100mg	S (hematology special)
Docetaxel	Concentrate for infusion 120mg; 80mg	S
Doxorubicin	Injection 10mg; 20mg, 50mg	S

Dutasteride	Tablet 0.5mg	S
Etoposide	Capsule: 100 mg; Injection 100 mg/mL; Injection 50mg/5mL	S
Everolimus	Tablet 0.25, 0.5mg	S
Febuxostat	Tablet 40mg; 80mg	S
Filgrastim	Injection 5mcg	S
Finasteride	Tablet 5mg	D
Folinic acid	Tablet 15mg, injection 6mg	S
Gemcitabine	Injection 200mg; 500mg; 1000mg	S
Goserelin	Injection 3.6mg, 10.8mg	S
Hydroxychloroquine	Tablet 200mg	S
Hydroxyurea	Capsule 500mg	S
Ifosfamide	Injection 1g/20mL	S
Imatinib	Tablet 400mg	S
Irinotecan	Injection 180mg/mL	S
Lenalidomide	Tablet 25mg	S
Leucovorin	Injection 200 mg/mL	S
Mesna	Injection, 100mg/mL; Tablet 400mg	S
Methotrexate	Tablet 2.5mg; Injection 50 mg/5mL	S
Mycophenolate Sodium	Tablet 360mg	S
Mycophenolate Mofetil	Tablet 500mg	S
Oxaliplatin	Powder for injection 50mg; 100mg in vial;	S
Paclitaxel	Injection 260mg vial	S
Rituximab	Injection 375 mg	S
Sirolimus	Tablet 1mg, 2mg	S
Tacrolimus	Tablet 0.5mg; 1mg; 2mg Ointment 0.1%	S
Tamsulosin	Tablet 0.4mg	D
Tamoxifen	Tablet 20mg	D
Temozolomide	Tablet 200mg	S
Thalidomide	Tablet 200mg	S
Trastuzumab	Injection 440mg; 150mg; 600mg; 500mg	S
Vinblastine	Injection 10mg	S
Vincristine	Powder for injection: 2 mg; 5 mg (sulfate) in vial.	S
Zolendronic acid	Injection 4mg; 5mg	S

9.0 Hormones and Antihormones		
9.1 Adrenal Hormones and Synthetic Substitutes		
Betamethasone	Injection 4mg/mL	D
Dexamethasone	Tablet 0.5mg; 4mg	D
	Injection (as sodium phosphate) 10mg/mL	B
Hydrocortisone	Powder for Solution for Injection/Infusion 100 mg (as sodium succinate)	A
Methylprednisolone	1000 mg powder and solvent for solution for injection/infusion; Tablet 4mg; 8mg;	D
Metypapone	Tablet 250mg	S
Prednisolone	Tablet 5mg	A
Triamcinolone	Injection 40mg/mL; Cream 0.1%	S
9.2 Oestrogens		
Ethinylestradiol	Tablet 50mcg	A
9.3 Ovulation Inducers		
Clomiphene	Tablet 50mg	C
9.4 Progesterone		
Dydrogesterone	10mg tablet	S
Etonorgestrel	Implant 68mg	A
Levonorgestrel	Tablet 0.03mg, 0.07mg, 0.75mg	A
	Implant 75mg	A
Medroxyprogesterone	Injection acetate (depot) 150mg	A
Norethisterone	Tablet 5mg	C
9.5 Androgens		
Testosterone	Injection, 30 mg/1.5mL; 100mg/mL; 200mg/mL; Cream	S
9.6 Contraceptives		
Ethinylestradiol + Norgestrel	Tablet 0.03mg + 0.3mg	A
Ethinylestradiol Levonorgestrel	Tablet 0.03mg + 0.15mg	A
Ethinylestradiol Desogestrel	Tablet 0.03mg + 0.15mg	A
9.7 Thyroid, Parathyroid Hormones and Antagonists		
Carbimazole	Tablet 5mg	C
Potassium Iodide Solution	Iodine 2mg + Potassium Iodide 4mg/g in water (prepare from raw material)	B

Levothyroxine	Tablet (sodium salt) 0.05g	D
Iodized oil Capsule	Iodized oil Capsule with nipple 240mg/0.5mL and 480mg iodine/mL	A
Iodized oil	Injection	C
Propylthiouracil	Tablet 50mg	D
10. Antiparkinsonism Medicines and Antiprolactenemia		
Benzhexol	Tablet (hydrochloride) 5mg	B
Bromocriptine	Tablet 2.5mg	C
Cabergoline	Tablet 0.5mg	S
Levodopa/Carbidopa	Tablet 100mg + 25mg	D
Selegiline	Tablet 5mg	S
11. Medicines Affecting the Blood		
11.1 Antianaemia Medicines		
Erythropoietin	2000 unit/ML; 4000 units/mL	S
Ferrous	200mg (sulfate or as fumarate)	A
Ferrous salts	Oral liquid: Equivalent to 25mg iron (as sulfate)/mL; Tablet: Equivalent to 60mg iron	A
Folic acid	Folic acid Tablet 5mg	A
Hydroxocobalamin (Vitamin B ₁₂)	Injection 1mg/mL	C
11.2 Medicines Affecting Coagulation		
Desmopressin (Move to anti- diuretics)	Injection 4mcg/mL, Tablet 0.2mg	S
Etamsylate	Tablet 500mg	C
Low molecular Weight heparin	Injection 100mg/mL	S
Phytomenadione (Vit K ₁)	Injection 0.5 mg/mL, 2mg/mL in 2mL ampoule;	B
Protamine sulfate	Injection 10mg/mL in 5mL ampoule	B
Rivaroxaban	Tablet 15mg, 20mg	S
Unfractionated Heparin Sodium	Injection (sodium salt) 1,000 IU/mL in 5mL ampoule	B (Under specialist supervision)
Tranexamic acid	Injection 100mg/mL in 5mL ampoule; Syrup 500mg/5mL in 300mL bottle; Tablet 500mg	C
Warfarin	Tablet: 1mg; 2mg; 5mg (sodium salt)	C

12.0 Blood Products of Human Origin and Plasma Substitute		
12.1 Blood and Blood Components		
Fresh frozen plasma (FFP)	Fresh frozen plasma (FFP) Bags	D
Platelets	Platelets	D
Red blood cells.	Packed red blood cells.	D
Whole blood	Whole blood	B
12.2 Plasma-Derived Medicines		
12.2.1 Human Immunoglobulins		
Anti-rabies immunoglobulin		A
Anti-tetanus immunoglobulin		A
Human Immunoglobulin G		S
12.2.2 Blood Coagulation Factors		
Eltrombopag	Tablet 25mg	S
Factor VIII concentrate	Factor VIII concentrate 500IU	S
Factor IX concentrate	Factor IX concentrate 500 IU	S
12.3 Plasma Substitutes		
Albumin	Infusion 5%; 25%	S
Polygeline	Polygeline IV solution 3.5%, 500mL bottles	S
13.0 Cardiovascular Medicines		
13.1 Antianginal Medicines		
Bisoprolol	Tablet 5mg; 10mg	S
Glyceryl trinitrate	Spray 400 micrograms/metered dose, sublingual spray	C
Isosorbide Dinitrate	Tablet 10mg, 20mg	C
Labetalol	Tablet 100mg, 200mg ; Injection 5mg/mL	C
Nifedipine	Slow-release Capsule/Tablet 10mg; 20mg	B
Nitroglycerin	Injection/Infusion 25mg/250mL; 50mg/250mL; 100mg/250mL	S
Propranolol	Tablet 40mg	A
13.2 Antiarrhythmic Medicines		
Adenosine	Injection 3mg/mL in Saline	S
Amiodarone	Injection 30mg/mL in 10mL ampoule; Tablet 100mg	S
Sotalol	Tablet 80 mg, 120 mg, 160 mg, 240 mg; Oral solution 5mg/ML; Injection 15mg/mL	S with control

Verapamil	Injection 2.5mg/mL, 2mL ampoule; Tablet 40mg 80mg	S
13.3 Antihypertensive Medicines		
Amlodipine	Tablet 5mg, 10mg	C
Atenolol	Tablet 50mg	B
Candesartan	Tablet 16mg; Tablet in fixed combination	S
Captopril	Tablet 12.5mg, 25mg	B
Carvedilol	Tablet 6.25, 12.5mg	C
Clonidine	Injection 500mcg/mL; Tablet 0.1 mg, 0.2 mg and 0.3 mg	S
Diltiazem	Tablet 60mg	D
Doxazosin	Tablet 2mg, 4mg	S
Enalapril	Tablet 2.5mg, 5mg (as hydrogen maleate)	C
Esmolol	Injection 10g/mL	S
Hydralazine	Tablet 25mg	B
	20mg Powder for Injection/Infusion	C
Irbesartan	Tablet 150mg, 300mg; Tablet in fixed combination	S
Lisinopril	Tablet 5mg, 10mg	C
Losartan	Tablet 50mg; Tablet in fixed combination	C
Nimodipine	Capsule 30mg	S
Methyldopa	Tablet 250mg	A
Metolazone	Tablet 5mg	S
Metoprolol	Tablet 50mg	C
	Injection 1mg/mL	S
Telmisartan	Tablet 40mg, 80mg; Tablet in fixed combination	S
13.4 Medicines Used in Heart Failure		
Candesartan	Tablet 8mg	C
Dobutamine	Injection 250mg/5mL	S
Dopamine	Injection 250mg	S
Digoxin	Injection 250mg/mL	D
	Tablet 0.25mg	D

Ivabradine	Tablet 5mg	S
13.5 Diuretics		
Furosemide	Injection 10mg/mL; Tablet 40mg	B
Eplerenone	Tablet 25mg, 50mg	S
Bendrofluazide	Tablet 5mg	A
Hydrochlorothiazide	Tablet 25mg; 12.5mg	D
Mannitol	Injectable solution: 10%; 20%	C
Spironolactone	Tablet 12.5mg, 25mg	C
Torsemide	Tablet 2.5mg, 5mg; 10mg	S
13.6 Antithrombotic Medicines		
13.6.1 Anti- Platelet Medicines		
Acetylsalicylic acid	Tablet: 75mg, 100mg	A
Clopidogrel	Tablet: 75mg; 300mg	D
Prasugrel	Tablet 10mg	S (with special permission)
Ticagrelor	Tablet 60mg, 90mg	S (with special permission)
13.6.2 Thrombolytics		
Alteplase	Powder for injection: 50mg vial	S
Streptokinase	Powder for injection: 1.5 million IU in vial.	S
13.7 Lipid Lowering Medicines		
Atorvastatin	Tablet 10mg; 20mg; 40mg	B
Fenofibrate	Capsule 200mg	D
Rosuvastatin	Tablet: 10mg ; 20mg	S
14.0 Dermatological Medicines		
14.1 Antifungal Medicines		
Benzoic acid Compound (whitfied's)	3% salicylic acid and 6% benzoic acid ointment	A
Clotrimazole	Cream 1%	A
Miconazole	Cream (nitrate) 2%	C
Terbinafine	Cream 1%,	C

14.2 Anti-infective Medicines		
Fusidic acid	Cream 2%	C
Gentian Violet	1%, aqueous solution	A
Mupirocin	Ointment 2%	C
Potassium permanganate	Potassium permanganate Solution 1:4000	A
Povidone iodine	Solution 10%	A
Silver Sulfadiazine	1% Cream	A
14.3 Anti-inflammatory and Anti-pruritic Medicines		
Betamethasone	cream or ointment 0.1% (as valerate)	C
Calamine	Lotion 15.0% w/v	A
Clobetasol propionate	Cream 0.05%; 0.1%	D
Fludrocortisone	Tablets 0.1 mg (as acetate)	S
Hydrocortisone	Hydrocortisone Cream 0.5%	A
Mometasone furoate	Ointment/Cream containing 0.1% contains mometasone furoate,	S
Triamcinolone	Injection 40mg/mL as Acetonide	S
14.4 Medicines Affecting Skin differentiation and Proliferation		
All-trans-retinoic acid (ATRA)	Tablet 10mg, 20mg, injection	S
Benzoyl peroxide	Gel 2.5%, 5% and 10%	A
Coal tar	Solution 5% (prepare from raw materials)	C
Isotretinoin	0.05% cream, Capsule 10mg, 20mg	S
Podophyllin Solution	Solution 10-25% (prepare from raw materials)	D
Salicylic acid	Topical solution 5% (prepare from raw materials)	C
Silver nitrate pencil	Silver nitrate pencil	C
Tretinoin cream	2.5% cream	S
14.5 Scabicides and Pediculicides		
Benzyl benzoate Emulsion	Emulsion: 25%	A
Lindane	Lotion 1%	C
14.6 Sunscreen Protector		
Sunscreen protecting factor (SPF 30+)	Sun screen cream 30+	C

15.0 Gastro-Intestinal Medicines		
15.1 Antiulcer Medicines		
Antacid Mixture	Antacid Mixture containing magnesium trisilicate + aluminium hydroxide and Simethicone	B
Bismuth Subgallate	Tablet 200mg	D
Esomeprazole	Tablet 20mg; 40mg	S
Lansoprazole	Tablet 30mg	C
Magnesium trisilicate Tablet	Tablet (250mg magnesium trisilicate + 120mg dried aluminium hydroxide)	A
Mesalazine	Tablet 400mg, 500mg, 800mg	S
Octreotide	Injection 50mcg; 100mcg	S (Special permission)
Omeprazole	Tablet 20mg	A
Pantoprazole	Tablet 40mg; Powder for injection 40mg	C
Terlipressin	0.12mg/mL solution for injection (acetate)	S
15.2 Drugs affecting Intestinal Secretion and Antispasmodics		
Cholestyramine	Cholestyramine Powder 4g per Sachet	S
Hyoscine butylbromide Tablet	Hyoscine butylbromide Tablet 10mg	A
Hyoscine butylbromide Injection	Hyoscine butylbromide Injection 20mg/mL; 1mL ampoule	C
Infliximab	Injection 100mg	S (Special permit)
Mebeverine	Tablet 135mg	D
Pancreatic	Supplement Enzyme	S
Ursodeoxycholic acid	Tablet/capsule 300mg	S
15.3 Anti-emetics		
Domperidone	Tablet 10mg	D
Doxylamine	Tablet 25mg	C
Metoclopramide	Tablet 10mg; Injection 5mg/mL; Suspension 5mg/5mL	C
Promethazine	Tablet (hydrochloride/theoclate) 25mg; Injection (as hydrochloride) 25mg/mL; Elixir 5mg/5mL (as chloral hydrate)	A
Ondansetron	Tablet 8mg, Injection 2mg/mL	S
15.4 Cathartics		
Bisacodyl	Tablet 5mg	A
Lactulose	Solution 3.1 - 3.7g/5mL, 200mL bottle	C

L-Ornithine L-Aspartate	Granules; Injection	S
15.5 Anti-Haemorrhoids		
Local anaesthetic + astringent and anti-inflammatory	Suppositories/ointment (zinc oxide 25mg + bismuth oxide+ bismuth subgallate 59 mg + balsam Peru)	B

15.6 Medicines Used in Diarrhoea		
Loperamide	Tablet/Capsule (hydrochloride) 2mg	B
Oral Rehydration Salts (ORS)	Low osmolality sachet to make 1 litre of solution containing Sodium chloride 2.6g, Sodium citrate 2.9g, Potassium chloride 1.5g and Glucose 20.5g)	A
Zinc	Tablet dispersible (equivalent to 20mg elemental zinc)	A
16.0 Insulin and Medicines Used for Diabetes and Related Disorders		
Empagliflozin	Tablet 10mg	S (with special permit)
Glibenclamide	Tablet 5mg	A
Gliclazide	Tablet 40mg; 80mg; 30mg; 60mg	A
Glimepiride	Tablet 1mg; 2mg	C
Glucagon	Powder for reconstitution 10mg/vial	S
Insulin	Rapid acting; Injection: 40 IU/mL; 100 IU/MI	
	Short acting; Injection: 40 IU/mL; 100 IU/mL	A
	Intermediate acting; Injection: 40 IU/mL; 100 IU/mL	A
	Long acting; Injection: 40 IU/mL; 100 IU/mL	A
	Pre-Mixed Insulin; Injection: 40 IU/mL; 100 IU/MI	S
Metformin	Tablet 500mg; 750; 850MG; 1000MG; SR	A
Pioglitazone	15mg	D
Phenoxybenzamine	Tablet 10 mg	S
Sitagliptin	Tablet 50mg; 100mg	S
17.0 Immunologicals		
17.1 Sera and Immunoglobulins		
Anti D immunoglobulin	Injection 150mg; 300mg	C
Antirabies immune globulin	Injection 400IU/mL; 10,000IU/5mL	A

Anti-venom immunoglobulin	Snake venom polyvalent Antiserum injection (Central African type)	A
Diphtheria antitoxin	Injection: 10,000 IU; 20,000 IU vial	A
Tetanus Immunoglobulin	Tetanus Immunoglobulin (human) – 250 IU/mL, 250 IU/2.5mL	A
17.2 Vaccines		
17.2.1 For Immunization		
BCG Vaccine	Injection 20 doses vial (Bacillus Calmette Guerin)	A
DPT-HepB-Hib Vaccine	Diphtheria, Tetanus, Pertussis, Hepatitis B and Haemophilus Influenza vaccine in vials of 10 doses	A
Hepatitis B	Injection 10mcg/mL, 20mcg/mL, 40mcg/mL	B
Human Papilloma Vaccine (HPV)	Human Papilloma Vaccine (HPV) – 0.5mL per dose	A
Inactivated Polio Vaccine (IPV)	Inactivated Polio Vaccine (IPV)	A
Measles-Rubella Vaccine	Measles-Rubella Vaccine Injection 10 doses in vial	A
Oral Poliomyelitis Vaccine (OPV)	Oral Poliomyelitis Vaccine (Live attenuated) Oral solution 20 doses in vial	A
Pneumococcal Conjugate Vaccine (PCV13)	Pneumococcal Conjugate Vaccine (PCV13) -4 doses vial	A
Pneumococcal polysaccharide vaccine (PPSV-23)	Vial	S
Rota Vaccine	Rota Vaccine Oral solution	A
Tetanus (toxoid) Vaccine	Tetanus (toxoid) Vaccine Injection 20 doses in 10mL vial	A
17.2.2 For Specific Groups for Individuals		
Human Diploid Cell Rabies Freeze dried rabies vaccine	Human Diploid Cell Rabies Freeze dried rabies vaccine	A
Meningitis vaccine	Injection	C
Yellow Fever Vaccine	0.5mL dose	C
18.0 Muscle Relaxants (Peripherally-Acting) and Cholinesterase Inhibitors		
Neostigmine	Injection: 500microgram in 1mL ampoule; 2.5 (metilsulfate) in 1mL ampoule	C
Suxamethonium	Injection: 50mg (chloride/mL in 2mL ampoule	C

19.0 Ophthalmological Preparations		
19.1 Anti-infective Agents		
Acyclovir ointment	Acyclovir Eye ointment 3%	C
Ciprofloxacin	Drops 0.3%	C
Chloramphenicol	Drops 0.5%, 1%; Eye ointment 1%	A
Chlorhexidine	Drops 0.2%	S
Dexamethasone+Chloramphenicol	Drops 0.1%, 0.5%	C
Dexamethasone +Gentamicin	Drops 0.1, 0.3%	C
Econazole	Drops 5%	S
Natamycin	Drops 5%	S
Ofloxacin	Drops 0.3%	D
Oxytetracycline t	Eye ointment 3%	A
Iodine	Eye drops, 2.5-5%	A
19.2 Anti-allergy, Artificial Tears and Anti-inflammatory Agents		
Dexamethasone eye drops	Drops 0.1%	D
Hydroxypropylmethylcellulose	Drops 0.70%	C
Methylprednisolone acetate	Injection 40mg/mL	D
Prednisolone eye drops	Drops 0.5%, 1%	D
Oxymetazoline	Drops 0.025%	C
Sodium cromoglycate drops	Sodium cromoglycate 2%, 4% eye drops	C
Triamcinolone Acetate	Injection 40mg/mL	S
19.3 Local and Topical Ocular Anaesthetic Agents		
Amethocaine eye drops	Drops 0.5%w/v or 1.0%w/v	A
Tetracaine eye drops	Drops .5%w/v	C
19.4 Miotics and Antiglaucoma		
Acetazolamide	Tablet 250mg	C
Acetylcholine	Injection; vial contains 20 mg acetylcholine chloride and 56 mg mannitol	S
Betaxolol	Drops 0.25% -0.5% w/v	D
Brimonidine	Drops 0.15 – 0.2% w/v	D
Dorzolamide	Drops 20 mg/ml	S
Latanoprost	Drops 0.005% w/v	D
Pilocarpine hydrochloride	Drops 2 or 4% w/v	C
Prostamide bimatoprost	Drops 0.03% w/v	D
Timolol	Drops 0.25%, 0.5% w/v	C

19.5 Mydriatics and Anti-vascular Endothelial		
Atropine	Drops 0.5%, 1% w/v; Ointment 1%	B
Cyclopentolate	Drops 0.5%, 1% w/v	C
Tropicamide	Drops 1% w/v	S
Tropicamide with Cyclopentolate	Drops 0.5%, 1% w/v	C
Tropicamide with Phenylephrine	Drops 0.8% / 5% w/v	C
19.6 Other Ocular Preparations		
5 –Fluoro Uracil	1% eye drops	D
Ganciclovir	Injection 2mg; ophthalmic gel, 0.15%	S
Mitomycin C	5mg/vial, 10 mg/vial	D
Silicon Oil	1000 CS, 1500 CS, 5000 CS	S
20.0 Oxytocics and Antioxytocics		
20.1 Oxytocics		
Ergometrine Injection	Injection (maleate) 0.5mg/mL (hydrogen maleate) in 1mL ampoule	C
Misoprostol	Tablet 200mcg (rectal, sublingual)	A
Oxytocin Injection	Injection 10 IU in 1mL ampoule	A
20.2 Antioxytocics (tocolytics)		
Dicyclomine	Tablet 20mg; Injection	B
Nifedipine	Immediate – release capsule: 10mg, 20mg	B
Salbutamol Tablet	Tablet 4mg	A
21.0 Dialysis Solution and Other Related Medicines		
Iron Sucrose	Injection 20mg/ML	D
Intraperitoneal dialysis solution	Parenteral solution (of appropriate composition)	S
22.0 Psychotherapeutic and Related Medicines		
22.1 Medicines used in Psychotic Disorders		
Benzhexol	Tablet 5mg	C
Chlorpromazine	Injection (hydrochloride) 25mg/mL in 2mL ampoule; Tablet (hydrochloride) 25mg, 100mg	A
Donepezil	Tablet 5mg, 10mg	S
Fluphenazine	Injection 25mg/mL (decanoate) in 1mL ampoule	C

Haloperidol	Injection 5mg/mL in 1mL ampoule; Tablet 1.5mg	B
Lorazepam	Tablet 1mg, 2mg	C
Olanzapine	Tablet 5mg; 10mg	S
Risperidone	Tablet 1mg/2mg	S
Zuclopenthixol	Injection 50mg/mL (Acetate)	S
22.2 Medicines Used in Mood Disorders		
22.2.1 Medicines used in Depressive disorders		
Amitriptyline	Tablet (hydrochloride) 25mg	A
Citalopram	Tablet 20mg	D
Fluoxetine	Capsule 20mg	S
Imipramine	Tablet 25 mg	C
Oxybutynin	Tablet 5mg	S
22.2.2 Medicines in Bipolar Disorders		
Carbamazepine	Tablet 100mg, 200mg	A
Lamotrigine	Tablet 100mg, 200mg	S
Sodium Valproate	Tablet 200mg, 500mg	C
22.3 Medicines Used for anxiety Disorders		
Diazepam	Tablet 5mg	C
22.4 Medicines Used for Disorders due to Psychoactive Substance use		
Buprenorphine	Sublingual Tablets 2mg	S
Methadone	Oral liquid: 5mg/5mL; 10mg/5mL	C
Naltrexone	Tablet 50mg	S
23.0 Medicines Acting on Respiratory Tract		
23.1 Anti-asthmatics		
Budesonide inhaler	Inhalation 100mcg, 200mcg	B
Fluticasone propionate	Nasal Spray 50mcg	D
Ipratropium Bromide Aerosol	Inhalation (aerosol): 20 microgram/metered dose; Nebulizer 250-500mcg	S
Montelukast	Tablet 5mg; 10mg	D
Salbutamol	Tablet (as sulfate) 4mg; syrup (as sulfate) 2mg/5mL; Inhalation (as sulfate) 0.1mg per dose (aerosol inhaler)	A
	Nebulizer solution 2.5mg/mL; 5mg/mL; Injection 0.5mg/mL; 1mg/mL	B

Salfolinl	Inhalation 100mcg, 200mcg	C
Tiotropium	Inhalation 1.25mcg/actuation; 2.5mcg/actuation	S (with special permit)
23.2 Cough Preparations		
Cough syrup	Containing expectorants/Antitussive Lictus	A
24.0 Solutions, Correcting Water Electrolyte and Acid-Base Disturbances		
Dextrose 5%;	Dextrose 5%; 500mL, 1000mL	A
Dextrose 10%;	Dextrose 10%; 500mL	C
Dextrose 25%,	Dextrose 25%, 50mL, 100mL	C
Dextrose 50%,	Dextrose 50%; 50mL, 100mL	C
Polystyrene sulfonate	Solution containing calcium (or sodium)	D
Sodium bicarbonate	Injection 5%,	C
Sodium lactate compound	Sodium lactate compound (Ringer's solution) 500mL, 1000mL.	A
Sodium Chloride solution	0.9% Sodium Chloride 500mL, 1000mL	A
Sodium Chloride solution	3% Sodium Chloride 500mL, 1000mL	C
Sodium chloride+Dextrose	Sodium chloride+Dextrose 0.9%+5%; 500mL, 1000mL	B
Potassium chloride Solution	Potassium chloride Solution 7.4% 10mL Vial	C
Water for injection	5mL, 10mL vial	A
25.0 Vitamins/Minerals		
Ascorbic acid (Vitamin C) Tablet	Ascorbic acid (Vitamin C) Tablet 100mg and 500mg	A
Calcium gluconate	Injection 100mg/mL in 10mL ampoule	A
Calcium Carbonate	Tablet 500mg	S
Calcium	with vitamins	C
Calcium	with amino acids	C
Ergocalciferol (vitamin D)	Capsule 1.25mg (50, 000IU); Oral solution 0.25mg/mL (10,000IU/mL)	C
Glucosamine +Chondrotin sulphate	Tablet	S
Iron	with vitamins	C
Iron	with amino acid	C
Nicotinamide (Vitamin B ₃)	Tablet 50mg	C
Potassium chloride	Tablet (slow release) 600mg ; Injections	C

Pyridoxine (Vitamin B ₆)	Tablet (hydrochloride) 25mg	B
Retinol (Vitamin A) Capsule	Retinol (Vitamin A) Gelatin Capsule (with nipple to allow administration drop by drop) 50,000IU, 100,000IU 200, 000IU	A
Sodium Hyaluronate 1%	Injection. 1%	S
Thiamine (Vitamin B ₁)	Tablet (hydrochloride) 100mg	C
Thiamine (Vitamin B ₁)	Injection (hydrochloride) 1000mg/mL in 1mL ampoule	C
Vitamin B complex	Vitamin B complex Tablet BP (contains per Tablet: nicotinamide 15mg, riboflavin 1mg, thiamine 1mg)	A
	Syrup (contains nicotinamide 15mg, riboflavin 1mg, thiamine 1mg/5mL)	A
Vitamin B complex	Injection BP in 10mL vial (contains nicotinamide 200mg, pantothenol 30mg, pyridoxine 20mg, riboflavin 20mg, thiamine 50mg per 1 mL)	B
Vitamin E	Tablet/capsule alpha tocopherol acetate 500 mg/5 mL	D
26.0 Medicines Used in Ear, Nose & Throat Diseases		
26.1 Ear Drops		
Betamethasone	Ear drops; 0.1% w/v	
Boric acid	Ear drop; 3%	A
Ciprofloxacin	Ear drops; 0.3%	C
Clotrimazole	Ear drops; 1%	
Chloramphenicol	Ear drops; 5% w/v	
Dexamethasone + Neomycin	Ear drops: 0.1% + 0.5%	C
Lidocaine + Beclometasone + Clotrimazole + Chloramphenicol	Ear drop	D
26.2 Oral Antiseptics		
Chlorhexidine gluconate Solution	Chlorhexidine gluconate Solution 0.1%;prepare from concentrated solution; gel	B
Potassium permanganate Solution	Potassium permanganate Solution 1:4000; prepare from powder/crystals	A
26.3 Nasal Preparations		
Ephedrine	Nasal drops 0.5% and 1%	B
Normal saline	Nasal drop 0.9%	A
Mometasone	Nasal spray 50 micrograms/dose (as furoate)	S
Xylometazoline	Nasal spray 0.05%	S

27.0 Disinfectants and Antiseptics		
Chlorhexidine + Cetrimide	Solution concentrated containing chlorhexidine digluconate 1.5%+ 15% cetrimide	A
Chloroxylonol	Solution 4.9% BP	A
Cresol saponated	Solution 3% BP	A
Formaldehyde	Solution 36 - 37% stabilized	B
Glutaraldehyde	Activated solution 2%	C
Hydrogen peroxide	Solution 3%	A
Hydrogen peroxide	Solution 6%	A
Methylated spirit	Solution 70%	A
Potassium permanganate	Potassium permanganate Solution 1: 4000	A
Povidone-Iodine	Solution 10%	A
Sodium dichloroisocyanurate	Tablet, 1.67g (equal to 1g available chlorine)	A
28.0 Miscellaneous		
Sildenafil	Tablet 50mg	S