

Completed Qwen3.8 CPU fits





Measured points and saved fitted trajectories; residual = prediction – measurement.
Lines connect saved measurement times; no additional dense integration.
Completion does not imply convergence or parameter identifiability.

Page 2: ARC_fitting (1 experiment(s)) — refinement incomplete; best valid fit retained

Page 3: sneyd_ipr (9 experiment(s)) — refinement incomplete; best valid fit retained


Page 12: lotka_volterra (1 experiment(s))

ARC_fitting — experiment 1
Best valid fit retained; refinement incomplete




sneyd_ipr — experiment 1
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.01238





sneyd_ipr — experiment 2
Best valid fit retained; refinement incomplete




sneyd_ipr — experiment 3
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.02186





sneyd_ipr — experiment 4
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.03267




sneyd_ipr — experiment 5
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.01978





sneyd_ipr — experiment 6
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.01644





sneyd_ipr — experiment 7
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.03591





sneyd_ipr — experiment 8
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.02036




sneyd_ipr — experiment 9
Best valid fit retained; refinement incomplete

open_probability
RMSE = 0.03865



lotka_volterra — experiment 1

H
RMSE = 4.893



L
RMSE = 3.525

