


SecureScan Security Report

Automated Vulnerability Assessment

Project	NodeGoat	Repository	https://github.com/Saar45/NodeGoat
Scan ID	4c504d1e-5317-45bb-ae3c-e146b8afd1f9	Scan Date	2026-03-04 14:10:35
Status	completed	Total Findings	159



Global Security Score (0-100)

36 CRITICAL	66 HIGH	47 MEDIUM	9 LOW	1 INFO
----------------	------------	--------------	----------	-----------

Findings by OWASP Category

A01 (OWASP Top 10) — 1 finding

[MEDIUM] semgrep

docker-compose.yml : line 13

Service 'mongo' allows for privilege escalation via setuid or setgid binaries. Add 'no-new-privileges:true' in 'security_opt' to prevent this.

```
- "4000:4000"

mongo:
  image: mongo:4.4
  user: mongodb
```

Proposed Remediation

Renforcez les contrôles d'accès : vérifiez l'autorisation côté serveur pour chaque requête. Appliquez le principe du moindre privilège et refusez par défaut.

A02 (OWASP Top 10) — 1 finding

[MEDIUM] semgrep

artifacts/cert/server.key : line 1

Private Key detected. This is a sensitive credential and should not be hardcoded here. Instead, store this in a separate, private file.

```
-----BEGIN RSA PRIVATE KEY-----
MIICXgIBAAKBgQCfn8uP4FuHaaAPrMkc1fNMQM5EGMT4nnNSVoaEVdiDLc6P0mC
AZtU09W00jWow+TwGk3HkqoSJOA9KRMrzK7MtEKfwNgzpsHo4m+mHaPg5DUyicnU
/hfUDvjGcHvTQjw804/chtMVL2h7P8QtPi9QDcWqxmEXCLqTB6BZXrVkjQIDAQAB
```

Proposed Remediation

Corrigez les erreurs de configuration : désactivez les fonctionnalités inutiles, changez les mots de passe par défaut, restreignez les en-têtes CORS et appliquez un durcissement systématique.

A03 (OWASP Top 10) — 141 findings

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "ms" (range: <2.0.0) | via: Vercel ms Inefficient Regular Expression Complexity vulnerability

```
{"name":"ms","severity":"moderate","isDirect":false,"via":[{"source":1109573,"name":"ms","dependency":"ms","title":"Vercel ms Inefficient Regular Expression Complexity vulnerability","url":"https://github.com/advisories/GHSA-w9mr-4mfr-499f","severity":"moderate","cwe":["CWE-1333"],"cvss":{"score":5.3,"vectorString":"CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:L"},"range":"<2.0.0"},"effects":["debug"],"node_modules\\/node_modules\\/path-array\\/node_modules\\/array-index\\/node_modules\\/debug\\/node_modules\\/ms","node_modules\\/nyc\\/node_modules\\/ms"],"fixAvailable":{"name":"mocha","version":"11.7.5","isSemVerMajor":true}}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "term-size" (range: 1.0.0 - 1.2.0) | via: execa

```
{"name":"term-size","severity":"high","isDirect":false,"via":["execa"],"effects":["boxen"],"range":"1.0.0 - 1.2.0","nodes":["node_modules\\/term-size"],"fixAvailable":{"name":"nodemon","version":"3.1.14","isSemVerMajor":true}}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "tunnel-agent" (range: <0.6.0) | via: Memory Exposure in tunnel-agent

```
{"name":"tunnel-agent","severity":"moderate","isDirect":false,"via":[{"source":1085744,"name":"tunnel-agent","dependency":"tunnel-agent","title":"Memory Exposure in tunnel-agent","url":"https://github.com/advisories/GHSA-xc7v-wxcw-j472","severity":"moderate","cwe":["CWE-200"],"cvss":{"score":0,"vectorString":null},"range":"<0.6.0"},"effects":["request"],"range":"<0.6.0","nodes":["node_modules\\/npm\\/node_modules\\/tunnel-agent"],"fixAvailable":{"name":"grunt-retire","version":"0.1.0","isSemVerMajor":true}}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "mime" (range: <1.4.1) | via: mime Regular Expression Denial of Service when MIME lookup performed on untrusted user input

```
{
  "name": "mime",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1093780",
      "name": "mime",
      "dependency": "mime",
      "title": "mime Regular Expression Denial of Service when MIME lookup performed on untrusted user input",
      "url": "https://github.com/advisories/GHSA-wrvr-8mpx-r7pp",
      "severity": "high",
      "cwe": [
        "CWE-400"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<1.4.1",
      "effects": [
        "form-data",
        "request"
      ],
      "range": "<1.4.1",
      "nodes": [
        "node_modules/zaproxy/node_modules/mime"
      ],
      "fixAvailable": {
        "name": "grunt-retire",
        "version": "0.1.0",
        "isSemVerMajor": true
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "tap" (range: 1.1.0 - 14.6.7 || 14.10.2-totally-bundled - 14.10.2-unbundled) | via: coveralls, nyc, tap-mocha-reporter

```
{
  "name": "tap",
  "severity": "high",
  "isDirect": false,
  "via": [
    "coveralls",
    "nyc",
    "tap-mocha-reporter"
  ],
  "effects": [
    "nodeunit"
  ],
  "range": "1.1.0 - 14.6.7 || 14.10.2-totally-bundled - 14.10.2-unbundled",
  "nodes": [
    "node_modules/tap"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "fill-range" (range: 1.0.0 - 2.2.3) | via: randomatic

```
{
  "name": "fill-range",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    "randomatic"
  ],
  "effects": [],
  "range": "1.0.0 - 2.2.3",
  "nodes": [
    "node_modules/nyc/node_modules/fill-range"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "node-gyp" (range: <=10.3.1) | via: request, tar

```
{
  "name": "node-gyp",
  "severity": "high",
  "isDirect": false,
  "via": [
    "request",
    "tar"
  ],
  "effects": [
    "npm"
  ],
  "range": "<=10.3.1",
  "nodes": [
    "node_modules/npm/node_modules/node-gyp"
  ],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "sntp" (range: 0.0.0 || >=0.1.1) | via: hoek

```
{
  "name": "sntp",
  "severity": "high",
  "isDirect": false,
  "via": ["hoek"],
  "effects": ["hawk"],
  "range": "0.0.0 || >=0.1.1",
  "nodes": [
    "node_modules\\npm\\node_modules\\request\\node_modules\\hawk\\node_modules\\sntp",
    "node_modules\\sntp",
    "node_modules\\retire",
    "version": "0.1.0",
    "isSemVerMajor": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "istanbul-lib-instrument" (range: <=1.10.2) | via: babel-template, babel-traverse

```
{
  "name": "istanbul-lib-instrument",
  "severity": "critical",
  "isDirect": false,
  "via": ["babel-template", "babel-traverse"],
  "effects": ["nyc"],
  "range": "<=1.10.2",
  "nodes": [
    "node_modules\\nyc\\node_modules\\istanbul-lib-instrument",
    "fixAvailable": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "express-session" (range: 1.0.1 - 1.18.1) | via: cookie, on-headers

```
{
  "name": "express-session",
  "severity": "low",
  "isDirect": true,
  "via": ["cookie", "on-headers"],
  "effects": [],
  "range": "1.0.1 - 1.18.1",
  "nodes": [
    "node_modules\\express-session",
    "fixAvailable": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "grunt-if" (range: >=0.1.1) | via: grunt-contrib-jshint

```
{
  "name": "grunt-if",
  "severity": "high",
  "isDirect": true,
  "via": ["grunt-contrib-jshint"],
  "effects": [],
  "range": ">=0.1.1",
  "nodes": [
    "node_modules\\grunt-if",
    "fixAvailable": false
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "async" (range: 2.0.0 - 2.6.3) | via: Prototype Pollution in async

```
{
  "name": "async",
  "severity": "high",
  "isDirect": true,
  "via": [
    {
      "source": "1097691",
      "name": "async",
      "dependency": "async",
      "title": "Prototype Pollution in async",
      "url": "https://github.com/advisories/GHSA-fwr7-v2mv-hh25",
      "severity": "high",
      "cwe": [
        "CWE-1321"
      ],
      "cvss": {
        "score": 7.8,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H",
        "range": ">=2.0.0 <2.6.4"
      },
      "effects": [
        "getos"
      ],
      "range": "2.0.0 - 2.6.3",
      "nodes": [
        "node_modules/async",
        "node_modules/grunt-retain/node_modules/form-data/node_modules/async"
      ],
      "fixAvailable": {
        "name": "cypress",
        "version": "15.11.0",
        "isSemVerMajor": true
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "ajv" (range: <=6.12.6) | via: Prototype Pollution in Ajv, ajv has ReDoS when using `data` option

```
{
  "name": "ajv",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1097685",
      "name": "ajv",
      "dependency": "ajv",
      "title": "Prototype Pollution in Ajv",
      "url": "https://github.com/advisories/GHSA-v88g-cgmw-v5xw",
      "severity": "moderate",
      "cwe": [
        "CWE-915",
        "CWE-1321"
      ],
      "cvss": {
        "score": 5.6,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L",
        "range": "<6.12.3"
      },
      "effects": [
        "has ReDoS when using `data` option"
      ],
      "url": "https://github.com/advisories/GHSA-2g4f-4pwh-qvx6",
      "severity": "moderate",
      "cwe": [
        "CWE-400",
        "CWE-1333"
      ],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<6.14.0"
      },
      "effects": [],
      "range": "<=6.12.6",
      "nodes": [
        "node_modules/ajv"
      ],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "path-to-regexp" (range: <=0.1.11) | via: path-to-regexp outputs backtracking regular expressions, path-to-regexp contains a ReDoS

```
{
  "name": "path-to-regexp",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1101850",
      "name": "path-to-regexp",
      "dependency": "path-to-regexp",
      "title": "path-to-regexp outputs backtracking regular expressions",
      "url": "https://github.com/advisories/GHSA-9wv6-86v2-598j",
      "severity": "high",
      "cwe": [
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<0.1.10"
      },
      "effects": [
        "to-regexp",
        "dependency": "path-to-regexp",
        "title": "path-to-regexp contains a ReDoS"
      ],
      "url": "https://github.com/advisories/GHSA-rhx6-c78j-4q9w",
      "severity": "high",
      "cwe": [
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<0.1.12"
      },
      "effects": [
        "express"
      ],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "got" (range: <11.8.5) | via: Got allows a redirect to a UNIX socket

```
{
  "name": "got",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1088948",
      "name": "got",
      "dependency": "got",
      "title": "Got allows a redirect to a UNIX socket",
      "url": "https://github.com/advisories/GHSA-pfrx-2q88-qq97",
      "severity": "moderate",
      "cwe": [],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N",
        "range": "<11.8.5"
      },
      "nodes": [
        "node_modules/got"
      ],
      "fixAvailable": {
        "name": "nodemon",
        "version": "3.1.14",
        "isSemVerMajor": true
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "lodash" (range: <=4.17.21) | via: Prototype Pollution in lodash, Command Injection in lodash, Prototype Pollution in lodash, Prototype Pollution in lodash, Regular Expression Denial of Service (ReDoS) in lodash, Regular Expression Denial of Service (ReDoS) in lodash, Lodash has Prototype Pollution Vulnerability in `\_.unset` and `\_.omit` functions

```
{
  "name": "lodash",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1106900",
      "name": "lodash",
      "dependency": "lodash",
      "title": "Prototype Pollution in lodash",
      "url": "https://github.com/advisories/GHSA-fvqr-27wr-82fm",
      "severity": "moderate",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 6.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:H/A:N",
        "range": "<4.17.5",
        "source": "1106913",
        "title": "Command Injection in lodash",
        "url": "https://github.com/advisories/GHSA-35jh-r3h4-6jhm",
        "severity": "high",
        "cwe": ["CWE-77", "CWE-94"],
        "cvss": {
          "score": 7.2,
          "vectorString": "CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H",
          "range": "<4.17.21",
          "source": "1106914",
          "title": "Prototype Pollution in lodash",
          "url": "https://github.com/advisories/GHSA-4xc9-xhrj-v574",
          "severity": "high",
          "cwe": ["CWE-400"],
          "cvss": {
            "score": 0,
            "vectorString": null,
            "range": "<4.17.11",
            "source": "1106918",
            "name": "lodash",
            "dependency": "lodash",
            "title": "Prototype Pollution in lodash",
            "url": "https://github.com/advisories/GHSA-jf85-cpcp-j695",
            "severity": "critical",
            "cwe": ["CWE-20", "CWE-1321"],
            "cvss": {
              "score": 9.1,
              "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H",
              "range": "<4.17.12",
              "source": "1106920",
              "title": "Prototype Pollution in lodash",
              "url": "https://github.com/advisories/GHSA-p6mc-m468-83gw",
              "severity": "high",
              "cwe": ["CWE-770", "CWE-1321"],
              "cvss": {
                "score": 7.4,
                "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H",
                "range": ">=3.7.0 <4.17.19",
                "source": "1108258",
                "name": "lodash",
                "dependency": "lodash",
                "title": "Regular Expression Denial of Service (ReDoS) in lodash",
                "url": "https://github.com/advisories/GHSA-29mw-wpgm-hmr9",
                "severity": "moderate",
                "cwe": ["CWE-400", "CWE-1333"],
                "cvss": {
                  "score": 5.3,
                  "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L",
                  "range": ">=4.0.0 <4.17.21",
                  "source": "1108261",
                  "name": "lodash",
                  "dependency": "lodash",
                  "title": "Regular Expression Denial of Service (ReDoS) in lodash",
                  "url": "https://github.com/advisories/GHSA-x5rq-j2xg-h7qm",
                  "severity": "moderate",
                  "cwe": ["CWE-400"],
                  "cvss": {
                    "score": 6.5,
                    "vectorString": "CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H",
                    "range": ">=4.7.0 <4.17.11",
                    "source": "1112455",
                    "name": "lodash",
                    "dependency": "lodash",
                    "title": "Lodash has Prototype Pollution Vulnerability in `_.unset` and `_.omit` functions",
                    "url": "https://github.com/advisories/GHSA-xxjr-mmjv-4gpg",
                    "severity": "moderate",
                    "cwe": ["CWE-1321"],
                    "cvss": {
                      "score": 6.5,
                      "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:L",
                      "range": ">=4.0.0 <=4.17.22",
                      "effects": ["cypress", "zaprox"],
                      "range": "<=4.17.21",
                      "nodes": [
                        "node_modules\\grunt-contrib-jshint\\node_modules\\lodash",
                        "node_modules\\grunt-env\\node_modules\\lodash",
                        "node_modules\\jshint\\node_modules\\lodash",
                        "node_modules\\lodash",
                        "node_modules\\nyc\\node_modules\\lodash",
                        "rc.7",
                        "isSemVerMajor": true
                      ]
                    }
                  }
                }
              }
            }
          ]
        }
      ]
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "is-my-json-valid" (range: 2.0.0 - 2.20.5) | via: Regular expression denial of service (ReDoS) in is-my-json-valid, jsonpointer

```
{
  "name": "is-my-json-valid",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1089938",
      "name": "is-my-json-valid",
      "dependency": "is-my-json-valid",
      "title": "Regular expression denial of service (ReDoS) in is-my-json-valid",
      "url": "https://github.com/advisories/GHSA-4hpf-3wq7-5rpr",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": ">=2.0.0 <2.17.2",
        "jsonpointer": true,
        "effects": [],
        "range": "2.0.0 - 2.20.5",
        "nodes": [
          "node_modules\\is-my-json-valid",
          "node_modules\\npm\\node_modules\\request\\node_modules\\har-validator\\node_modules\\is-my-json-valid",
          "fixAvailable": true
        ]
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "extract-zip" (range: <=1.6.7) | via: mkdirp

```
{
  "name": "extract-zip",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "15110",
      "name": "extract-zip",
      "dependency": "extract-zip",
      "title": "mkdirp in extract-zip",
      "url": "https://github.com/advisories/GHSA-4hpf-3wq7-5rpr",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": ">=1.6.7",
        "nodes": [
          "node_modules\\extract-zip",
          "fixAvailable": {
            "name": "cypress",
            "version": "15.11.0",
            "isSemVerMajor": true
          }
        ]
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "tough-cookie" (range: <=4.1.2) | via: ReDoS via long string of semicolons in tough-cookie, Regular Expression Denial of Service in tough-cookie, tough-cookie Prototype Pollution vulnerability

```
{
  "name": "tough-cookie",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1091675,
      "name": "tough-cookie",
      "dependency": "tough-cookie",
      "title": "ReDoS via long string of semicolons in tough-cookie",
      "url": "https://github.com/advisories/GHSA-qhv9-728r-6jqg",
      "severity": "moderate",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": "<2.3.0"
      },
      "source": 1095103,
      "name": "tough-cookie",
      "dependency": "tough-cookie",
      "title": "Regular Expression Denial of Service in tough-cookie",
      "url": "https://github.com/advisories/GHSA-g7q5-pjjr-gqvp",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<2.3.3"
      },
      "source": 1097682,
      "name": "tough-cookie",
      "dependency": "tough-cookie",
      "title": "tough-cookie Prototype Pollution vulnerability",
      "url": "https://github.com/advisories/GHSA-72xf-g2v4-qvf3",
      "severity": "moderate",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 6.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N",
        "range": "<4.1.3"
      },
      "effects": ["request"]
    }
  ],
  "node_modules/grunt-retire/node_modules/tough-cookie",
  "node_modules/npm/node_modules/request/node_modules/tough-cookie",
  "node_modules/tough-cookie",
  "fixAvailable": {
    "name": "grunt-retire",
    "version": "0.1.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "hoek" (range: *) | via: hoek subject to prototype pollution via the clone function., Prototype Pollution in hoek

```
{
  "name": "hoek",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1105092,
      "name": "hoek",
      "dependency": "hoek",
      "title": "hoek subject to prototype pollution via the clone function.",
      "url": "https://github.com/advisories/GHSA-c429-5p7v-vgjp",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 8.1,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H",
        "range": "<=6.1.3"
      },
      "source": 1105121,
      "name": "hoek",
      "dependency": "hoek",
      "title": "Prototype Pollution in hoek",
      "url": "https://github.com/advisories/GHSA-jp4x-w63m-7wgm",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 8.8,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H",
        "range": "<4.2.1"
      },
      "effects": ["boom"],
      "node_modules/retire",
      "version": "0.1.0",
      "isSemVerMajor": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "js-yaml" (range: <=3.14.1) | via: Denial of Service in js-yaml, Code Injection in js-yaml, js-yaml has prototype pollution in merge (<=)

```
{
  "name": "js-yaml",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1085724,
      "name": "js-yaml",
      "dependency": "js-yaml",
      "title": "Denial of Service in js-yaml",
      "url": "https://github.com/advisories/GHSA-2pr6-76vf-7546",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 5.9,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<3.13.0"
      },
      "source": 1095058,
      "name": "js-yaml",
      "dependency": "js-yaml",
      "title": "Code Injection in js-yaml",
      "url": "https://github.com/advisories/GHSA-8j8c-7jfh-h6hx",
      "severity": "high",
      "cwe": ["CWE-94"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<3.13.1"
      },
      "source": 1112714,
      "name": "js-yaml",
      "dependency": "js-yaml",
      "title": "js-yaml has prototype pollution in merge (<=)",
      "url": "https://github.com/advisories/GHSA-mh29-5h37-fv8m",
      "severity": "moderate",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N",
        "range": "<3.14.2"
      },
      "effects": ["coverage"]
    }
  ],
  "node_modules/js-yaml",
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "handlebars" (range: <=4.7.6) | via: Arbitrary Code Execution in handlebars, Prototype Pollution in handlebars, Denial of Service in handlebars, Remote code execution in handlebars when compiling templates, Arbitrary Code Execution in Handlebars, Prototype Pollution in handlebars, Regular Expression Denial of Service in Handlebars, Arbitrary Code Execution in handlebars, Prototype Pollution in handlebars, Prototype Pollution in handlebars, optimist

```
{
  "name": "handlebars",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1086648",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Arbitrary Code Execution in handlebars",
      "url": "https://github.com/advisories/GHSA-q2c6-c6pm-g3gh",
      "severity": "high",
      "cwe": [],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": ">=4.0.0 <4.5.3"
      },
      "source": "1086650",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Prototype Pollution in handlebars",
      "url": "https://github.com/advisories/GHSA-g9r4-xpmj-mj65",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": ">=4.0.0 <4.5.3"
      },
      "source": "1086668",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Denial of Service in handlebars",
      "url": "https://github.com/advisories/GHSA-f52g-6jhx-586p",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": ">=4.0.0 <4.4.5"
      },
      "source": "1095063",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Remote code execution in handlebars when compiling templates",
      "url": "https://github.com/advisories/GHSA-f2jv-r9rf-7988",
      "severity": "critical",
      "cwe": ["CWE-94"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:H\\I:H\\A:H",
        "range": "<4.7.7"
      },
      "source": "1095064",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Arbitrary Code Execution in Handlebars",
      "url": "https://github.com/advisories/GHSA-3cqr-58rm-57f8",
      "severity": "high",
      "cwe": ["CWE-94"],
      "cvss": {
        "score": 8.1,
        "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:N\\UI:N\\S:C\\C:H\\I:L\\A:L",
        "range": ">=4.0.0 <4.5.3"
      },
      "source": "1095067",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Prototype Pollution in handlebars",
      "url": "https://github.com/advisories/GHSA-q42p-pg8m-cqh6",
      "severity": "high",
      "cwe": ["CWE-471"],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:L\\I:L\\A:L",
        "range": ">=4.0.0 <4.0.14"
      },
      "source": "1095069",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Regular Expression Denial of Service in Handlebars",
      "url": "https://github.com/advisories/GHSA-62gr-4qp9-h98f",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": ">=4.0.0 <4.4.5"
      },
      "source": "1096404",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Arbitrary Code Execution in handlebars",
      "url": "https://github.com/advisories/GHSA-2cf5-4w76-r9qv",
      "severity": "high",
      "cwe": ["CWE-94"],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1\\AV:L\\AC:L\\PR:L\\UI:R\\S:C\\C:L\\I:H\\A:L",
        "range": ">=4.0.0 <4.5.2"
      },
      "source": "1102332",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Prototype Pollution in handlebars",
      "url": "https://github.com/advisories/GHSA-w457-6q6x-cgp9",
      "severity": "critical",
      "cwe": ["CWE-74", "CWE-1321"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:H\\I:H\\A:H",
        "range": ">=4.0.0 <4.3.0"
      },
      "source": "1102335",
      "name": "handlebars",
      "dependency": "handlebars",
      "title": "Prototype Pollution in handlebars",
      "url": "https://github.com/advisories/GHSA-765h-qjxv-5f44",
      "severity": "critical",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:H\\I:H\\A:H",
        "range": "<4.7.7"
      },
      "optimist"
    ]
  ],
  "effects": []
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "globule" (range: *) | via: minimatch

```
{
  "name": "globule",
  "severity": "high",
  "isDirect": false,
  "via": [
    "minimatch"
  ],
  "effects": [
    "gaze"
  ],
  "range": "*",
  "nodes": [
    "node_modules\\globule\\contrib-watch",
    "version": "0.4.4",
    "isSemVerMajor": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "nodemon" (range: 1.3.5 - 2.0.16 || 2.0.18) | via: chokidar, update-notifier

```
{
  "name": "nodemon",
  "severity": "high",
  "isDirect": true,
  "via": [
    "chokidar",
    "update-notifier"
  ],
  "effects": [],
  "range": "1.3.5 - 2.0.16 || 2.0.18",
  "nodes": [
    "node_modules\\nodemon",
    "fixAvailable": {
      "name": "nodemon",
      "version": "3.1.14",
      "isSemVerMajor": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "forever" (range: >=0.7.4) | via: flatiron, forever-monitor, nconf, optimist

```
{
  "name": "forever",
  "severity": "critical",
  "isDirect": true,
  "via": [
    "flatiron",
    "forever-monitor",
    "nconf",
    "optimist"
  ],
  "effects": [],
  "range": ">=0.7.4",
  "nodes": [
    "node_modules\\forever"
  ],
  "fixAvailable": {
    "name": "forever",
    "version": "1.0.0"
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "boxen" (range: 1.2.0 - 3.2.0) | via: term-size

```
{
  "name": "boxen",
  "severity": "high",
  "isDirect": false,
  "via": [
    "term-size"
  ],
  "effects": [
    "update-notifier"
  ],
  "range": "1.2.0 - 3.2.0",
  "nodes": [
    "node_modules\\boxen"
  ],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "xml2js" (range: <0.5.0) | via: xml2js is vulnerable to prototype pollution

```
{
  "name": "xml2js",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1096693",
      "name": "xml2js",
      "dependency": "xml2js",
      "title": "xml2js is vulnerable to prototype pollution",
      "url": "https://github.com/advisories/GHSA-776f-qx25-q3cc"
    }
  ],
  "effects": [
    "update-notifier"
  ],
  "range": "<0.5.0",
  "nodes": [
    "node_modules\\xml2js"
  ],
  "fixAvailable": {
    "name": "xml2js",
    "version": "0.4.23",
    "isSemVerMajor": false
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "execa" (range: 0.5.0 - 0.9.0) | via: cross-spawn

```
{
  "name": "execa",
  "severity": "high",
  "isDirect": false,
  "via": [
    "cross-spawn"
  ],
  "effects": [
    "term-size"
  ],
  "range": "0.5.0 - 0.9.0",
  "nodes": [
    "node_modules\\execa"
  ],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "i" (range: <0.3.7) | via: inflect vulnerable to Inefficient Regular Expression Complexity

```
{
  "name": "i",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1089188",
      "name": "i",
      "dependency": "i",
      "title": "inflect vulnerable to Inefficient Regular Expression Complexity",
      "url": "https://github.com/advisories/GHSA-x55w-vjpp-222r",
      "severity": "high",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<0.3.7"
    }
  ],
  "effects": [],
  "range": "<0.3.7"
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "bl" (range: <1.2.3) | via: Remote Memory Exposure in bl

```
{
  "name": "bl",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1090072",
      "name": "bl",
      "dependency": "bl",
      "title": "Remote Memory Exposure in bl",
      "url": "https://github.com/advisories/GHSA-pp7h-53gx-mx7r",
      "severity": "moderate",
      "cwe": ["CWE-125", "CWE-126"],
      "cvss": {
        "score": 6.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:L"
      },
      "range": "<1.2.3"
    }
  ],
  "effects": ["request", "retire"],
  "version": "0.1.0",
  "isSemVerMajor": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "serve-static" (range: <=1.16.0) | via: serve-static vulnerable to template injection that can lead to XSS, send

```
{
  "name": "serve-static",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": "1100528",
      "name": "serve-static",
      "dependency": "serve-static",
      "title": "serve-static vulnerable to template injection that can lead to XSS",
      "url": "https://github.com/advisories/GHSA-cm22-4g7w-348p",
      "severity": "low",
      "cwe": ["CWE-79"],
      "cvss": {
        "score": 5,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:L/A:L"
      },
      "range": "<1.16.0",
      "send": true,
      "effects": ["request", "static"],
      "fixAvailable": true
    }
  ],
  "effects": ["request", "static"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "boom" (range: *) | via: hoek

```
{
  "name": "boom",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1100528",
      "name": "boom",
      "dependency": "boom",
      "title": "boom vulnerable to Denial of Service (DoS)",
      "url": "https://github.com/advisories/GHSA-4h3h-4g7w-348p",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 9.0,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "*"
    }
  ],
  "effects": ["cryptiles", "hawk"],
  "range": "*",
  "nodes": ["node_modules/boom"],
  "retire": true,
  "version": "0.1.0",
  "isSemVerMajor": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "braces" (range: <3.0.3) | via: Uncontrolled resource consumption in braces

```
{
  "name": "braces",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1098094",
      "name": "braces",
      "dependency": "braces",
      "title": "Uncontrolled resource consumption in braces",
      "url": "https://github.com/advisories/GHSA-grv7-fg5c-xmjpg",
      "severity": "high",
      "cwe": ["CWE-400", "CWE-1050"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<3.0.3"
      },
      "effects": ["chokidar"]
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "growl" (range: <1.10.0) | via: Growl before 1.10.0 vulnerable to Command Injection

```
{
  "name": "growl",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1088328",
      "name": "growl",
      "dependency": "growl",
      "title": "Growl before 1.10.0 vulnerable to Command Injection",
      "url": "https://github.com/advisories/GHSA-qh2h-chj9-jffq",
      "severity": "critical",
      "cwe": ["CWE-78", "CWE-94"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H",
        "range": "<1.10.0"
      },
      "effects": ["mocha"]
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "nconf" (range: <=0.11.3) | via: Prototype Pollution in nconf, optimist

```
{
  "name": "nconf",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1088715",
      "name": "nconf",
      "dependency": "nconf",
      "title": "Prototype Pollution in nconf",
      "url": "https://github.com/advisories/GHSA-6xwr-q98w-rvg7",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L",
        "range": "<0.11.4"
      },
      "optimist",
      "effect"
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "flatiron" (range: >=0.1.3) | via: broadway, optimist

```
{
  "name": "flatiron",
  "severity": "critical",
  "isDirect": false,
  "via": [
    "broadway",
    "optimist"
  ],
  "effects": [
    "forever"
  ],
  "range": ">=0.1.3",
  "nodes": [
    "flatiron"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "package-json" (range: <=6.5.0) | via: got

```
{
  "name": "package-json",
  "severity": "moderate",
  "isDirect": false,
  "via": ["got"],
  "effects": ["latest-version"],
  "range": "<=6.5.0",
  "nodes": ["node_modules/package-json"],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "getobject" (range: 0.1.0) | via: Prototype pollution in getobject

```
{
  "name": "getobject",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1093420",
      "name": "getobject",
      "dependency": "getobject",
      "title": "Prototype pollution in getobject",
      "url": "https://github.com/advisories/GHSA-957j-59c2-j692",
      "severity": "critical",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
      },
      "range": "<1.0.0"
    }
  ],
  "effects": ["grunt-legacy-util"],
  "range": "0.1.0",
  "nodes": ["node_modules/getobject"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "grunt-contrib-watch" (range: >=0.5.0) | via: gaze

```
{
  "name": "grunt-contrib-watch",
  "severity": "high",
  "isDirect": true,
  "via": ["gaze"],
  "effects": [],
  "range": ">=0.5.0",
  "nodes": ["node_modules/grunt-contrib-watch"],
  "fixAvailable": {
    "name": "grunt-contrib-watch",
    "version": "0.4.4",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "grunt-legacy-util" (range: <=2.0.0) | via: getobject

```
{
  "name": "grunt-legacy-util",
  "severity": "critical",
  "isDirect": false,
  "via": ["getobject"],
  "effects": ["grunt"],
  "range": "<=2.0.0",
  "nodes": ["node_modules/grunt-legacy-util"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "babel-types" (range: <=6.14.0) | via: babel-traverse

```
{
  "name": "babel-types",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "babel-traverse",
      "title": "Babel Types",
      "url": "https://github.com/babel/babel-traverse",
      "severity": "critical",
      "cwe": [
        "CWE-843"
      ],
      "cvss": {
        "score": 5.6,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L"
      },
      "range": "<=6.14.0",
      "nodes": [
        "node_modules\\nyc\\node_modules\\babel-types"
      ],
      "fixAvailable": true
    }
  ],
  "effects": []
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "jsonpointer" (range: <5.0.0) | via: Prototype Pollution in node-jsonpointer

```
{
  "name": "jsonpointer",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "Prototype Pollution in node-jsonpointer",
      "title": "Prototype Pollution in node-jsonpointer",
      "url": "https://github.com/advisories/GHSA-282f-qqgm-c34q",
      "severity": "moderate",
      "cwe": [
        "CWE-843",
        "CWE-1321"
      ],
      "cvss": {
        "score": 5.6,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L"
      },
      "range": "<5.0.0",
      "effects": [
        "is-my-json-valid"
      ],
      "range": "<5.0.0",
      "nodes": [
        "node_modules\\jsonpointer",
        "node_modules\\npm\\node_modules\\request\\node_modules\\har-validator\\node_modules\\is-my-json-valid\\node_modules\\jsonpointer"
      ],
      "fixAvailable": true
    }
  ],
  "effects": [
    "is-my-json-valid"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "mixin-deep" (range: <1.3.2) | via: Prototype Pollution in mixin-deep

```
{
  "name": "mixin-deep",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1095047",
      "name": "mixin-deep",
      "dependency": "mixin-deep",
      "title": "Prototype Pollution in mixin-deep",
      "url": "https://github.com/advisories/GHSA-fhj9-r2j9",
      "severity": "critical",
      "cwe": [
        "CWE-88"
      ],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
      },
      "range": "<1.3.2",
      "effects": [
        "mixin-deep"
      ],
      "range": "<1.3.2",
      "fixAvailable": true
    }
  ],
  "effects": [
    "mixin-deep"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "express" (range: <=4.21.0 || 5.0.0-alpha.1 - 5.0.0) | via: express vulnerable to XSS via response.redirect(), Express.js Open Redirect in malformed URLs, body-parser, cookie, path-to-regexp, qs, send, serve-static

```
{
  "name": "express",
  "severity": "high",
  "isDirect": true,
  "via": [
    {
      "source": "1100530",
      "name": "express",
      "dependency": "express",
      "title": "express vulnerable to XSS via response.redirect()",
      "url": "https://github.com/advisories/GHSA-qw6h-vgh9-j6wx",
      "severity": "low",
      "cwe": [
        "CWE-79"
      ],
      "cvss": {
        "score": 5,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:L/A:L"
      },
      "range": "<4.20.0",
      {
        "source": "1111636",
        "name": "Express.js Open Redirect in malformed URLs",
        "url": "https://github.com/advisories/GHSA-rv95-896h-c2vc",
        "severity": "moderate",
        "cwe": [
          "CWE-601"
        ],
        "cvss": {
          "score": 6.1,
          "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N"
        },
        "range": "<4.19.2",
        "body-parser",
        "cookie",
        "path-to-regexp",
        "qs",
        "send",
        "serve-static"
      ],
      "effects": [
        "express"
      ],
      "range": "<=4.21.0 || 5.0.0-alpha.1 - 5.0.0",
      "nodes": [
        "node_modules\\express"
      ],
      "fixAvailable": true
    }
  ],
  "effects": [
    "express"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "broadway" (range: <=0.3.6) | via: nconf

```
{
  "name": "broadway",
  "severity": "high",
  "isDirect": false,
  "via": ["nconf"],
  "effects": ["flatiron", "forever-monitor"],
  "range": "<=0.3.6",
  "nodes": ["node_modules/broadway"],
  "fixAvailable": {
    "name": "forever",
    "version": "4.0.3",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "grunt-contrib-jshint" (range: *) | via: jshint

```
{
  "name": "grunt-contrib-jshint",
  "severity": "high",
  "isDirect": true,
  "via": ["jshint"],
  "effects": ["grunt-if"],
  "range": "*",
  "nodes": ["node_modules/grunt-contrib-jshint", "node_modules/grunt-if/node_modules/grunt-contrib-jshint"],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "tar" (range: <=7.5.7) | via: Arbitrary File Creation/Overwrite due to insufficient absolute path sanitization, Arbitrary File Creation/Overwrite due to insufficient absolute path sanitization, Arbitrary File Creation/Overwrite on Windows via insufficient relative path sanitization, Arbitrary File Overwrite in tar, Arbitrary File Creation/Overwrite via insufficient symlink protection due to directory cache poisoning, Arbitrary File Creation/Overwrite via insufficient symlink protection due to directory cache poisoning using symbolic links, Arbitrary File Creation/Overwrite via insufficient symlink protection due to directory cache poisoning using symbolic links, Denial of service while parsing a tar file due to lack of folders count validation, Race Condition in node-tar Path Reservations via Unicode Ligature Collisions on macOS APFS, node-tar Vulnerable to Arbitrary File Creation/Overwrite via Hardlink Path Traversal, node-tar is Vulnerable to Arbitrary File Overwrite and Symlink Poisoning via Insufficient Path Sanitization, Arbitrary File Read/Write via Hardlink Target Escape Through Symlink Chain in node-tar Extraction

```
{
  "name": "tar",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1089684",
      "name": "tar",
      "dependency": "tar",
      "title": "Arbitrary File Creation/Overwrite due to insufficient absolute path sanitization",
      "url": "https://github.com/advisories/GHSA-3jfq-g458-7qm9",
      "severity": "high",
      "cwe": ["CWE-22"],
      "cvss": {
        "score": 8.2,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N",
        "range": ">=4.0.0<4.4.14",
        {"source": "1089685", "name": "tar", "dependency": "tar", "title": "Arbitrary File Creation/Overwrite due to insufficient absolute path sanitization", "url": "https://github.com/advisories/GHSA-3jfq-g458-7qm9", "severity": "high", "cwe": ["CWE-22"], "cvss": {"score": 8.2, "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N", "range": "<3.2.2"}, {"source": "1095117", "name": "tar", "dependency": "tar", "title": "Arbitrary File Creation/Overwrite on Windows via insufficient relative path sanitization", "url": "https://github.com/advisories/GHSA-5955-9wpr-37jh", "severity": "high", "cwe": ["CWE-22"], "cvss": {"score": 8.2, "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N", "range": "<4.4.18"}, {"source": "1095119", "name": "tar", "dependency": "tar", "title": "Arbitrary File Overwrite in tar", "url": "https://github.com/advisories/GHSA-j44m-qm6p-hp7m", "severity": "high", "cwe": ["CWE-59"], "cvss": {"score": 7.5, "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N", "range": "<2.2"}, {"source": "1096309", "name": "tar", "dependency": "tar", "title": "Arbitrary File Creation/Overwrite via insufficient symlink protection due to directory cache poisoning", "url": "https://github.com/advisories/GHSA-r628-mhmh-qjhw", "severity": "high", "cwe": ["CWE-22", "CWE-23", "CWE-59"], "cvss": {"score": 8.2, "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N", "range": ">=4.0.0<4.4.15"}, {"source": "1096376", "name": "tar", "dependency": "tar", "title": "Arbitrary File Creation/Overwrite via insufficient symlink protection due to directory cache poisoning using symbolic links", "url": "https://github.com/advisories/GHSA-9r2w-394v-53qc", "severity": "high", "cwe": ["CWE-22", "CWE-59"], "cvss": {"score": 8.2, "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N", "range": ">=3.0.0<4.4.16"}, {"source": "1096411", "name": "tar", "dependency": "tar", "title": "Arbitrary File Creation/Overwrite via insufficient symlink protection due to directory cache poisoning using symbolic links", "url": "https://github.com/advisories/GHSA-qq89-hq3f-393p", "severity": "high", "cwe": ["CWE-22", "CWE-59"], "cvss": {"score": 8.2, "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:C/C:H/I:H/A:N", "range": ">=3.0.0<4.4.18"}, {"source": "1097493", "name": "tar", "dependency": "tar", "title": "Denial of service while parsing a tar file due to lack of folders count validation", "url": "https://github.com/advisories/GHSA-f5x3-32g6-xq36", "severity": "moderate", "cwe": ["CWE-400"], "cvss": {"score": 6.5, "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H", "range": "<6.2.1"}, {"source": "1112329", "name": "tar", "dependency": "tar", "title": "Race Condition in node-tar Path Reservations via Unicode Ligature Collisions on macOS APFS", "url": "https://github.com/advisories/GHSA-r6q2-hw4h-h46w", "severity": "high", "cwe": ["CWE-176"], "cvss": {"score": 8.8, "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:H/A:L", "range": "<=7.5.3"}, {"source": "1112659", "name": "tar", "dependency": "tar", "title": "node-tar Vulnerable to Arbitrary File Creation/Overwrite via Hardlink Path Traversal", "url": "https://github.com/advisories/GHSA-34x7-hfp2-rc4v", "severity": "high", "cwe": ["CWE-22", "CWE-59"], "cvss": {"score": 8.2, "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:H/I:L/A:N", "range": "<7.5.7"}, {"source": "1113300", "name": "tar", "dependency": "tar", "title": "node-tar is Vulnerable to Arbitrary File Overwrite and Symlink Poisoning via Insufficient Path Sanitization", "url": "https://github.com/advisories/GHSA-8qq5-rm4j-mr97", "severity": "high", "cwe": ["CWE-22"], "cvss": {"score": 0, "vectorString": null, "range": "<=7.5.2"}, {"source": "1113375", "name": "tar", "dependency": "tar", "title": "Arbitrary File Read/Write via Hardlink Target Escape Through Symlink Chain in node-tar Extraction", "url": "https://github.com/advisories/GHSA-83g3-92jg-28cx", "severity": "high", "cwe": ["CWE-22"], "cvss": {"score": 7.1, "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:N", "range": "<7.5.8"}],
  "effects": ["node-gyp", "node-pre-gyp", "npm"],
  "range": "<=7.5.7",
  "nodes": ["node_modules/fsevents/node_modules/tar", "node_modules/npm/node_modules/tar"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "bson" (range: <=1.1.3) | via: Deserialization of Untrusted Data in bson, Deserialization of Untrusted Data in bson

```
{
  "name": "bson",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1092294",
      "name": "bson",
      "dependency": "bson",
      "title": "Deserialization of Untrusted Data in bson",
      "url": "https://github.com/advisories/GHSA-4jwp-vfvf-657p",
      "severity": "moderate",
      "cwe": ["CWE-502"],
      "cvss": {
        "score": 5.4,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:N",
        "range": "<1.1.4",
        {"source": "1102316", "name": "bson", "dependency": "bson", "title": "Deserialization of Untrusted Data in bson", "url": "https://github.com/advisories/GHSA-v8w9-2789-6hrh", "severity": "critical", "cwe": ["CWE-502"], "cvss": {"score": 9.8, "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H", "range": "<1.1.4"}],
        "effects": ["mongodb-core"],
        "range": "<=1.1.3",
        "nodes": ["node_modules/bson"],
        "fixAvailable": {"name": "mongodb", "version": "7.1.0", "isSemVerMajor": true}
      }
    ]
  },
  "range": "<=1.1.3",
  "nodes": ["node_modules/bson"],
  "fixAvailable": {"name": "mongodb", "version": "7.1.0", "isSemVerMajor": true}
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "on-headers" (range: <1.1.0) | via: on-headers is vulnerable to http response header manipulation

```
{
  "name": "on-headers",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": 1106812,
      "name": "on-headers",
      "dependency": "on-headers",
      "title": "on-headers is vulnerable to http response header manipulation",
      "url": "https://github.com/advisories/GHSA-76c9-3jph-rj3q",
      "severity": "low",
      "cwe": ["CWE-241"],
      "cvss": {
        "score": 3.4,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:U/C:L/I:L/A:N",
        "range": "<1.1.0"
      },
      "effects": ["express-session"],
      "range": "<1.1.0",
      "nodes": ["node_modules/on-headers"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "union-value" (range: <=1.0.0 || 2.0.0) | via: set-value

```
{
  "name": "union-value",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": 1106812,
      "name": "union-value",
      "dependency": "union-value",
      "title": "union-value is vulnerable to set-value",
      "url": "https://github.com/advisories/GHSA-4q44-4q44-4q44",
      "severity": "critical",
      "cwe": ["CWE-20", "CWE-22", "CWE-23", "CWE-24", "CWE-25", "CWE-26", "CWE-27", "CWE-28", "CWE-29", "CWE-30", "CWE-31", "CWE-32", "CWE-33", "CWE-34", "CWE-35", "CWE-36", "CWE-37", "CWE-38", "CWE-39", "CWE-40", "CWE-41", "CWE-42", "CWE-43", "CWE-44", "CWE-45", "CWE-46", "CWE-47", "CWE-48", "CWE-49", "CWE-50", "CWE-51", "CWE-52", "CWE-53", "CWE-54", "CWE-55", "CWE-56", "CWE-57", "CWE-58", "CWE-59", "CWE-60", "CWE-61", "CWE-62", "CWE-63", "CWE-64", "CWE-65", "CWE-66", "CWE-67", "CWE-68", "CWE-69", "CWE-70", "CWE-71", "CWE-72", "CWE-73", "CWE-74", "CWE-75", "CWE-76", "CWE-77", "CWE-78", "CWE-79", "CWE-80", "CWE-81", "CWE-82", "CWE-83", "CWE-84", "CWE-85", "CWE-86", "CWE-87", "CWE-88", "CWE-89", "CWE-90", "CWE-91", "CWE-92", "CWE-93", "CWE-94", "CWE-95", "CWE-96", "CWE-97", "CWE-98", "CWE-99"],
      "cvss": {
        "score": 10.0,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H",
        "range": "<=1.0.0 || 2.0.0"
      },
      "effects": ["set-value"],
      "range": "<=1.0.0 || 2.0.0",
      "nodes": ["node_modules/union-value"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "shelljs" (range: <=0.8.4) | via: Improper Privilege Management in shelljs, Improper Privilege Management in shelljs

```
{
  "name": "shelljs",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1088208,
      "name": "shelljs",
      "dependency": "shelljs",
      "title": "Improper Privilege Management in shelljs",
      "url": "https://github.com/advisories/GHSA-64g7-mvw6-v9qj",
      "severity": "moderate",
      "cwe": ["CWE-269"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<0.8.5"
      },
      "effects": ["shelljs"],
      "range": "<0.8.5",
      "nodes": ["node_modules/shelljs"],
      "fixAvailable": true
    },
    {
      "source": 1095126,
      "name": "shelljs",
      "dependency": "shelljs",
      "title": "Improper Privilege Management in shelljs",
      "url": "https://github.com/advisories/GHSA-4rq4-32rv-6wp6",
      "severity": "high",
      "cwe": ["CWE-269"],
      "cvss": {
        "score": 7.1,
        "vectorString": "CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:N/A:H",
        "range": "<0.8.5"
      },
      "effects": ["jslint"],
      "range": "<0.8.5",
      "nodes": ["node_modules/shelljs"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "adm-zip" (range: <0.4.11) | via: Arbitrary File Write in adm-zip

```
{
  "name": "adm-zip",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": 1093814,
      "name": "adm-zip",
      "dependency": "adm-zip",
      "title": "Arbitrary File Write in adm-zip",
      "url": "https://github.com/advisories/GHSA-3v6h-hqm4-2rg6",
      "severity": "moderate",
      "cwe": ["CWE-22"],
      "cvss": {
        "score": 5.5,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:N",
        "range": "<0.4.11"
      },
      "effects": ["selenium-webdriver"],
      "range": "<0.4.11",
      "nodes": ["node_modules/adm-zip"],
      "fixAvailable": {
        "name": "selenium-webdriver",
        "version": "4.41.0",
        "isSemVerMajor": true
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "cypress" (range: 0.1.0 - 4.12.1) | via: debug, extract-zip, getos, lodash, minimist, moment, request, tmp

```
{
  "name": "cypress",
  "severity": "critical",
  "isDirect": true,
  "via": [
    "debug",
    "extract-zip",
    "getos",
    "lodash",
    "minimist",
    "moment",
    "request",
    "tmp"
  ],
  "effects": [],
  "range": "0.1.0 - 4.12.1",
  "nodes": [
    "node_modules\\cypress"
  ],
  "fixAvailable": {
    "name": "cypress",
    "version": "15.11.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "nyc" (range: 5.0.0 - 14.1.1) | via: foreground-child, istanbul-lib-instrument, micromatch, mklirp, test-exclude, yargs, yargs-parser

```
{
  "name": "nyc",
  "severity": "critical",
  "isDirect": false,
  "via": [
    "foreground-child",
    "istanbul-lib-instrument",
    "micromatch",
    "mklirp",
    "test-exclude",
    "yargs",
    "yargs-parser"
  ],
  "effects": [
    "tap"
  ],
  "range": "5.0.0 - 14.1.1",
  "nodes": [
    "node_modules\\nyc"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "json-schema" (range: <0.4.0) | via: json-schema is vulnerable to Prototype Pollution

```
{
  "name": "json-schema",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": 1101855,
      "name": "json-schema",
      "dependency": "json-schema",
      "title": "json-schema is vulnerable to Prototype Pollution",
      "url": "https://github.com/advisories/GHSA-896r-f27r-55mw",
      "severity": "critical",
      "cwe": [
        "CWE-915"
      ],
      "cve": [
        "CVE-2021-31321"
      ],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H"
      },
      "range": "<0.4.0"
    }
  ],
  "effects": [
    "jsprim"
  ],
  "nodes": [
    "node_modules\\npm\\node_modules\\request\\node_modules\\http-signature\\node_modules\\jsprim\\node_modules\\json-schema"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "stringstream" (range: <0.0.6) | via: Out-of-bounds Read in stringstream

```
{
  "name": "stringstream",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": 1090117,
      "name": "stringstream",
      "dependency": "stringstream",
      "title": "Out-of-bounds Read in stringstream",
      "url": "https://github.com/advisories/GHSA-mf6x-7mm4-x2g7",
      "severity": "moderate",
      "cwe": [
        "CWE-125"
      ],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": "<0.0.6"
    }
  ],
  "effects": [],
  "range": "<0.0.6",
  "nodes": [
    "node_modules\\npm\\node_modules\\stringstream"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "debug" (range: <=2.6.8 || 3.2.0 - 3.2.6 || 4.0.0 - 4.3.0) | via: debug Inefficient Regular Expression Complexity vulnerability, Regular Expression Denial of Service in debug, Regular Expression Denial of Service in debug, Regular Expression Denial of Service in debug, ms

```
{
  "name": "debug",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1094457",
      "name": "debug",
      "dependency": "debug",
      "title": "debug Inefficient Regular Expression Complexity vulnerability",
      "url": "https://github.com/advisories/GHSA-9vvw-cc9w-f27h",
      "severity": "high",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<2.6.9"
      },
      "source": "1096792",
      "name": "Regular Expression Denial of Service in debug",
      "url": "https://github.com/advisories/GHSA-gxpj-cx7g-858c",
      "severity": "low",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 3.7,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": ">=4.0.0 <4.3.1"
      },
      "source": "1096793",
      "name": "Regular Expression Denial of Service in debug",
      "url": "https://github.com/advisories/GHSA-gxpj-cx7g-858c",
      "severity": "low",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 3.7,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": ">=3.2.0 <3.2.7"
      },
      "source": "1096795",
      "name": "Regular Expression Denial of Service in debug",
      "url": "https://github.com/advisories/GHSA-gxpj-cx7g-858c",
      "severity": "low",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 3.7,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": "<2.6.9"
      },
      "ms": true,
      "effects": ["confusion"]
    }
  ],
  "range": "<=2.6.8 || 3.2.0 - 3.2.6 || 4.0.0 - 4.3.0",
  "nodes": [
    "node_modules/@cypress/xvfb/node_modules/debug",
    "node_modules/connect/node_modules/debug",
    "node_modules/cypress-gyp/node_modules/path-array/node_modules/array-index/node_modules/debug",
    "node_modules/nyc/node_modules/debug",
    "node_modules/tiny-lr/node_modules/debug"
  ],
  "fixAvailable": {
    "name": "mocha",
    "version": "11.7.5",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "jsprim" (range: 0.3.0 - 1.4.1 || 2.0.0 - 2.0.1) | via: json-schema

```
{
  "name": "jsprim",
  "severity": "critical",
  "isDirect": false,
  "via": ["json-schema"],
  "effects": [],
  "range": "0.3.0 - 1.4.1 || 2.0.0 - 2.0.1",
  "nodes": [
    "node_modules/jsprim",
    "node_modules/npm/node_modules/request/node_modules/http-signature/node_modules/jsprim"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "finalhandler" (range: <=1.0.5) | via: debug

```
{
  "name": "finalhandler",
  "severity": "high",
  "isDirect": false,
  "via": ["debug"],
  "effects": ["connect"],
  "range": "<=1.0.5",
  "nodes": [
    "node_modules/express/node_modules/finalhandler"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "swig" (range: *) | via: Arbitrary local file read vulnerability during template rendering , optimist, uglify-js

```
{
  "name": "swig",
  "severity": "critical",
  "isDirect": true,
  "via": [
    {
      "source": "1091414",
      "name": "swig",
      "dependency": "swig",
      "title": "Arbitrary local file read vulnerability during template rendering ",
      "url": "https://github.com/advisories/GHSA-2rq5-699j-x7p6",
      "severity": "high",
      "cwe": ["CWE-22"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N",
        "range": "<=1.4.2"
      },
      "optimist": true,
      "uglifyjs": true,
      "effects": []
    }
  ],
  "range": "*",
  "nodes": [
    "node_modules/swig"
  ],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "coveralls" (range: *) | via: js-yaml, minimist, request

```
{
  "name": "coveralls",
  "severity": "critical",
  "isDirect": false,
  "via": ["js-yaml", "minimist", "request"],
  "effects": ["tap"],
  "range": "*",
  "nodes": ["node_modules/coveralls"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "latest-version" (range: 0.2.0 - 5.1.0) | via: package-json

```
{
  "name": "latest-version",
  "severity": "moderate",
  "isDirect": false,
  "via": ["package-json"],
  "effects": ["update-notifier"],
  "range": "0.2.0 - 5.1.0",
  "nodes": ["node_modules/latest-version"],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "npm-registry-client" (range: *) | via: request

```
{
  "name": "npm-registry-client",
  "severity": "moderate",
  "isDirect": false,
  "via": ["request"],
  "effects": ["npm"],
  "range": "*",
  "nodes": ["node_modules/npm/node_modules/npm-registry-client"],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "mocha" (range: 0.6.0 - 6.2.2 || 7.0.0-esm1 - 7.1.0) | via: debug, diff, glob, growl, mkdirp

```
{
  "name": "mocha",
  "severity": "critical",
  "isDirect": true,
  "via": ["debug", "diff", "glob", "growl", "mkdirp"],
  "effects": [],
  "range": "0.6.0 - 6.2.2 || 7.0.0-esm1 - 7.1.0",
  "nodes": ["node_modules/mocha"],
  "fixAvailable": {
    "name": "mocha",
    "version": "11.7.5",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "trim-newlines" (range: <3.0.1) | via: Uncontrolled Resource Consumption in trim-newlines

```
{
  "name": "trim-newlines",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1095100",
      "name": "trim-newlines",
      "dependency": "trim-newlines",
      "title": "Uncontrolled Resource Consumption in trim-newlines",
      "url": "https://github.com/advisories/GHSA-7p7h-4mm5-852v",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<3.0.1"
      },
      "effects": ["neow"],
      "newlines": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "helmet" (range: 0.3.0 - 3.20.1) | via: connect, helmet-csp

```
{
  "name": "helmet",
  "severity": "high",
  "isDirect": true,
  "via": ["connect", "helmet-csp"],
  "effects": [],
  "range": "0.3.0 - 3.20.1",
  "nodes": ["node_modules\\helmet"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "micromatch" (range: <=4.0.7) | via: Regular Expression Denial of Service (ReDoS) in micromatch, braces

```
{
  "name": "micromatch",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1098681",
      "name": "micromatch",
      "dependency": "micromatch",
      "title": "Regular Expression Denial of Service (ReDoS) in micromatch",
      "url": "https://github.com/advisories/GHSA-952p-6rrq-rcjv",
      "severity": "moderate",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:L",
        "range": "<4.0.8"
      },
      "braces": true,
      "effects": ["sync", "nyc", "readdirp", "test-exclude"],
      "range": "<=4.0.7",
      "nodes": [
        "node_modules\\liftoff\\node_modules\\micromatch",
        "node_modules\\micromatch",
        "node_modules\\nyc\\no"
      ]
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "nodeunit" (range: 0.9.3 - 0.11.2) | via: tap

```
{
  "name": "nodeunit",
  "severity": "moderate",
  "isDirect": false,
  "via": ["tap"],
  "effects": [],
  "range": "0.9.3 - 0.11.2",
  "nodes": ["node_modules\\nodeunit"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "marked" (range: <=4.0.9) | via: Marked vulnerable to XSS from data URIs, Sanitization bypass using HTML Entities in marked, Regular Expression Denial of Service in marked, Inefficient Regular Expression Complexity in marked, Inefficient Regular Expression Complexity in marked, Marked allows Regular Expression Denial of Service (ReDoS) attacks

```
{
  "name": "marked",
  "severity": "high",
  "isDirect": true,
  "via": [
    {
      "source": "1093507",
      "name": "marked",
      "dependency": "marked",
      "title": "Marked vulnerable to XSS from data URIs",
      "url": "https://github.com/advisories/GHSA-7px7-7xjx-hxm8",
      "severity": "moderate",
      "cwe": [
        "CWE-79"
      ],
      "cvss": {
        "score": 6.1,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:R\\S:C\\C:L\\I:L\\A:N",
        "range": "<0.3.7"
      },
      {
        "source": "1093520",
        "name": "marked",
        "dependency": "marked",
        "title": "Sanitization bypass using HTML Entities in marked",
        "url": "https://github.com/advisories/GHSA-vfvf-mqq8-rwqc",
        "severity": "moderate",
        "cwe": [
        "CWE-79"
      ],
      "cvss": {
        "score": 6.1,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:R\\S:C\\C:L\\I:L\\A:N",
        "range": "<0.3.6"
      },
      {
        "source": "1093522",
        "name": "marked",
        "dependency": "marked",
        "title": "Inefficient Regular Expression Complexity in marked",
        "url": "https://github.com/advisories/GHSA-x5pg-88wf-q4p",
        "severity": "high",
        "cwe": [
        "CWE-400"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<0.3.9"
      },
      {
        "source": "1095051",
        "name": "marked",
        "dependency": "marked",
        "title": "Regular Expression Denial of Service in marked",
        "url": "https://github.com/advisories/GHSA-rrrm-qjm4-v8hf",
        "severity": "high",
        "cwe": [
        "CWE-400",
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<4.0.10"
      },
      {
        "source": "1095052",
        "name": "marked",
        "dependency": "marked",
        "title": "Inefficient Regular Expression Complexity in marked",
        "url": "https://github.com/advisories/GHSA-5v2h-r2cx-5xgj",
        "severity": "high",
        "cwe": [
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<4.0.10"
      },
      {
        "source": "1105067",
        "name": "marked",
        "dependency": "marked",
        "title": "Marked allows Regular Expression Denial of Service (ReDoS) attacks",
        "url": "https://github.com/advisories/GHSA-p9wx-2529-fp83",
        "severity": "moderate",
        "cwe": [
        "CWE-1333"
      ],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<0.3.17"
      }
    ],
    "effects": [],
    "range": "<=4.0.9",
    "nodes": [
      "node_modules\\marked"
    ],
    "fixAvailable": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "yargs" (range: 4.0.0-alpha1 - 7.0.0-alpha.3 || 7.1.1) | via: yargs-parser

```
{
  "name": "yargs",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    "yargs-parser"
  ],
  "effects": [
    "nyc"
  ],
  "range": "4.0.0-alpha1 - 7.0.0-alpha.3 || 7.1.1",
  "nodes": [
    "node_modules\\nyc\\node_modules\\yargs"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "grunt-retire" (range: >=0.1.1) | via: request, retire

```
{
  "name": "grunt-retire",
  "severity": "moderate",
  "isDirect": true,
  "via": [
    "request",
    "retire"
  ],
  "effects": [],
  "range": ">=0.1.1",
  "nodes": [
    "node_modules\\grunt-retire"
  ],
  "fixAvailable": {
    "name": "grunt-retire",
    "version": "0.1.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "kind-of" (range: 6.0.0 - 6.0.2) | via: Validation Bypass in kind-of

```
{
  "name": "kind-of",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1095056",
      "name": "kind-of",
      "dependency": "kind-of",
      "title": "Validation Bypass in kind-of",
      "url": "https://github.com/advisories/GHSA-6c8f-qphg-qjgp",
      "severity": "high",
      "cwe": ["CWE-668"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N",
        "range": ">=6.0.0 <6.0.3"
      },
      "effects": [],
      "range": "6.0.0 - 6.0.2",
      "nodes": [
        "node_modules\\base\\node_modules\\kind-of",
        "node_modules\\define-property\\node_modules\\kind-of",
        "node_modules\\extglob\\node_modules\\kind-of",
        "node_modules\\liftoff\\node_modules\\kind-of",
        "node_modules\\make-iterator\\node_modules\\kind-of",
        "node_modules\\micromatch\\node_modules\\kind-of",
        "node_modules\\nanomatch\\node_modules\\kind-of",
        "node_modules\\snapdragon-node\\node_modules\\kind-of"
      ],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "websocket-extensions" (range: <0.1.4) | via: Regular Expression Denial of Service in websocket-extensions (NPM package)

```
{
  "name": "websocket-extensions",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1087512",
      "name": "websocket-extensions",
      "dependency": "websocket-extensions",
      "title": "Regular Expression Denial of Service in websocket-extensions (NPM package)",
      "url": "https://github.com/advisories/GHSA-g78m-2chm-r7qv",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 8.2,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:H",
        "range": "<0.1.4"
      },
      "effects": [],
      "range": "<0.1.4",
      "nodes": [
        "node_modules\\websocket-extensions"
      ],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "extend" (range: 3.0.0 - 3.0.1) | via: Prototype Pollution in extend

```
{
  "name": "extend",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1112515",
      "name": "extend",
      "dependency": "extend",
      "title": "Prototype Pollution in extend",
      "url": "https://github.com/advisories/GHSA-qrmc-fj45-qfc2",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": ">=3.0.0 <3.0.2"
      },
      "effects": [],
      "range": ">=3.0.0 <3.0.2",
      "nodes": [
        "node_modules\\npm\\node_modules\\request\\node_modules\\extend"
      ],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "underscore" (range: <=1.13.7) | via: Arbitrary Code Execution in underscore, Underscore has unlimited recursion in _.flatten and _.isEqual, potential for DoS attack

```
{
  "name": "underscore",
  "severity": "critical",
  "isDirect": true,
  "via": [
    {
      "source": "1109570",
      "name": "underscore",
      "dependency": "underscore",
      "title": "Arbitrary Code Execution in underscore",
      "url": "https://github.com/advisories/GHSA-cf4h-3jhx-xvhq",
      "severity": "critical",
      "cwe": ["CWE-94"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H",
        "range": ">=1.3.2 <1.12.1"
      },
      "source": "1113950",
      "name": "underscore",
      "dependency": "underscore",
      "title": "Underscore has unlimited recursion in _.flatten and _.isEqual, potential for DoS attack",
      "url": "https://github.com/advisories/GHSA-qpx9-hpmf-5gmw",
      "severity": "high",
      "cwe": ["CWE-674", "CWE-770"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<=1.13.7"
      },
      "effects": ["retire"],
      "range": "<=1.13.7",
      "nodes": [
        "node_modules\\retire"
      ],
      "version": "0.1.0",
      "isSemVerMajor": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "hosted-git-info" (range: <2.8.9) | via: Regular Expression Denial of Service in hosted-git-info

```
{
  "name": "hosted-git-info",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1089809",
      "name": "hosted-git-info",
      "dependency": "hosted-git-info",
      "title": "Regular Expression Denial of Service in hosted-git-info",
      "url": "https://github.com/advisories/GHSA-43f8-2h32-f4cj",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": "<2.8.9"
      },
      "effects": ["r", "n"],
      "node_modules\\npm\\node_modules\\hosted-git-info",
      "node_modules\\nyc\\node_modules\\hosted-git-info",
      "fixAvailable": false
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "liftoff" (range: 2.2.3 - 3.1.0) | via: findup-sync

```
{
  "name": "liftoff",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "findup-sync",
      "name": "liftoff",
      "dependency": "liftoff",
      "title": "findup-sync vulnerability",
      "url": "https://github.com/advisories/GHSA-43f8-2h32-f4cj",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L",
        "range": "2.2.3 - 3.1.0"
      },
      "effects": ["grunt-cli"],
      "node_modules\\liftoff",
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "send" (range: <0.19.0) | via: send vulnerable to template injection that can lead to XSS

```
{
  "name": "send",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": "1109556",
      "name": "send",
      "dependency": "send",
      "title": "send vulnerable to template injection that can lead to XSS",
      "url": "https://github.com/advisories/GHSA-m6fv-jmcg-4jfg",
      "severity": "low",
      "cwe": ["CWE-79"],
      "cvss": {
        "score": 5,
        "vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:L/A:L",
        "range": "<0.19.0"
      },
      "effects": ["express", "static"],
      "node_modules\\send",
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "body-parser" (range: <=1.20.2) | via: body-parser vulnerable to denial of service when url encoding is enabled, qs

```
{
  "name": "body-parser",
  "severity": "high",
  "isDirect": true,
  "via": [
    {
      "source": "1099520",
      "name": "body-parser",
      "dependency": "body-parser",
      "title": "body-parser vulnerable to denial of service when url encoding is enabled",
      "url": "https://github.com/advisories/GHSA-qwcr-r2fm-qrc7",
      "severity": "high",
      "cwe": ["CWE-405"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<1.20.3",
        "qs"
      },
      "effects": ["express", "body-parser"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "foreground-child" (range: 1.5.2 - 1.5.6) | via: cross-spawn

```
{
  "name": "foreground-child",
  "severity": "high",
  "isDirect": false,
  "via": ["cross-spawn"],
  "effects": ["nyc"],
  "range": "1.5.2 - 1.5.6",
  "nodes": ["node_modules\\foreground-child", "node_modules\\nyc\\node_modules\\foreground-child"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "getos" (range: 2.8.2 - 3.1.1) | via: async

```
{
  "name": "getos",
  "severity": "high",
  "isDirect": false,
  "via": ["async"],
  "effects": ["cypress"],
  "range": "2.8.2 - 3.1.1",
  "nodes": ["node_modules\\getos"],
  "fixAvailable": {
    "name": "cypress",
    "version": "15.11.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "cryptiles" (range: *) | via: boom

```
{
  "name": "cryptiles",
  "severity": "high",
  "isDirect": false,
  "via": ["boom"],
  "effects": ["hawk"],
  "range": "*",
  "nodes": ["node_modules\\cryptiles", "node_modules\\hawk\\node_modules\\cryptiles"],
  "fixAvailable": {
    "name": "cryptiles",
    "version": "0.1.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "qs" (range: <=6.14.0) | via: Prototype Pollution Protection Bypass in qs, Prototype Pollution Protection Bypass in qs, Denial-of-Service Extended Event Loop Blocking in qs, Denial-of-Service Memory Exhaustion in qs, qs vulnerable to Prototype Pollution, qs vulnerable to Prototype Pollution, qs vulnerable to Prototype Pollution, qs's arrayLimit bypass in its bracket notation allows DoS via memory exhaustion

```
{
  "name": "qs",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1087525",
      "name": "qs",
      "dependency": "qs",
      "title": "Prototype Pollution Protection Bypass in qs",
      "url": "https://github.com/advisories/GHSA-gqgv-6jq5-jjj9",
      "severity": "high",
      "cwe": ["CWE-20"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": ">=6.2.0<6.2.3"
      },
      "source": "1087527",
      "name": "qs",
      "dependency": "qs",
      "title": "Prototype Pollution Protection Bypass in qs",
      "url": "https://github.com/advisories/GHSA-gqgv-6jq5-jjj9",
      "severity": "high",
      "cwe": ["CWE-20"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<6.0.4"
      },
      "source": "1090967",
      "name": "qs",
      "dependency": "qs",
      "title": "Denial-of-Service Extended Event Loop Blocking in qs",
      "url": "https://github.com/advisories/GHSA-f9cm-p3w6-xvr3",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<1.0.0"
      },
      "source": "1091683",
      "name": "qs",
      "dependency": "qs",
      "title": "Denial-of-Service Memory Exhaustion in qs",
      "url": "https://github.com/advisories/GHSA-jjv7-qpx3-h62q",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<1.0.0"
      },
      "source": "1104115",
      "name": "qs",
      "dependency": "qs",
      "title": "qs vulnerable to Prototype Pollution",
      "url": "https://github.com/advisories/GHSA-hrpp-h998-j3pp",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<6.2.4"
      },
      "source": "1104116",
      "name": "qs",
      "dependency": "qs",
      "title": "qs vulnerable to Prototype Pollution",
      "url": "https://github.com/advisories/GHSA-hrpp-h998-j3pp",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": ">=6.3.0<6.3.3"
      },
      "source": "1104118",
      "name": "qs",
      "dependency": "qs",
      "title": "qs vulnerable to Prototype Pollution",
      "url": "https://github.com/advisories/GHSA-hrpp-h998-j3pp",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": ">=6.5.0<6.5.3"
      },
      "source": "1113719",
      "name": "qs",
      "dependency": "qs",
      "title": "qs's arrayLimit bypass in its bracket notation allows DoS via memory exhaustion",
      "url": "https://github.com/advisories/GHSA-6rw7-vpxm-498p",
      "severity": "moderate",
      "cwe": ["CWE-20"],
      "cvss": {
        "score": 3.7,
        "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:L",
        "range": "<6.14.1"
      },
      "effects": ["body-parser", "express", "request"],
      "range": "<=6.14.0",
      "nodes": [
        "node_modules\\grunt-retire\\node_modules\\qs",
        "node_modules\\npm\\node_modules\\request\\node_modules\\qs",
        "node_modules\\qs",
        "node_modules\\request\\node_modules\\qs"
      ],
      "version": "0.1.0",
      "isSemVerMajor": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "fstream" (range: <1.0.12) | via: Arbitrary File Overwrite in fstream

```
{
  "name": "fstream",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1102334",
      "name": "fstream",
      "dependency": "fstream",
      "title": "Arbitrary File Overwrite in fstream",
      "url": "https://github.com/advisories/GHSA-xf7w-r453-m56c",
      "severity": "high",
      "cwe": ["CWE-59"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:H\\A:N",
        "range": "<1.0.12"
      },
      "effects": ["npm"],
      "range": "<1.0.12"
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "dot-prop" (range: <4.2.1) | via: dot-prop Prototype Pollution vulnerability

```
{
  "name": "dot-prop",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1102328",
      "name": "dot-prop",
      "dependency": "dot-prop",
      "title": "dot-prop Prototype Pollution vulnerability",
      "url": "https://github.com/advisories/GHSA-ff7x-qrg7-qggm",
      "severity": "high",
      "cwe": ["CWE-425", "CWE-471", "CWE-1321"],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:L\\I:L\\A:L",
        "range": "<4.2.1"
      },
      "effects": [],
      "range": "<4.2.1",
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "sshpk" (range: <1.13.2) | via: Regular Expression Denial of Service in sshpk

```
{
  "name": "sshpk",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1089418",
      "name": "sshpk",
      "dependency": "sshpk",
      "title": "Regular Expression Denial of Service in sshpk",
      "url": "https://github.com/advisories/GHSA-2m39-62fm-q8r3",
      "severity": "high",
      "cwe": ["CWE-185", "CWE-770"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<1.13.2"
      },
      "effects": [],
      "range": "signature/node_modules/sshpk",
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "update-notifier" (range: 0.2.0 - 5.1.0) | via: boxen, latest-version

```
{
  "name": "update-notifier",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "boxen",
      "latest-version",
      "effects": [
        "nodemon",
        "range": "0.2.0 - 5.1.0",
        "nodes": [
          "node_modules/update-notifier",
          "fixAvailable": {
            "name": "nodemon",
            "version": "3.1.14",
            "isSemVerMajor": true
          }
        ]
      }
    ]
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "form-data" (range: <=2.5.3) | via: form-data uses unsafe random function in form-data for choosing boundary, mime

```
{
  "name": "form-data",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1109540",
      "name": "form-data",
      "dependency": "form-data",
      "title": "form-data uses unsafe random function in form-data for choosing boundary",
      "url": "https://github.com/advisories/GHSA-fjxv-7rqg-78g4",
      "severity": "critical",
      "cwe": ["CWE-330"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<2.5.4",
        "mime",
        "effects": [
          "request",
          "range": "<=2.5.3",
          "nodes": [
            "node_modules/form-data",
            "node_modules/form-data",
            "node_modules/grunt-retire/node_modules/form-data",
            "node_modules/zaproxy/node_modules/form-data",
            "fixAvailable": {
              "name": "grunt-retire",
              "version": "0.1.0",
              "isSemVerMajor": true
            }
          ]
        ]
      }
    ]
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "decode-uri-component" (range: <0.2.1) | via: decode-uri-component vulnerable to Denial of Service (DoS)

```
{
  "name": "decode-uri-component",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1094087",
      "name": "decode-uri-component",
      "dependency": "decode-uri-component",
      "title": "decode-uri-component vulnerable to Denial of Service (DoS)",
      "url": "https://github.com/advisories/GHSA-w573-4hg7-7wgq",
      "severity": "high",
      "cwe": ["CWE-20"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": "<0.2.1",
        "effects": [],
        "range": "uri-component",
        "fixAvailable": true
      }
    ]
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "tmp" (range: <=0.2.3) | via: tmp allows arbitrary temporary file / directory write via symbolic link `dir` parameter

```
{
  "name": "tmp",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": "1109537",
      "name": "tmp",
      "dependency": "tmp",
      "title": "tmp allows arbitrary temporary file \\/ directory write via symbolic link `dir` parameter",
      "url": "https:\\\\/github.com\\/advisories\\/GHSA-52f5-9888-hmc6",
      "severity": "low",
      "cwe": [
        "CWE-59"
      ],
      "cvss": {
        "score": 2.5,
        "vectorString": "CVSS:3.1\\/AV:L\\/AC:H\\/PR:L\\/UI:N\\/S:U\\/C:N\\/I:L\\/A:N",
        "range": "<=0.2.3"
      },
      "effects": [
        "cypress",
        "webdriver"
      ],
      "range": "<=0.2.3",
      "nodes": [
        "node_modules\\/cypress\\/node_modules\\/tmp",
        "node_modules\\/tmp"
      ],
      "fixAvailable": {
        "name": "cypress",
        "version": "5.4.0",
        "isSemVerMajor": true
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "y18n" (range: <3.2.2) | via: Prototype Pollution in y18n

```
{
  "name": "y18n",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1095087",
      "name": "y18n",
      "dependency": "y18n",
      "title": "Prototype Pollution in y18n",
      "url": "https:\\\\/github.com\\/advisories\\/GHSA-c4w7-xm78-47vh",
      "severity": "high",
      "cwe": [
        "CWE-20",
        "CWE-915",
        "CWE-1321"
      ],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1\\/AV:N\\/AC:L\\/PR:N\\/UI:N\\/S:U\\/C:L\\/I:L\\/A:L",
        "range": "<3.2.2"
      },
      "effects": [
        "range"
      ]
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "forever-monitor" (range: *) | via: broadway, chokidar

```
{
  "name": "forever-monitor",
  "severity": "high",
  "isDirect": false,
  "via": [
    "broadway",
    "chokidar"
  ],
  "effects": [
    "forever"
  ],
  "range": "*",
  "nodes": [
    "node_modules\\/forever-monitor"
  ],
  "fixAvailable": {
    "name": "forever",
    "version": "4.0.3",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "cookie" (range: <0.7.0) | via: cookie accepts cookie name, path, and domain with out of bounds characters

```
{
  "name": "cookie",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": "1103907",
      "name": "cookie",
      "dependency": "cookie",
      "title": "cookie accepts cookie name, path, and domain with out of bounds characters",
      "url": "https:\\\\/github.com\\/advisories\\/GHSA-pxg6-pf52-xh8x",
      "severity": "low",
      "cwe": [
        "CWE-74"
      ],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": "<0.7.0"
      },
      "effects": [
        "csrf",
        "express",
        "express-session"
      ],
      "range": "<0.7.0",
      "nodes": [
        "node_modules\\/cookie"
      ],
      "fixAvailable": {
        "name": "csrf",
        "version": "1.2.2",
        "isSemVerMajor": true
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "semver" (range: 2.0.0-alpha - 5.7.1) | via: semver vulnerable to Regular Expression Denial of Service

```
{
  "name": "semver",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1112918,
      "name": "semver",
      "dependency": "semver",
      "title": "semver vulnerable to Regular Expression Denial of Service",
      "url": "https://github.com/advisories/GHSA-c2qf-rxjj-qggw"
    }
  ],
  "severity": "high",
  "cwe": ["CWE-1333"],
  "cvss": {
    "score": 7.5,
    "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
  },
  "range": ">=2.0.0-alpha <5.7.2",
  "effects": ["npm"],
  "range": "2.0.0-alpha - 5.7.1",
  "nodes": [
    "node_modules/fsevents/node_modules/semver",
    "node_modules/npm/node_modules/semver",
    "node_modules/nyc/node_modules/semver"
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "findup-sync" (range: 0.4.0 - 3.0.0) | via: micromatch

```
{
  "name": "findup-sync",
  "severity": "moderate",
  "isDirect": false,
  "via": ["micromatch"],
  "effects": ["liftoff"],
  "range": "0.4.0 - 3.0.0",
  "nodes": [
    "node_modules/liftoff/node_modules/findup-sync"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "node-pre-gyp" (range: *) | via: tar

```
{
  "name": "node-pre-gyp",
  "severity": "high",
  "isDirect": false,
  "via": ["tar"],
  "effects": ["fsevents"],
  "range": "*",
  "nodes": [
    "node_modules/fsevents/node_modules/node-pre-gyp"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "brace-expansion" (range: <=1.1.11) | via: ReDoS in brace-expansion, brace-expansion Regular Expression Denial of Service vulnerability

```
{
  "name": "brace-expansion",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1091680,
      "name": "brace-expansion",
      "dependency": "brace-expansion",
      "title": "ReDoS in brace-expansion",
      "url": "https://github.com/advisories/GHSA-832h-xg76-4gv6"
    },
    {
      "source": 1165443,
      "name": "brace-expansion",
      "dependency": "brace-expansion",
      "title": "brace-expansion Regular Expression Denial of Service vulnerability",
      "url": "https://github.com/advisories/GHSA-v6h2-p8h4-qcjh"
    }
  ],
  "severity": "high",
  "cwe": ["CWE-1333"],
  "cvss": {
    "score": 7.5,
    "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
  },
  "range": "<1.1.7",
  "severity": "low",
  "cwe": ["CWE-400"],
  "cvss": {
    "score": 3.1,
    "vectorString": "CVSS:3.1/AV:N/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:L"
  },
  "range": ">=1.0.0 <=1.1.11",
  "effects": [],
  "range": "<=1.1.11",
  "nodes": [
    "node_modules/brace-expansion",
    "node_modules/fsevents/node_modules/brace-expansion",
    "node_modules/npm/node_modules/brace-expansion",
    "node_modules/fstream-ignore/node_modules/minimatch/node_modules/brace-expansion",
    "node_modules/npm/node_modules/glob/node_modules/minimatch/node_modules/brace-expansion",
    "node_modules/npm/node_modules/init-package-json/node_modules/minimatch/node_modules/brace-expansion",
    "node_modules/npm/node_modules/node-gyp/node_modules/minimatch/node_modules/brace-expansion",
    "node_modules/npm/node_modules/read-package-json/node_modules/glob/node_modules/minimatch/node_modules/brace-expansion",
    "node_modules/nyc/node_modules/brace-expansion"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "ini" (range: <1.3.6) | via: ini before 1.3.6 vulnerable to Prototype Pollution via ini.parse

```
{
  "name": "ini",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1093224,
      "name": "ini",
      "dependency": "ini",
      "title": "ini before 1.3.6 vulnerable to Prototype Pollution via ini.parse",
      "url": "https://github.com/advisories/GHSA-qgqx-2p2h-9c37",
      "severity": "high",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L"
      },
      "range": "<1.3.6"
    }
  ],
  "effects": ["npm"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "meow" (range: 3.4.0 - 5.0.0) | via: trim-newlines

```
{
  "name": "meow",
  "severity": "high",
  "isDirect": false,
  "via": ["trim-newlines"],
  "effects": [],
  "range": "3.4.0 - 5.0.0",
  "nodes": ["node_modules/meow"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "chokidar" (range: 1.3.0 - 2.1.8) | via: anymatch, braces, readdirp

```
{
  "name": "chokidar",
  "severity": "high",
  "isDirect": false,
  "via": ["anymatch", "braces", "readdirp"],
  "effects": ["forever-monitor", "nodemon"],
  "range": "1.3.0 - 2.1.8",
  "nodes": ["node_modules/chokidar", "node_modules/forever-monitor/node_modules/chokidar"],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "ansi-regex" (range: 3.0.0) | via: Inefficient Regular Expression Complexity in chalk/ansi-regex

```
{
  "name": "ansi-regex",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1094090,
      "name": "ansi-regex",
      "dependency": "ansi-regex",
      "title": "Inefficient Regular Expression Complexity in chalk/ansi-regex",
      "url": "https://github.com/advisories/GHSA-93q8-gq69-wqmw",
      "severity": "high",
      "cwe": ["CWE-697", "CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": ">=3.0.0 <3.0.1"
    }
  ],
  "effects": [],
  "range": "3.0.0",
  "nodes": ["node_modules/ansi-align/node_modules/ansi-regex", "node_modules/boxen/node_modules/ansi-regex", "node_modules/widest-line/node_modules/ansi-regex"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "test-exclude" (range: <=4.2.3) | via: micromatch

```
{
  "name": "test-exclude",
  "severity": "moderate",
  "isDirect": false,
  "via": ["micromatch"],
  "effects": ["nyc"],
  "range": "<=4.2.3",
  "nodes": ["node_modules\\nyc\\node_modules\\test-exclude"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "hawk" (range: <=9.0.0) | via: Regular Expression Denial of Service in hawk, Uncontrolled Resource Consumption in Hawk, boom, cryptiles, hoek, sntp

```
{
  "name": "hawk",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1091678,
      "name": "hawk",
      "dependency": "hawk",
      "title": "Regular Expression Denial of Service in hawk",
      "url": "https://github.com/advisories/GHSA-jcpv-g9rr-qxrc",
      "severity": "high",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<3.1.3"
      },
      "source": 1095062,
      "name": "hawk",
      "dependency": "hawk",
      "title": "Uncontrolled Resource Consumption in Hawk",
      "url": "https://github.com/advisories/GHSA-44pw-h2cw-w3vq",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.4,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:R\\S:C\\C:N\\I:N\\A:H",
        "range": "<9.0.1"
      },
      "boom",
      "cryptiles",
      "retire",
      "version": "0.1.0",
      "isSemVerMajor": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "retire" (range: <=2.1.0) | via: request, underscore

```
{
  "name": "retire",
  "severity": "critical",
  "isDirect": false,
  "via": ["request", "underscore"],
  "effects": ["grunt-retire"],
  "range": "<=2.1.0",
  "nodes": ["node_modules\\retire"],
  "fixAvailable": {
    "name": "grunt-retire",
    "version": "0.1.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "es5-ext" (range: 0.10.1 - 0.10.62) | via: es5-ext vulnerable to Regular Expression Denial of Service in `function#copy` and `function#toStringTokens`

```
{
  "name": "es5-ext",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": 1096592,
      "name": "es5-ext",
      "dependency": "es5-ext",
      "title": "es5-ext vulnerable to Regular Expression Denial of Service in `function#copy` and `function#toStringTokens`",
      "url": "https://github.com/advisories/GHSA-4gmj-3p3h-gm8h",
      "severity": "low",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 0,
        "vectorString": null,
        "range": ">=0.10.0 <0.10.63"
      },
      "effects": [],
      "range": "0.10.1 - 0.10.62",
      "nodes": ["node_modules\\npm\\node_modules\\node-gyp\\node_modules\\path-array\\node_modules\\array-index\\node_modules\\es6-symbol\\node_modules\\es5-ext"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "jshint" (range: 0.5.0 || >=0.6.0) | via: minimatch, shelljs

```
{
  "name": "jshint",
  "severity": "high",
  "isDirect": true,
  "via": [
    "minimatch",
    "shelljs"
  ],
  "effects": [
    "grunt-contrib-jshint"
  ],
  "range": "0.5.0 || >=0.6.0",
  "nodes": [
    "node_modules\\grunt-contrib-jshint\\node_modules\\jshint",
    "node_modules\\grunt-if\\node_modules\\jshint",
    "node_modules\\jshint"
  ],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "grunt" (range: *) | via: Arbitrary Code Execution in grunt, Race Condition in Grunt, Path Traversal in Grunt, grunt-legacy-util, js-yaml, minimatch

```
{
  "name": "grunt",
  "severity": "critical",
  "isDirect": true,
  "via": [
    {
      "source": "1089836",
      "name": "grunt",
      "dependency": "grunt",
      "title": "Arbitrary Code Execution in grunt",
      "url": "https://github.com/advisories/GHSA-m5pj-vjff-4m3h",
      "severity": "high",
      "cwe": [
        "CWE-1188"
      ],
      "cvss": {
        "score": 7.1,
        "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:L\\UI:R\\S:U\\C:H\\I:H\\A:H",
        "range": "<1.3.0",
        "source": "1091643",
        "name": "Race Condition in Grunt",
        "url": "https://github.com/advisories/GHSA-rm36-94g8-835r",
        "severity": "high",
        "cwe": [
          "CWE-367"
        ],
        "cvss": {
          "score": 7,
          "vectorString": "CVSS:3.1\\AV:L\\AC:H\\PR:L\\UI:N\\S:U\\C:H\\I:H\\A:H",
          "range": "<1.5.3",
          "source": "1091644",
          "name": "Path Traversal in Grunt",
          "url": "https://github.com/advisories/GHSA-j383-35pm-c5h4",
          "severity": "moderate",
          "cwe": [
            "CWE-22"
          ],
          "cvss": {
            "score": 5.5,
            "vectorString": "CVSS:3.1\\AV:L\\AC:L\\PR:L\\UI:N\\S:U\\C:H\\I:N\\A:N",
            "range": "<1.5.2",
            "grunt-legacy-util",
            "js-yaml",
            "minimatch"
          ],
          "effects": [],
          "range": "*",
          "nodes": [
            "node_modules\\grunt"
          ],
          "fixAvailable": true
        }
      }
    ]
  ],
  "range": "*",
  "nodes": [
    "node_modules\\grunt"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "selenium-webdriver" (range: 2.43.1 - 4.0.0-rc-2) | via: adm-zip, tmp, xml2js

```
{
  "name": "selenium-webdriver",
  "severity": "moderate",
  "isDirect": true,
  "via": [
    "adm-zip",
    "tmp",
    "xml2js"
  ],
  "effects": [],
  "range": "2.43.1 - 4.0.0-rc-2",
  "nodes": [
    "node_modules\\selenium-webdriver"
  ],
  "fixAvailable": {
    "name": "selenium-webdriver",
    "version": "4.41.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "readdirp" (range: 2.2.0 - 2.2.1) | via: micromatch

```
{
  "name": "readdirp",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    "micromatch"
  ],
  "effects": [
    "chokidar"
  ],
  "range": "2.2.0 - 2.2.1",
  "nodes": [
    "node_modules\\readdirp"
  ],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "undefsafe" (range: <2.0.3) | via: Prototype Pollution in undefsafe

```
{
  "name": "undefsafe",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1089922",
      "name": "undefsafe",
      "dependency": "undefsafe",
      "title": "Prototype Pollution in undefsafe",
      "url": "https://github.com/advisories/GHSA-332q-7ff2-57h2",
      "severity": "moderate",
      "cwe": ["CWE-74"],
      "cvss": {
        "score": 6.3,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:L\\UI:N\\S:U\\C:L\\I:L\\A:L",
        "range": "<2.0.3"
      },
      "effects": [],
      "range": "<2.0.3"
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "set-value" (range: <=2.0.0) | via: Prototype Pollution in set-value, Prototype Pollution in set-value

```
{
  "name": "set-value",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1094511",
      "name": "set-value",
      "dependency": "set-value",
      "title": "Prototype Pollution in set-value",
      "url": "https://github.com/advisories/GHSA-4jqc-8m5r-9rpr",
      "severity": "high",
      "cwe": ["CWE-843", "CWE-1321"],
      "cvss": {
        "score": 7.3,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:L\\I:L\\A:L",
        "range": "<2.0.1"
      },
      "source": "1095129",
      "name": "set-value",
      "dependency": "set-value",
      "title": "Prototype Pollution in set-value",
      "url": "https://github.com/advisories/GHSA-4g88-fppr-53pp",
      "severity": "critical",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:H\\I:H\\A:H",
        "range": "<2.0.1"
      },
      "effects": ["union-value"],
      "range": "<=2.0.0",
      "nodes": ["node_modules\\set-value", "node_modules\\union-value\\node_modules\\set-value"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "optimist" (range: >=0.6.0) | via: minimist

```
{
  "name": "optimist",
  "severity": "critical",
  "isDirect": false,
  "via": ["minimist"],
  "effects": ["flatiron", "forever", "handlebars", "nconf"],
  "range": ">=0.6.0"
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "csurf" (range: >=1.3.0) | via: cookie

```
{
  "name": "csurf",
  "severity": "low",
  "isDirect": true,
  "via": ["cookie"],
  "effects": [],
  "range": ">=1.3.0",
  "nodes": ["node_modules\\csurf"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "uglify-js" (range: <2.6.0) | via: Regular Expression Denial of Service in uglify-js

```
{
  "name": "uglify-js",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1091686,
      "name": "uglify-js",
      "dependency": "uglify-js",
      "title": "Regular Expression Denial of Service in uglify-js",
      "url": "https://github.com/advisories/GHSA-c9f4-xj24-8jqx",
      "severity": "high",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<2.6.0"
    }
  ],
  "effects": ["swig"],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "fsevents" (range: <=1.2.12) | via: Malware in fsevents, Code injection in fsevents, node-pre-gyp

```
{
  "name": "fsevents",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": 1091853,
      "name": "fsevents",
      "dependency": "fsevents",
      "title": "Malware in fsevents",
      "url": "https://github.com/advisories/GHSA-xv2f-5jw4-v95m",
      "severity": "critical",
      "cwe": ["CWE-506"],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": ">=1.0.0 <1.2.11"
    },
    {
      "source": 1094997,
      "name": "fsevents",
      "dependency": "fsevents",
      "title": "Code injection in fsevents",
      "url": "https://github.com/advisories/GHSA-8r6j-v8pm-fqw3",
      "severity": "critical",
      "cwe": ["CWE-94"],
      "cvss": {
        "score": 9.8,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:H"
      },
      "range": "<=1.2.10"
    }
  ],
  "node-pre-gyp": true,
  "effects": [],
  "range": "<=1.2.12",
  "nodes": ["node_modules/fsevents"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "request" (range: *) | via: Remote Memory Exposure in request, Remote Memory Exposure in request, Server-Side Request Forgery in Request, bl, form-data, hawk, mime, qs, tough-cookie, tough-cookie, tunnel-agent

```
{
  "name": "request",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": 1093762,
      "name": "request",
      "dependency": "request",
      "title": "Remote Memory Exposure in request",
      "url": "https://github.com/advisories/GHSA-7xfp-9c55-5vqj",
      "severity": "moderate",
      "cwe": ["CWE-201"],
      "cvss": {
        "score": 5.9,
        "vectorString": "CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N"
      },
      "range": ">=2.2.6 <2.47.0"
    },
    {
      "source": 1093763,
      "name": "request",
      "dependency": "request",
      "title": "Remote Memory Exposure in request",
      "url": "https://github.com/advisories/GHSA-7xfp-9c55-5vqj",
      "severity": "moderate",
      "cwe": ["CWE-201"],
      "cvss": {
        "score": 5.9,
        "vectorString": "CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N"
      },
      "range": ">=2.49.0 <2.68.0"
    },
    {
      "source": 1096727,
      "name": "request",
      "dependency": "request",
      "title": "Server-Side Request Forgery in Request",
      "url": "https://github.com/advisories/GHSA-p8p7-x288-28g6",
      "severity": "moderate",
      "cwe": ["CWE-918"],
      "cvss": {
        "score": 6.1,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N"
      },
      "range": "<=2.88.2"
    }
  ],
  "bl": true,
  "form-data": true,
  "hawk": true,
  "mime": true,
  "qs": true,
  "tough-cookie": true,
  "tough-cookie": true,
  "tunnel-agent": true,
  "effects": ["coveralls", "cypress", "grunt-retire", "node-gyp", "npm", "npm-registry-client", "retire", "zapoxy"],
  "range": "*",
  "nodes": [
    "node_modules/cypress/node_modules/request",
    "node_modules/grunt-retire/node_modules/request",
    "node_modules/npm/node_modules/request",
    "node_modules/request",
    "node_modules/zaproxy/node_modules/request",
    "version": "0.1.0",
    "isSemVerMajor": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "babel-template" (range: *) | via: babel-traverse

```
{
  "name": "babel-template",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": 1093762,
      "name": "babel-template",
      "dependency": "babel-template",
      "title": "babel-traverse",
      "url": "https://github.com/advisories/GHSA-7xfp-9c55-5vqj",
      "severity": "moderate",
      "cwe": ["CWE-201"],
      "cvss": {
        "score": 5.9,
        "vectorString": "CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N"
      },
      "range": ">=2.2.6 <2.47.0"
    }
  ],
  "effects": [],
  "range": "*",
  "nodes": [
    "node_modules/nyc/node_modules/babel-template",
    "fixAvailable": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "npm" (range: <=11.7.0) | via: Incorrect Permission Assignment for Critical Resource in NPM, npm CLI exposing sensitive information through logs, npm Vulnerable to Global node_modules Binary Overwrite, npm symlink reference outside of node_modules, Arbitrary File Write in npm, chownr, fstream, hosted-git-info, ini, mkdirp, node-gyp, npm-registry-client, npm-user-validate, request, semver, tar

```
{
  "name": "npm",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1088925",
      "name": "npm",
      "dependency": "npm",
      "title": "Incorrect Permission Assignment for Critical Resource in NPM",
      "url": "https://github.com/advisories/GHSA-ph34-pc88-72gc",
      "severity": "high",
      "cwe": ["CWE-732"],
      "cvss": {
        "score": 7.8,
        "vectorString": "CVSS:3.0\\AV:L\\AC:L\\PR:L\\UI:N\\S:U\\C:H\\I:H\\A:H",
        "range": "<5.7.1",
        "source": "1089203",
        "name": "npm",
        "dependency": "npm",
        "title": "npm CLI exposing sensitive information through logs",
        "url": "https://github.com/advisories/GHSA-93f3-23rq-pjfp",
        "severity": "moderate",
        "cwe": ["CWE-532"],
        "cvss": {
          "score": 4.4,
          "vectorString": "CVSS:3.1\\AV:L\\AC:H\\PR:L\\UI:R\\S:U\\C:H\\I:N\\A:N",
          "range": "<6.14.6",
          "source": "1089206",
          "name": "npm",
          "dependency": "npm",
          "title": "npm Vulnerable to Global node_modules Binary Overwrite",
          "url": "https://github.com/advisories/GHSA-4328-8hgf-7wjrr",
          "severity": "high",
          "cwe": ["CWE-22", "CWE-269"],
          "cvss": {
            "score": 7.7,
            "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:L\\UI:R\\S:C\\C:H\\I:H\\A:N",
            "range": "<6.13.4",
            "source": "1089207",
            "name": "npm",
            "dependency": "npm",
            "title": "npm symlink reference outside of node_modules",
            "url": "https://github.com/advisories/GHSA-x8qc-rrcw-4r46",
            "severity": "high",
            "cwe": ["CWE-22"],
            "cvss": {
              "score": 7.7,
              "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:L\\UI:R\\S:C\\C:H\\I:H\\A:N",
              "range": "<6.13.3",
              "source": "1096086",
              "name": "npm",
              "dependency": "npm",
              "title": "Arbitrary File Write in npm",
              "url": "https://github.com/advisories/GHSA-m6cx-g6qm-p2cx",
              "severity": "high",
              "cwe": ["CWE-59", "CWE-61"],
              "cvss": {
                "score": 7.7,
                "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:L\\UI:R\\S:C\\C:H\\I:H\\A:N",
                "range": "<6.13.3",
                "chownr",
                "fstream",
                "hosted-git-info",
                "ini",
                "mkdirp",
                "node-gyp",
                "npm-registry-client",
                "npm-user-validate",
                "request",
                "semver",
                "tar",
                "effects": ["grunt-npm-install"],
                "range": "<=11.7.0",
                "nodes": ["node_modules\\npm"],
                "fixAvailable": false
              }
            }
          }
        ]
      }
    ]
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "minimist" (range: <=0.2.3 || 1.0.0 - 1.2.5) | via: Prototype Pollution in minimist, Prototype Pollution in minimist, Prototype Pollution in minimist, Prototype Pollution in minimist

```
{
  "name": "minimist",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1096465",
      "name": "minimist",
      "dependency": "minimist",
      "title": "Prototype Pollution in minimist",
      "url": "https://github.com/advisories/GHSA-vh95-rmgr-6w4m",
      "severity": "moderate",
      "cwe": ["CWE-1321"],
      "cvss": {
        "score": 5.6,
        "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:N\\UI:N\\S:U\\C:L\\I:L\\A:L",
        "range": ">=1.0.0 <1.2.3",
        "source": "1096466",
        "name": "minimist",
        "dependency": "minimist",
        "title": "Prototype Pollution in minimist",
        "url": "https://github.com/advisories/GHSA-vh95-rmgr-6w4m",
        "severity": "moderate",
        "cwe": ["CWE-1321"],
        "cvss": {
          "score": 5.6,
          "vectorString": "CVSS:3.1\\AV:N\\AC:H\\PR:N\\UI:N\\S:U\\C:L\\I:L\\A:L",
          "range": "<0.2.1",
          "source": "1097677",
          "name": "minimist",
          "dependency": "minimist",
          "title": "Prototype Pollution in minimist",
          "url": "https://github.com/advisories/GHSA-xvch-5gv4-984h",
          "severity": "critical",
          "cwe": ["CWE-1321"],
          "cvss": {
            "score": 9.8,
            "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:H\\I:H\\A:H",
            "range": "<0.2.4",
            "source": "1097678",
            "name": "minimist",
            "dependency": "minimist",
            "title": "Prototype Pollution in minimist",
            "url": "https://github.com/advisories/GHSA-xvch-5gv4-984h",
            "severity": "critical",
            "cwe": ["CWE-1321"],
            "cvss": {
              "score": 9.8,
              "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:H\\I:H\\A:H",
              "range": ">=1.0.0 <1.2.6",
              "effects": ["coveralls", "cypress", "mkdirp", "optimist"],
              "range": "<=0.2.3 || 1.0.0 - 1.2.5",
              "nodes": ["node_modules\\coveralls\\node_modules\\minimist", "node_modules\\cypress\\node_modules\\minimist", "node_modules\\prettyjson\\node_modules\\minimist", "node_modules\\indent\\node_modules\\minimist", "node_modules\\nyc\\node_modules\\minimist", "node_modules\\prettyjson\\node_modules\\minimist", "node_modules\\fsevents\\node_modules\\minimist"],
              "fixAvailable": false
            }
          }
        ]
      }
    ]
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "babel-traverse" (range: *) | via: Babel vulnerable to arbitrary code execution when compiling specifically crafted malicious code

```
{
  "name": "babel-traverse",
  "severity": "critical",
  "isDirect": false,
  "via": [
    {
      "source": "1096879",
      "name": "babel-traverse",
      "dependency": "babel-traverse",
      "title": "Babel vulnerable to arbitrary code execution when compiling specifically crafted malicious code",
      "url": "https://github.com/advisories/GHSA-67hx-6x53-jw92",
      "severity": "critical",
      "cwe": ["CWE-184"],
      "cvss": {
        "score": 9.4,
        "vectorString": "CVSS:3.1\\AV:L\\AC:L\\PR:N\\UI:N\\S:C\\C:H\\I:H\\A:H",
        "range": "<7.23.2",
        "effects": ["babel-template", "babel-types", "istanbul-lib-instrument"],
        "range": "*",
        "nodes": ["node_modules\\nyc\\node_modules\\babel-traverse"],
        "fixAvailable": true
      }
    ]
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "moment" (range: <=2.29.3) | via: Path Traversal: 'dir/../filename' in moment.locale, Moment.js vulnerable to Inefficient Regular Expression Complexity

```
{
  "name": "moment",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1109571",
      "name": "moment",
      "dependency": "moment",
      "title": "Path Traversal: 'dir/../filename' in moment.locale",
      "url": "https://github.com/advisories/GHSA-8hfj-j24r-96c4",
      "severity": "high",
      "cwe": [
        "CWE-22",
        "CWE-27"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N",
        "range": "<2.29.2"
      },
      "source": "1109572",
      "name": "moment",
      "dependency": "moment",
      "title": "Moment.js vulnerable to Inefficient Regular Expression Complexity",
      "url": "https://github.com/advisories/GHSA-wc69-rhjr-hc9g",
      "severity": "high",
      "cwe": [
        "CWE-400",
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H",
        "range": ">=2.18.0 <2.29.4"
      },
      "effects": [
        "cypress"
      ],
      "range": "<=2.29.3",
      "nodes": [
        "node_modules/moment"
      ],
      "fixAvailable": {
        "name": "cypress",
        "version": "15.11.0"
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "grunt-npm-install" (range: *) | via: npm

```
{
  "name": "grunt-npm-install",
  "severity": "moderate",
  "isDirect": true,
  "via": [
    "npm"
  ],
  "effects": [],
  "range": "*",
  "nodes": [
    "node_modules/grunt-npm-install"
  ],
  "fixAvailable": false
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "mongodb-core" (range: <=3.1.1) | via: bson

```
{
  "name": "mongodb-core",
  "severity": "critical",
  "isDirect": false,
  "via": [
    "bson"
  ],
  "effects": [
    "mongodb"
  ],
  "range": "<=3.1.1",
  "nodes": [
    "node_modules/mongodb-core"
  ],
  "fixAvailable": {
    "name": "mongodb",
    "version": "7.1.0",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "gaze" (range: >=0.4.0) | via: globule

```
{
  "name": "gaze",
  "severity": "high",
  "isDirect": false,
  "via": [
    "globule"
  ],
  "effects": [
    "grunt-contrib-watch"
  ],
  "range": ">=0.4.0",
  "nodes": [
    "node_modules/gaze"
  ],
  "fixAvailable": {
    "name": "grunt-contrib-watch",
    "version": "0.4.4",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "yargs-parser" (range: <=5.0.0) | via: yargs-parser Vulnerable to Prototype Pollution

```
{
  "name": "yargs-parser",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": 1088783,
      "name": "yargs-parser",
      "dependency": "yargs-parser",
      "title": "yargs-parser Vulnerable to Prototype Pollution",
      "url": "https://github.com/advisories/GHSA-p9pc-299p-vxgp",
      "severity": "moderate",
      "cwe": [
        "CWE-915",
        "CWE-1321"
      ],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:L"
      },
      "range": "<=5.0.0"
    }
  ],
  "effects": [
    "nyc",
    "parser"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "minimatch" (range: <=3.1.3) | via: Regular Expression Denial of Service in minimatch, minimatch ReDoS vulnerability, minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern, minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments, minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions

```
{
  "name": "minimatch",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": 1093710,
      "name": "minimatch",
      "dependency": "minimatch",
      "title": "Regular Expression Denial of Service in minimatch",
      "url": "https://github.com/advisories/GHSA-hxm2-r34f-qmc5",
      "severity": "high",
      "cwe": [
        "CWE-400"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<3.0.2"
    },
    {
      "source": 1096485,
      "name": "minimatch",
      "dependency": "minimatch",
      "title": "minimatch ReDoS vulnerability",
      "url": "https://github.com/advisories/GHSA-f8q6-p94x-37v3",
      "severity": "high",
      "cwe": [
        "CWE-400",
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<3.0.5"
    },
    {
      "source": 1113459,
      "name": "minimatch",
      "dependency": "minimatch",
      "title": "minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern",
      "url": "https://github.com/advisories/GHSA-3ppc-4f35-3m26",
      "severity": "high",
      "cwe": [
        "CWE-1333"
      ],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": "<3.1.3"
    },
    {
      "source": 1113538,
      "name": "minimatch",
      "dependency": "minimatch",
      "title": "minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments",
      "url": "https://github.com/advisories/GHSA-7r86-cg39-jmmj",
      "severity": "high",
      "cwe": [
        "CWE-407"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<3.1.3"
    },
    {
      "source": 1113546,
      "name": "minimatch",
      "dependency": "minimatch",
      "title": "minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions",
      "url": "https://github.com/advisories/GHSA-23c5-xmqv-rm74",
      "severity": "high",
      "cwe": [
        "CWE-1333"
      ],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<3.1.4"
    }
  ],
  "effects": [
    "glob",
    "npm/node_modules/fstream-ignore/node_modules/minimatch",
    "node_modules/npm/node_modules/glob/node_modules/minimatch",
    "node_modules/npm/node_modules/init-package-json/node_modules/glob/node_modules/minimatch",
    "node_modules/npm/node_modules/node-gyp/node_modules/minimatch",
    "node_modules/npm/node_modules/read-package-json/node_modules/glob/node_modules/minimatch",
    "node_modules/nyc/node_modules/minimatch"
  ],
  "fixAvailable": {
    "name": "mocha",
    "version": "8.3.0"
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "anymatch" (range: 1.2.0 - 2.0.0) | via: micromatch

```
{
  "name": "anymatch",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": 1088783,
      "name": "micromatch",
      "dependency": "anymatch",
      "title": "micromatch vulnerable to Denial of Service (DoS)",
      "url": "https://github.com/advisories/GHSA-3h3h-3h3h-3h3h",
      "severity": "moderate",
      "cwe": [
        "CWE-400"
      ],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:L/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:L"
      },
      "range": "1.2.0 - 2.0.0"
    }
  ],
  "effects": [
    "chokidar",
    "nodemon"
  ],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "mongodb" (range: <=3.1.12) | via: Denial of Service in mongodb, mongodb-core

```
{
  "name": "mongodb",
  "severity": "critical",
  "isDirect": true,
  "via": [
    {
      "source": "1086754",
      "name": "mongodb",
      "dependency": "mongodb",
      "title": "Denial of Service in mongodb",
      "url": "https://github.com/advisories/GHSA-mh5c-679w-hh4r",
      "severity": "high",
      "cwe": [],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": "<3.1.13",
      "mongodb-core": {
        "effects": [],
        "range": "<=3.1.12",
        "nodes": [
          "node_modules/mongodb"
        ],
        "fixAvailable": {
          "name": "mongodb",
          "version": "7.1.0",
          "isSemVerMajor": true
        }
      }
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "connect" (range: 2.11.1 - 3.6.4) | via: debug, finalhandler

```
{
  "name": "connect",
  "severity": "high",
  "isDirect": false,
  "via": [
    "debug",
    "finalhandler"
  ],
  "effects": [
    "helmet"
  ],
  "range": "2.11.1 - 3.6.4",
  "nodes": [
    "node_modules/connect"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "helmet-csp" (range: 1.2.2 - 2.9.0) | via: Configuration Override in helmet-csp

```
{
  "name": "helmet-csp",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": "1086769",
      "name": "helmet-csp",
      "dependency": "helmet-csp",
      "title": "Configuration Override in helmet-csp",
      "url": "https://github.com/advisories/GHSA-c3m8-x3cg-qm2c",
      "severity": "moderate",
      "cwe": [],
      "cvss": {
        "score": 6.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N",
        "range": "<2.9.1"
      },
      "effects": [
        "helmet"
      ],
      "range": "1.2.2 - 2.9.0",
      "nodes": [
        "node_modules/helmet-csp"
      ],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "zapproxy" (range: <=1.0.1) | via: lodash, request

```
{
  "name": "zapproxy",
  "severity": "moderate",
  "isDirect": true,
  "via": [
    "lodash",
    "request"
  ],
  "effects": [],
  "range": "<=1.0.1",
  "nodes": [
    "node_modules/rc.7",
    "isSemVerMajor": true
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "npm-user-validate" (range: <=1.0.0) | via: Regular Expression Denial of Service in npm-user-validate, Regular expression denial of service in npm-user-validate

```
{
  "name": "npm-user-validate",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1086466",
      "name": "npm-user-validate",
      "dependency": "npm-user-validate",
      "title": "Regular Expression Denial of Service in npm-user-validate",
      "url": "https://github.com/advisories/GHSA-xgh6-85xh-479p",
      "severity": "low",
      "cwe": [],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": "<=1.0.0"
    },
    {
      "source": "1089876",
      "name": "npm-user-validate",
      "dependency": "npm-user-validate",
      "title": "Regular expression denial of service in npm-user-validate",
      "url": "https://github.com/advisories/GHSA-pw54-mh39-w3hc",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1\\AV:N\\AC:L\\PR:N\\UI:N\\S:U\\C:N\\I:N\\A:H",
        "range": "<1.0.1"
      },
      "effects": ["npm"],
      "fixAvailable": false
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "grunt-cli" (range: 1.3.0 - 1.3.2 || 1.4.1) | via: liftoff

```
{
  "name": "grunt-cli",
  "severity": "moderate",
  "isDirect": true,
  "via": ["liftoff"],
  "effects": [],
  "range": "1.3.0 - 1.3.2 || 1.4.1",
  "nodes": ["node_modules/grunt-cli"],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "diff" (range: <=3.5.0) | via: Regular Expression Denial of Service (ReDoS), jsdiff has a Denial of Service vulnerability in parsePatch and applyPatch

```
{
  "name": "diff",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1102333",
      "name": "diff",
      "dependency": "diff",
      "title": "Regular Expression Denial of Service (ReDoS)",
      "url": "https://github.com/advisories/GHSA-h6ch-v84p-w6p9",
      "severity": "high",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": "<3.5.0"
    },
    {
      "source": "1112703",
      "name": "diff",
      "dependency": "diff",
      "title": "jsdiff has a Denial of Service vulnerability in parsePatch and applyPatch",
      "url": "https://github.com/advisories/GHSA-73rr-hh4g-fpgx",
      "severity": "low",
      "cwe": ["CWE-400", "CWE-1333"],
      "cvss": {
        "score": 0,
        "vectorString": null
      },
      "range": "<3.5.1"
    }
  ],
  "effects": ["mocha", "tap-mocha-reporter"],
  "range": "<=3.5.0",
  "nodes": ["node_modules/diff"],
  "fixAvailable": {
    "name": "mocha",
    "version": "11.7.5",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[LOW] npm-audit

package.json

NPM dependency vulnerability in "chownr" (range: <1.1.0) | via: Time-of-check Time-of-use (TOCTOU) Race Condition in chownr

```
{
  "name": "chownr",
  "severity": "low",
  "isDirect": false,
  "via": [
    {
      "source": "1091617",
      "name": "chownr",
      "dependency": "chownr",
      "title": "Time-of-check Time-of-use (TOCTOU) Race Condition in chownr",
      "url": "https://github.com/advisories/GHSA-c6rq-rjc2-86v2",
      "severity": "low",
      "cwe": ["CWE-367"],
      "cvss": {
        "score": 2.5,
        "vectorString": "CVSS:3.1\\AV:L\\AC:H\\PR:L\\UI:N\\S:U\\C:N\\I:L\\A:N",
        "range": "<1.1.0"
      },
      "effects": ["npm"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[CRITICAL] npm-audit

package.json

NPM dependency vulnerability in "mkdirp" (range: 0.4.1 - 0.5.1) | via: minimist

```
{
  "name": "mkdirp",
  "severity": "critical",
  "isDirect": false,
  "via": ["minimist"],
  "effects": ["extract-zip", "mocha", "npm", "nyc"],
  "range": "0.4.1 - 0.5.1",
  "nodes": [
    "node_modules\\fsevents\\node_modules\\mkdirp",
    "node_modules\\mkdirp",
    "node_modules\\npm\\node_modules\\mkdirp",
    "node_modules\\tap-mocha-reporter\\node_modules\\mkdirp"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "tap-mocha-reporter" (range: 0.0.4 - 5.0.0) | via: diff

```
{
  "name": "tap-mocha-reporter",
  "severity": "high",
  "isDirect": false,
  "via": ["diff"],
  "effects": ["tap"],
  "range": "0.0.4 - 5.0.0",
  "nodes": [
    "node_modules\\tap-mocha-reporter"
  ],
  "fixAvailable": true
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "glob" (range: 3.0.0 - 5.0.14) | via: minimatch

```
{
  "name": "glob",
  "severity": "high",
  "isDirect": false,
  "via": ["minimatch"],
  "effects": ["mocha"],
  "range": "3.0.0 - 5.0.14",
  "nodes": [
    "node_modules\\mocha\\node_modules\\glob"
  ],
  "fixAvailable": {
    "name": "mocha",
    "version": "11.7.5",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[HIGH] npm-audit

package.json

NPM dependency vulnerability in "cross-spawn" (range: <6.0.6 || >=7.0.0 <7.0.5) | via: Regular Expression Denial of Service (ReDoS) in cross-spawn, Regular Expression Denial of Service (ReDoS) in cross-spawn

```
{
  "name": "cross-spawn",
  "severity": "high",
  "isDirect": false,
  "via": [
    {
      "source": "1104663",
      "name": "cross-spawn",
      "dependency": "cross-spawn",
      "title": "Regular Expression Denial of Service (ReDoS) in cross-spawn",
      "url": "https://github.com/advisories/GHSA-3xgq-45jj-v275",
      "severity": "high",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": "<6.0.6"
    },
    {
      "source": "1104664",
      "name": "cross-spawn",
      "dependency": "cross-spawn",
      "title": "Regular Expression Denial of Service (ReDoS) in cross-spawn",
      "url": "https://github.com/advisories/GHSA-3xgq-45jj-v275",
      "severity": "high",
      "cwe": ["CWE-1333"],
      "cvss": {
        "score": 7.5,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H"
      },
      "range": ">=7.0.0 <7.0.5"
    }
  ],
  "effects": ["execa", "foreground-child"],
  "range": "<6.0.6 || >=7.0.0 <7.0.5",
  "nodes": [
    "node_modules\\cross-env\\node_modules\\cross-spawn",
    "node_modules\\cross-spawn",
    "node_modules\\cypress\\node_modules\\cross-spawn",
    "node_modules\\execa\\node_modules\\cross-spawn",
    "node_modules\\nyc\\node_modules\\cross-spawn"
  ],
  "fixAvailable": {
    "name": "nodemon",
    "version": "3.1.14",
    "isSemVerMajor": true
  }
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "path-parse" (range: <1.0.7) | via: Regular Expression Denial of Service in path-parse

```
{
  "name": "path-parse",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": 1089681,
      "name": "path-parse",
      "dependency": "path-parse",
      "title": "Regular Expression Denial of Service in path-parse",
      "url": "https://github.com/advisories/GHSA-hj48-42vr-x3v9",
      "severity": "moderate",
      "cwe": ["CWE-400"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:L",
        "range": "<1.0.7"
      },
      "effects": [],
      "range": "path-parse",
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

[MEDIUM] npm-audit

package.json

NPM dependency vulnerability in "randomatic" (range: <3.0.0) | via: Cryptographically Weak PRNG in randomatic

```
{
  "name": "randomatic",
  "severity": "moderate",
  "isDirect": false,
  "via": [
    {
      "source": 1093550,
      "name": "randomatic",
      "dependency": "randomatic",
      "title": "Cryptographically Weak PRNG in randomatic",
      "url": "https://github.com/advisories/GHSA-6g33-f262-xjp4",
      "severity": "moderate",
      "cwe": ["CWE-330", "CWE-338"],
      "cvss": {
        "score": 5.3,
        "vectorString": "CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N",
        "range": "<3.0.0"
      },
      "effects": ["fill-range"],
      "range": "<3.0.0",
      "nodes": ["node_modules/nyc/node_modules/randomatic"],
      "fixAvailable": true
    }
  ]
}
```

Proposed Remediation

Sécurisez la chaîne d'approvisionnement logicielle : mettez à jour les dépendances vulnérables, automatisez la veille (Dependabot, Renovate), vérifiez l'intégrité des paquets et supprimez les bibliothèques inutilisées.

A04 (OWASP Top 10) — 4 findings

[HIGH] trufflehog

/tmp/scans/07130178-0816-40b6-b99f-70fa6b9a882c/artifacts/cert/server.key

PrivateKey

```
-----BEGIN RSA PRIVATE KEY-----
MIICXgIBAAKBgQCfn8uP4FuHaaAPrMkc1fNMQM5EGMT4nnNSVoaEVdiDLc6P0mC
AZtU09W00jWow+TwGk3HKqoSJOA9KRMrzK7mTEKfwNgzpsHo4m+mHaPg5DUyicnU
/hfUDvjGchvTQjW804/chtMVL2h7P8QtPi9QDcwQxmEXCLqTB6BZXrVkjQIDAQAB
AoGAefIdKKfIooi1fg2m7pf1PxRrkFbPTMUBfJrqjL00x0k2sE29LeiQVgAEHqcm
sVSUwIm0h0Nws2np6/Za0WphnGSRt5r0FoHSt8AEakQjh50ajkn7xw+/IxFhzSa
fMPkG/xbAlo0zTGGLWtHa0oLhEpvZ/gQ/nk48iFVz+YZ5gECQQDNzGwyX1FKbNF
8wUzZyBQd7e9UyDSaSCj1x9vwhK0tI60yL/p85Izh48gHTKLgJcK0e8ktJQtudJ3
xq9nApZ9AkEAXo/srNkEARmu+/w9P16IvM3QQJQhkF23Mz1WC1uFIDyG4iyng+Le
nmkoqwt6jA9YArj06Mw/yLh4fcjxi4KTUQJBALWX04CN4f95QDrkqR4mTRkzyeLA
xKFLKevoELDLBd51w6SzZdaLmcfmQaBwox0T/Gi7ngyhWm70nKwboQIgAnECQQCY
H/gxz0owdbjsbK8a97BHB1/AujykwEf1R86+UNXDhtvIOHH2xz/LmcGAlQXnfHHv
VAi+uo08118o72Svf9ChAKeApRCZgczLNNQpvEswTUBmNAHqj9hgmLTrJv4ywsPK
kTwqg6U9lF+NaLWfvSIb1LY+M63juJHafAGKQvH+/di+g==
-----END RSA PRIVATE KEY-----
```

Proposed Remediation

Corrigez les failles cryptographiques : utilisez des algorithmes modernes (bcrypt, Argon2), activez TLS partout, ne stockez jamais de secrets dans le code et utilisez un gestionnaire de secrets (Vault, AWS Secrets Manager).

[HIGH] trufflehog

/tmp/scans/07130178-0816-40b6-b99f-70fa6b9a882c/.git/config

Github

```
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
```

Proposed Remediation

Corrigez les failles cryptographiques : utilisez des algorithmes modernes (bcrypt, Argon2), activez TLS partout, ne stockez jamais de secrets dans le code et utilisez un gestionnaire de secrets (Vault, AWS Secrets Manager).

[MEDIUM] semgrep

server.js : line 145

Checks for any usage of http servers instead of https servers. Encourages the usage of https protocol instead of http, which does not have TLS and is therefore unencrypted. Using http can lead to man-in-the-middle attacks in which the attacker is able to read sensitive information.

```
// Insecure HTTP connection
http.createServer(app).listen(port, () => {
  console.log(`Express http server listening on port ${port}`);
});
```

Proposed Remediation

Corrigez les failles cryptographiques : utilisez des algorithmes modernes (bcrypt, Argon2), activez TLS partout, ne stockez jamais de secrets dans le code et utilisez un gestionnaire de secrets (Vault, AWS Secrets Manager).

[HIGH] trufflehog

/tmp/scans/07130178-0816-40b6-b99f-70fa6b9a882c/.git/config

URI

```
https://x-access-token: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@github.com
```

Proposed Remediation

Corrigez les failles cryptographiques : utilisez des algorithmes modernes (bcrypt, Argon2), activez TLS partout, ne stockez jamais de secrets dans le code et utilisez un gestionnaire de secrets (Vault, AWS Secrets Manager).

[MEDIUM] semgrep

server.js : line 78

Default session middleware settings: `httpOnly` not set. It ensures the cookie is sent only over HTTP(S), not client JavaScript, helping to protect against cross-site scripting attacks.

```
// Enable session management using express middleware
app.use(session({
  // genid: (req) => {
  //   return genuuid() // use UUIDs for session IDs
  // },
  secret: cookieSecret,
  // Both mandatory in Express v4
  saveUninitialized: true,
  resave: true
  /*
  // Fix for A5 - Security MisConfig
  // Use generic cookie name
  key: "sessionId",
  */

  /*
  // Fix for A3 - XSS
  // TODO: Add "maxAge"
  cookie: {
    httpOnly: true
    // Remember to start an HTTPS server to get this working
    // secure: true
  }
  */

}));

/*
```

Proposed Remediation

Protégez-vous contre les injections (SQL, XSS, commandes OS, etc.) : utilisez des requêtes paramétrées, échappez systématiquement les sorties, validez toutes les entrées côté serveur et évitez eval().

A07 (OWASP Top 10) — 5 findings

[MEDIUM] semgrep

server.js : line 78

Default session middleware settings: `path` not set. It indicates the path of the cookie; use it to compare against the request path. If this and domain match, then send the cookie in the request.

```
// Enable session management using express middleware
app.use(session({
  // genid: (req) => {
  //   return genuuid() // use UUIDs for session IDs
  //},
  secret: cookieSecret,
  // Both mandatory in Express v4
  saveUninitialized: true,
  resave: true
  /*
  // Fix for A5 - Security MisConfig
  // Use generic cookie name
  key: "sessionId",
  */

  /*
  // Fix for A3 - XSS
  // TODO: Add "maxAge"
  cookie: {
    httpOnly: true
    // Remember to start an HTTPS server to get this working
    // secure: true
  }
  */

}));

/*
```

Proposed Remediation

Corrigez les failles d'authentification : implémentez la limitation de tentatives, utilisez l'authentification multi-facteurs, sécurisez les sessions et ne divulguez pas d'informations sur les comptes existants.

[MEDIUM] semgrep

server.js : line 78

Default session middleware settings: `expires` not set. Use it to set expiration date for persistent cookies.

```
// Enable session management using express middleware
app.use(session({
  // genid: (req) => {
  //   return genuuid() // use UUIDs for session IDs
  //},
  secret: cookieSecret,
  // Both mandatory in Express v4
  saveUninitialized: true,
  resave: true
  /*
  // Fix for A5 - Security MisConfig
  // Use generic cookie name
  key: "sessionId",
  */

  /*
  // Fix for A3 - XSS
  // TODO: Add "maxAge"
  cookie: {
    httpOnly: true
    // Remember to start an HTTPS server to get this working
    // secure: true
  }
  */

}));

/*
```

Proposed Remediation

Corrigez les failles d'authentification : implémentez la limitation de tentatives, utilisez l'authentification multi-facteurs, sécurisez les sessions et ne divulguez pas d'informations sur les comptes existants.

[MEDIUM] semgrep

server.js : line 78

Default session middleware settings: `domain` not set. It indicates the domain of the cookie; use it to compare against the domain of the server in which the URL is being requested. If they match, then check the path attribute next.

```
// Enable session management using express middleware
app.use(session({
  // genid: (req) => {
  //   return genuuid() // use UUIDs for session IDs
  //},
  secret: cookieSecret,
  // Both mandatory in Express v4
  saveUninitialized: true,
  resave: true
  /*
  // Fix for A5 - Security MisConfig
  // Use generic cookie name
  key: "sessionId",
  */

  /*
  // Fix for A3 - XSS
  // TODO: Add "maxAge"
  cookie: {
    httpOnly: true
    // Remember to start an HTTPS server to get this working
    // secure: true
  }
  */

}));

/*
```

Proposed Remediation

Corrigez les failles d'authentification : implémentez la limitation de tentatives, utilisez l'authentification multi-facteurs, sécurisez les sessions et ne divulguez pas d'informations sur les comptes existants.

[MEDIUM] semgrep

server.js : line 78

Default session middleware settings: `secure` not set. It ensures the browser only sends the cookie over HTTPS.

```
// Enable session management using express middleware
app.use(session({
  // genid: (req) => {
  //   return genuuid() // use UUIDs for session IDs
  //},
  secret: cookieSecret,
  // Both mandatory in Express v4
  saveUninitialized: true,
  resave: true
  /*
  // Fix for A5 - Security MisConfig
  // Use generic cookie name
  key: "sessionId",
  */

  /*
  // Fix for A3 - XSS
  // TODO: Add "maxAge"
  cookie: {
    httpOnly: true
    // Remember to start an HTTPS server to get this working
    // secure: true
  }
  */

}));

/*
```

Proposed Remediation

Corrigez les failles d'authentification : implémentez la limitation de tentatives, utilisez l'authentification multi-facteurs, sécurisez les sessions et ne divulguez pas d'informations sur les comptes existants.

[MEDIUM] semgrep

server.js : line 78

Don't use the default session cookie name Using the default session cookie name can open your app to attacks. The security issue posed is similar to X-Powered-By: a potential attacker can use it to fingerprint the server and target attacks accordingly.

```
// Enable session management using express middleware
app.use(session({
  // genid: (req) => {
  //   return genuuid() // use UUIDs for session IDs
  // },
  secret: cookieSecret,
  // Both mandatory in Express v4
  saveUninitialized: true,
  resave: true
  /*
  // Fix for A5 - Security MisConfig
  // Use generic cookie name
  key: "sessionId",
  */

  /*
  // Fix for A3 - XSS
  // TODO: Add "maxAge"
  cookie: {
    httpOnly: true
    // Remember to start an HTTPS server to get this working
    // secure: true
  }
  */

}));

/*
```

Proposed Remediation

Corrigez les failles d'authentification : implémentez la limitation de tentatives, utilisez l'authentification multi-facteurs, sécurisez les sessions et ne divulguez pas d'informations sur les comptes existants.

Uncategorized — 6 findings

[MEDIUM] semgrep

docker-compose.yml : line 13

Service 'mongo' is running with a writable root filesystem. This may allow malicious applications to download and run additional payloads, or modify container files. If an application inside a container has to save something temporarily consider using a tmpfs. Add 'read_only: true' to this service to prevent this.

```
- "4000:4000"

mongo:
  image: mongo:4.4
  user: mongodb
```

Proposed Remediation

Vulnérabilité détectée (semgrep, sévérité MEDIUM). Examinez le code concerné dans docker-compose.yml et appliquez les bonnes pratiques de sécurité OWASP.

[MEDIUM] semgrep

app/routes/index.js : line 86

The application redirects to a URL specified by user-supplied input `req` that is not validated. This could redirect users to malicious locations. Consider using an allow-list approach to validate URLs, or warn users they are being redirected to a third-party website.

```
if (allowedRedirects.includes(req.query.redirect)) {  
  res.redirect(req.query.redirect);  
} else {  
  res.redirect('/dashboard');
```

Proposed Remediation

Vulnérabilité détectée (semgrep, sévérité MEDIUM). Examinez le code concerné dans app/routes/index.js et appliquez les bonnes pratiques de sécurité OWASP.

[MEDIUM] semgrep

artifacts/db-reset.js : line 36

bcrypt hash detected

```
    "benefitStartDate": "2025-11-30",  
    "password": "User2_123"  
    // "password" : "$2a$10$Tlx2cNv15M0Aia7wyItjsepeA8Y6PyBYaNdQqvpxkIUlc0Nf1ZHqy", // User2_123  
  }];
```

Proposed Remediation

Vulnérabilité détectée (semgrep, sévérité MEDIUM). Examinez le code concerné dans artifacts/db-reset.js et appliquez les bonnes pratiques de sécurité OWASP.

[MEDIUM] semgrep

artifacts/db-reset.js : line 28

bcrypt hash detected

```
    "benefitStartDate": "2030-01-10",  
    "password": "User1_123"  
    // "password" : "$2a$10$RNFhiNmt2TTPV09cqZE1b.LQM9e1mzDoggEHufLjAnAKImc6FNE86", // User1_123  
  }, {  
    "_id": 3,
```

Proposed Remediation

Vulnérabilité détectée (semgrep, sévérité MEDIUM). Examinez le code concerné dans artifacts/db-reset.js et appliquez les bonnes pratiques de sécurité OWASP.

[INFO] semgrep

server.js : line 15

A CSRF middleware was not detected in your express application. Ensure you are either using one such as `csurf` or `csrf` (see rule references) and/or you are properly doing CSRF validation in your routes with a token or cookies.

```
const marked = require("marked");  
//const nosniff = require('dont-sniff-mimetype');  
const app = express(); // Web framework to handle routing requests  
const routes = require("./app/routes");  
const { port, db, cookieSecret } = require("./config/config"); // Application config properties
```

Proposed Remediation

Vulnérabilité détectée (semgrep, sévérité INFO). Examinez le code concerné dans server.js et appliquez les bonnes pratiques de sécurité OWASP.

[MEDIUM] semgrep

artifacts/db-reset.js : line 19

bcrypt hash detected

```
"lastName": "Admin",  
"password": "Admin_123",  
// "password" : "$2a$10$8Zo/1e8KM8QzqOKqbDLYl0NB0zukWxrM.IiyzqHRYDXqwB3gzDsba", // Admin_123  
"isAdmin": true  
}, {
```

Proposed Remediation

Vulnérabilité détectée (semgrep, sévérité MEDIUM). Examinez le code concerné dans artifacts/db-reset.js et appliquez les bonnes pratiques de sécurité OWASP.