FastSpeech 2 for English and Telugu: Technical Report

IIIT Hyderabad assignment submission.

1. Implementation approach

I started from the ming024 FastSpeech2 implementation (commit `d4e79eb`) and ported it into `src/`, leaving the upstream clone unmodified. I configured and trained two separate models, each with its own `config.yaml` and phone vocabulary.

Components used from the reference implementation

- Encoder with 4 layers and decoder with 6 layers, 2 attention heads, 256 hidden units, convolutional feed-forward blocks with kernels 9 and 1, and dropout 0.2.
- Variance adaptor with duration, pitch and energy predictors (256 filters, kernel 3, dropout 0.5) and 256 linearly quantized pitch and energy embeddings.
- F0 pitch and energy averaged per phoneme, Montreal Forced Aligner durations, a Tacotron-2-style Post-Net, and the universal HiFi-GAN vocoder.

Differences from the FastSpeech 2 paper

I inherited these from upstream: the later paper versions use continuous wavelet pitch spectrograms rather than F0, the Post-Net is not part of the paper's model, and pitch and energy are predicted per phoneme rather than per frame. The 6-layer decoder is upstream's setting. The Post-Net can be switched off in the config.

Modifications for both languages

Change	Reason
Energy control uses its own parameter	Upstream applied the pitch control to energy
Unknown symbols raise an error	Upstream dropped them silently
Training raises an error on clips over max_seq_len	Upstream truncated silently
Decoder protected from all-zero predicted durations	Upstream crashed; reproduced in 3 of 12 untrained models
Outlier filter bounds made inclusive	Upstream's strict bounds returned nothing when at least half of a clip's values were identical; this crashed English extraction
Statistics from the training split only	Prevents validation leakage
Atomic, resumable checkpoints with RNG state	Colab disconnects
Per-language vocabulary; compatibility fixes for current PyTorch and librosa	Separate models on a current software stack

English modifications

- ARPAbet phones from the LibriSpeech lexicon, with g2p_en for unknown words.
- Homographs resolved by part of speech at inference, needed for E2 (conduct).
- Times, dates and numbers expanded to words at inference, with every transformation logged.
- Forced alignment uses a minimum of three states per phone (section 2.3).

Telugu modifications

- A new rule-based grapheme-to-phoneme frontend (src/text/telugu.py): inherent vowels, vowel signs, virama, and homorganic nasal for anusvara. I designed these rules and checked them with tests, but not against a reference lexicon.
- Telugu number, ordinal and time expansion for T4.
- ASCII word keys for MFA, so its tokenizer cannot alter Telugu text. Training text with characters that have no defined pronunciation is rejected rather than cleaned silently.

2. Datasets and preprocessing

2.1 Selection and subsampling

	English: Svarah	**Telugu: IndicTTS Telugu**
Full dataset	6,656 clips, 9.614 h, 16 kHz	8,576 clips, 36.71 h; male label 48 kHz, female label 16 kHz
Usable, 1 to 11.5 s	4,841 clips, 6.85 h	Male label 6.58 h; female label 2.09 h
Strategy	Seeded shuffle (1234) of all usable clips; validation filled first, then training; no transcript on both sides	Same seeded method, male label only, as the only label with 5 + 1 h under the length limit
Selected train	3,533 clips, 5.000 h	2,564 clips, 5.00 h
Selected validation	698 clips, 1.000 h	514 clips, 1.00 h
Excluded by rule	69 transcripts with undefined symbols; clips outside the length limit	Clips outside the length limit; other label

The 11.5 s limit keeps clips within max_seq_len of 1000 mel frames.

2.2 Preprocessing

Audio is converted to mono 22,050 Hz 16-bit PCM and peak-normalized. Mel spectrograms use FFT 1024, hop 256, window 1024, 80 bands and 0 to 8000 Hz. F0 uses WORLD DIO and StoneMask, with unvoiced frames interpolated; F0 and energy are averaged per phone and z-normalized with training statistics. Edge silence is trimmed from each clip using the alignment, and internal silence is kept.

2.3 Alignment

I trained an MFA 3.4.3 acoustic model on each selected corpus, on CPU, in single-speaker mode.

	English	Telugu
Train aligned	3,501 of 3,533 (99.09%)	2,524 of 2,564 (98.44%)
Validation aligned	689 of 698 (98.71%)	507 of 514 (98.64%)
Train with features	3,499 clips	2,524 clips
Validation with features	689 clips	507 clips
Hours, edge silence trimmed (train / val)	4.590 / 0.908	4.104 / 0.821
Vowel minus silence, alignment vs control	24.6 vs 4.4 dB	41.4 vs 10.9 dB
Fricative minus vowel high-band, alignment vs control	0.389 vs -0.011	0.593 vs -0.017
Vowel minus stop voicing, alignment vs control	0.442 vs -0.013	0.587 vs -0.011

The controls stretch another clip's alignment over the audio. These are plausibility contrasts, not boundary accuracy, because no hand-labelled reference exists. Training audio is therefore about 5 h as selected and less after failed alignments and silence trimming. No clip appears in both splits.

A negative result. The first English alignment passed these contrasts and still had a serious defect: MFA's default topology lets a phone last one 10 ms frame, and TH (99.9%), G (98.1%) and R (85.3%) collapsed to that length. Requiring three states raised their medians to 80, 70 and 50 ms. I do not know the cause of the collapse, and a minimum duration does not prove the boundaries are right.


3. Training configuration

Setting	Value, both languages
Batch size	16
Optimizer	Adam, betas 0.9 and 0.98, eps 1e-9, Noam schedule with 4,000 warm-up steps
Learning-rate anneal	Rate 0.3 at 30k, 40k and 45k steps (upstream's ratios scaled for 50k; not tuned)
Gradient clip	1.0
Planned steps	50,000
Validation, checkpoints	Every 1,000 and 2,500 steps
Seed	1234


English: 28400 steps logged, about 5.1 h of recorded training time.

Telugu: 25200 steps logged, about 4.8 h of recorded training time.


4. Loss curves




English training loss



English validation loss



Telugu training loss



Telugu validation loss

English

Training stopped early. The Colab GPU limit ended the run at about step 28,400 of my planned 50,000. I did not resume it, because validation had stopped improving and I needed the remaining GPU time for Telugu. The model I am submitting is the last saved checkpoint, step 27,500, so the logs extend slightly beyond it. The learning-rate anneals at 30k and later were never reached.

Convergence and overfitting. Training loss fell throughout, reaching a total near 1.0 and mel near 0.46 to 0.50. Validation did not follow: mel reached its lowest value, 0.847, at step 7,000 and was 0.862 at step 28,000, while validation total stayed between 3.63 and 4.06 (the 4.06 spike at step 4,000 did not recur). This is clear overfitting from early in training. Checkpoints near step 7,000 were not kept (keep_last: 3), so I cannot submit the best validation point.

Step 27,500, eval mode, 300 clips per split	Pitch	Energy	Log duration	Mel
Model on training clips	0.023	0.017	0.012	0.479
Model on validation clips	1.151	0.539	0.273	0.873
Validation baseline: constant value	1.079	1.073	0.319	not measured
Validation baseline: each phone's training mean	1.076	0.607	0.267	not measured

Scoring both splits in the same mode rules out dropout as the explanation for the gap. On validation clips, the pitch predictor is worse than a constant, and the duration predictor is no better than a per-phone average; energy improves only slightly on it. The predictors have memorized training clips rather than learned prosody that generalizes. About 70% of validation pitch variance lies between clips (1.079 total, 0.318 within clips). That is what unlabelled speakers would produce, because text cannot reveal who is speaking, but I had no speaker identities with which to test this.

Telugu

Training stopped early. The run ended at about step 25,200 of my planned 50,000 when the Colab GPU limit was reached, and I did not resume it. The model I am submitting is the last saved checkpoint, step 25,000, which is 2,500 steps fewer than English. Learning-rate anneals were not reached.

Convergence and overfitting. Training mel reached about 0.34 to 0.37. Validation mel fell to 0.576 at step 12,000 and was 0.582 at step 25,000, and validation total was lowest at 2.025 at step 11,000 and 2.047 at step 25,000. Validation stopped improving about halfway through the run and has drifted only slightly, with no large spikes after the first steps. The training and validation gap shows overfitting here too.

Step 25,000, eval mode, 300 clips per split	Pitch	Energy	Log duration	Mel
Model on training clips	0.009	0.008	0.004	0.343
Model on validation clips	0.605	0.213	0.064	0.580
Validation baseline: constant value	1.088	1.111	0.211	not measured
Validation baseline: each phone's training mean	1.038	0.547	0.130	not measured

Unlike English, all three Telugu predictors beat both baselines on unseen clips, by about 42% for pitch, 61% for energy and 51% for duration against the per-phone mean. So the model memorizes training clips but has also learned something that generalizes.

5. Generated speech

I synthesized the sentences exactly as provided. The frontend's phone sequence differs from the text only where logged. I listened to all ten clips myself; these are informal notes from one listener, not a controlled test.

ID	Sentence	Frontend behaviour	What I heard

E1	The antidisestablishmentarianism movement gained considerable momentum during the parliamentary proceedings.	antidisestablishmentarianism is not in the lexicon, so g2p_en supplies it.	The long word is understandable.
E2a	The orchestra's conduct during the ceremony was praised by the audience.	conduct read as noun, K AA1 N D AH0 K T.	I heard it as different from E2b.
E2b	The researchers will conduct an experiment to evaluate the proposed method.	conduct read as verb, K AA0 N D AH1 K T.	I heard it as different from E2a.
E3	The rhyth m of the orchestra changed unexpectedly.	The printed break is preserved, so it reads as rhyth + m: R AY1 DH EH1 M, not the word "rhythm".	It does not say "rhythm" as a whole; it comes out as rhyth + m, as the frontend predicts.
E4	The meeting will start at 10:45 AM on 12 November 2026, so andaroo should arrive on time.	Time, date and numbers expanded; andaroo from g2p_en.	The numbers are right, but it says "am" instead of "AM": the frontend reads a m as AH0 EH1 M, not the letter names.
T1	న్యూరోఫార్మకోలాజికల్ పరిశోధనలో నూతన ఔషధాల ప్రభావాన్ని విశ్లేషించారు.	Transliterated technical word handled by rules, with no changes logged.	It came out perfectly, including the ny word.
T2a	తాడుపై అతని పట్టు చాలా బలంగా ఉంది.	Same పట్టు phones as T2b: p a tt tt u. Text gives no difference.	Somewhat different from T2b, but I am not certain.
T2b	ఆమె పట్టు చీరను ధరించి వేడుకకు వచ్చింది.	Same పట్టు phones as T2a.	Somewhat different from T2a, but I am not certain. The ny word sounds right.
T3	పులి అడ విలో నిశ్శబ్దంగా నడిచింది.	The printed break in అడ విలో becomes a word break with no added pause.	It says అడవిలో as a whole, with no audible break.
T4	ఈ సమావేశం 2026 నవంబర్ 12వ తేదీ ఉదయం 10:45 గంటలకు ప్రారంభమవుతుంది, సమయానికి సిద్ధంగా ఉంచండి.	Year, ordinal and time expanded to Telugu words, all logged.	The year, ordinal and time were perfect. The ny word sounds right.

6. Variance adaptor analysis

The values below come from Results/<language>/synthesis_report.json, and the plots follow the discussion. Pitch and energy are per phone. F0 was interpolated across unvoiced frames during training, so values on unvoiced phones such as K or S are not real voicing and should be read with care. Given the English validation results in section 4, I read the English contours as model behaviour rather than as evidence of correct prosody.

Patterns across all sentences

- **Energy:** in all ten sentences the maximum falls on a vowel. Minima fall on stops, affricates and fricatives, with one exception: the final vowel of T1. This is the expected broad pattern and fits energy being the only English predictor that beats the per-phone baseline.
- **Duration:** no phone is predicted at zero length. English phone means are 68 to 77 ms and Telugu 58 to 67 ms. In Telugu, word-initial vowels are often the longest phones.
- **Pitch:** All Telugu sentences end in a clear fall, reaching about 103 to 117 Hz. English sentences fall less consistently, and some contain large jumps inside a sentence.

English (step 27,500)


ID	Duration	Pitch (F0)	Energy
E1	85 phones in 5.96 s. The long word has no unusually stretched phone apart from its first vowel AE2 at 174 ms. EY1 in "gained" is 162 ms and the S in "proceedings" 139 ms.	Mean 214 Hz. Peaks at 297 Hz on AH0 inside "antidis-", and stays mostly above 205 Hz through the long word before falling to about 180 Hz in "proceedings", a plausible overall declination.	Maximum 137 on the first AH0. Stops and fricatives in the long word drop to between 15 and 41, against about 100 on its vowels, showing clear syllable structure. Minimum 9 on K.
E2a	Mean 76 ms. The final S is the longest at 197 ms and Z in "orchestra's" is 162 ms, which may reflect lengthening at phrase and sentence ends.	Mean 165 Hz, the lowest in English. K of "conduct" spikes to 219 Hz between 153 and 135 Hz, on an unvoiced phone. The stressed AA1 is low at 135 Hz. Falls to about 133 to 147 Hz in "audience".	Maximum 110 on AH0 in "conduct". Minimum 5 on that word's K.
E2b	Mean 68 ms. Z at the end of "researchers" is 139 ms; CH is 116 ms. In "conduct" the stressed AH1 is only 46 ms.	Mean 168 Hz with the widest range, 100 to 257 Hz. F0 is 199 to 257 Hz over "the researchers" and drops to 129 Hz at "will", which is not plausible phrase intonation. The stressed AH1 is 146 Hz beside 145 and 143 Hz, so no stress rise is evident. It ends low, reaching 100 Hz in "method".	Maximum 150 on AH0 in the first word, a weak syllable, which is not what stress would suggest. Minimum 6 on P.
E3	"Rhyth m" is R AY1 DH EH1 M at 46, 128, 93, 46 and 81 ms, with no pause phone at the break, so it is one continuous unit that does not resemble "rhythm". Final IY0 is the longest at 174 ms.	Mean 211 Hz. DH dips to 190 Hz and EH1 jumps to 239 Hz inside this unit. Falls gently to about 182 Hz at the end.	Maximum 123 on the invented EH1, which gives the spurious syllable prominence and fits what I heard. Final IY0 is only 24 despite its length. Minimum 6 on P.

E4	Mean 77 ms. The frontend's hyphenated numbers add sp pauses inside "forty-five" (58 ms) and "twenty-six" (104 ms), as well as 128 ms at the comma. "a m" is AH0 EH1 M, which explains the "am" I heard. Final AY1 and M are 151 ms each.	Mean 192 Hz. Reaches 245 to 268 Hz on "will start", then mostly 175 to 210 Hz through the numbers. "andaroo" falls from 180 to 157 Hz. It ends with 133 Hz on "on" and then rises to 187 Hz on final M, so there is no clean final fall.	Maximum 144 on EH1 in "twelve". Minimum 9 on S. Vowels in the number words stay strong, which may help explain why they are clear.


Telugu (step 25,000)

ID	Duration	Pitch (F0)	Energy
T1	66 phones in 4.44 s. Longest are ph and c at 128 ms. Word-initial au in ఔషధాల is 116 ms. ny is 12 ms, one frame, yet the word sounded right to me.	Mean 190 Hz. The clearest declination of all: 141 Hz at the start, rising to 270 Hz on oo in the first word, then falling steadily to 115 Hz at the end.	Maximum 142 on aa. Falls toward the end, reaching a minimum of 3 on the final u.
T2a	Mean 63 ms. ai is 116 ms. In పట్టు, the geminate tt tt totals 104 ms and the word is p a tt tt u at 81, 46, 58, 46 and 46 ms.	Mean 185 Hz. Rises to 260 Hz on the first word, and పట్టు stays at 170 to 211 Hz. Ends with a fall of 131, 113 and 114 Hz on n d i.	Maximum 148 on the first aa. The geminate closure is low at 14 and 7. Final i is 15.
T2b	Mean 63 ms. Initial aa is the longest at 139 ms. The same word is 104, 58, 58, 46 and 23 ms, with a much shorter final vowel than in T2a's 46 ms. ny is 12 ms.	Mean 189 Hz. పట్టు rises across 142 to 222 Hz and continues to 248 Hz on చీరను, a different shape from T2a. Ends at 130, 113 and 113 Hz.	Maximum 106 on a. The geminate closures are low, at 13 and 9 for tt and 7 and 24 for c c.
T3	Mean 63 ms. అడ విలో is 139, 46, 58, 35, 35, 70 and 104 ms, with no sp at the printed break, which fits my hearing it as one word. The geminate sh sh is long at 221 ms.	Mean 189 Hz. No reset at the break: 218, 209 and 226 Hz run across it, up to 255 Hz on oo, then a fall to 117 Hz at the end.	Maximum 124 on i in the first word. Energy stays high across the break (119, 45, 76). Minimum 9 on c.
T4	120 phones in 7.01 s, with the shortest mean at 58 ms. Word-initial vowels are longest: ii and aa 151 ms, u 128 ms and ai 128 ms. The only pause is sp at 70 ms at the comma, so number words are not set apart by pauses. ny is 12 ms.	Mean 183 Hz. Mostly level between 160 and 215 Hz through the year, ordinal and time, with one peak of 239 Hz on u of ఆరు. Ends with a fall to 103 Hz, the lowest in Telugu.	Maximum 131 on ee in వేల. Minimum 7 on k. Final i is 9.


E2 and T2 contrasts. I heard the two readings of "conduct" as different, although the stress contrast is not evident in predicted F0. These are different sentences, so the difference may come from other factors, such as the different vowels the stress symbols select. For పట్టు, predictions do differ in T2a and T2b, but only context can separate them, and these values cannot establish whether a difference in meaning is conveyed.




E1 duration




E1 pitch




E1 energy




E2a duration




E2a pitch




E2a energy




E2b duration




E2b pitch




E2b energy




E3 duration




E3 pitch




E3 energy




E4 duration




E4 pitch




E4 energy




T1 duration




T1 pitch




T1 energy




T2a duration




T2a pitch




T2a energy




T2b duration




T2b pitch




T2b energy




T3 duration




T3 pitch




T3 energy



T4 duration



T4 pitch



T4 energy

7. Comparison, limitations and improvements

Measure	English	Telugu
Submitted step (planned 50,000)	27,500	25,000

Validation mel, submitted checkpoint	0.873	0.580
Best logged validation mel	0.847 (step 7,000)	0.576 (step 12,000)
Pitch vs per-phone baseline, validation	1.151 vs 1.076 (worse)	0.605 vs 1.038 (better)
Energy vs per-phone baseline, validation	0.539 vs 0.607 (better)	0.213 vs 0.547 (better)
Log duration vs per-phone baseline, validation	0.273 vs 0.267 (no better)	0.064 vs 0.130 (better)
Share of validation pitch variance within clips	about 29%	about 85%

Telugu generalizes clearly better on these measures. This does not show that the model handles Telugu better than English as a language, because the datasets differ in the way that matters most: English is an unlabelled mix of voices and Telugu trains under one label. Text cannot predict which speaker a clip came from, which would limit English regardless of the model. The step counts also differ, though validation had flattened well before either stopped, so this is unlikely to explain the gap. I did not test either hypothesis with a controlled experiment.

What I heard. T1 and T4 came out very well. The two English problems I heard, in E3 and E4, trace to how the frontend read the text rather than to the acoustic model. The English long word in E1 and the numbers in E4 were understood despite the poor validation scores, so those scores do not by themselves show that the speech is unintelligible. I did not separately rate overall voice quality or intonation for each clip, or compare the two voices directly in a controlled way.

Limitations known before training

- **English speakers:** Svarah as loaded has no speaker column. Filename fields are not speaker IDs, and the 115 metadata profiles were not used as identities. All clips train as one group without speaker embeddings, so an averaged voice is expected. Telugu uses one label, which is not the same condition, and this limits any comparison.
- **Telugu speaker:** median F0 under the male label drifts from about 160 to 209 Hz across rows, which F0 alone cannot explain as one speaker or several.
- **English lexicon:** preparation keeps the first listed pronunciation (good as G IH0 D); 1,018 of 6,571 corpus words have several. Abbreviations can be aligned as words, for example CE as S.
- **Telugu alignment:** ny stays at one frame in 87.7% of 1,458 cases, and 7 kept clips contain Latin letters. The English topology fix was not applied to Telugu. The model predicts one frame for ny in T1, T2b and T4, though I heard no problem in those words.
- **Failed alignments:** 41 English and 47 Telugu clips have no alignment, for unknown reasons.
- **English frontend:** AM becomes a m and is read as AH0 EH1 M, and hyphens in number words add pauses. Both are visible in E4.
- **Vocoder:** universal HiFi-GAN is not fine-tuned to either dataset. On real mels, log-mel L1 was 0.43 to 0.53, which does not establish perceived quality.
- **Homographs:** Telugu పట్టు has two meanings with the same text-derived phones, so T2a and T2b can differ only through context.

Possible improvements

- Read abbreviations such as AM by letter names, and stop hyphens adding pauses in number words.

- Keep the best validation checkpoint as well as the latest. It was lost here, and both models stopped improving long before the end. Regularization or early stopping should also be tested.
- Keep multiple English pronunciations during alignment, and apply the topology change to Telugu.
- Use verified speaker IDs with speaker embeddings for Svarah.
- Fine-tune HiFi-GAN on each dataset.
- Check the Telugu rules against a reference lexicon.

8. Reproducibility

Dependencies are in requirements.txt; MFA 3.4.3 has its own environment created by scripts/run_mfa.sh. Configurations are English/config.yaml and Telugu/config.yaml. Set HF_TOKEN for gated Svarah access, after accepting its terms.

```
pip install -r requirements.txt
python English/preprocess.py     # or Telugu/; --start and --stop choose steps
python English/train.py          # rerunning resumes from the newest checkpoint
python English/inference.py      # writes Results/English/
python scripts/collect_deliverables.py
python -m pytest -q tests
```

Colab notebooks in notebooks/ run the same steps. Selection is seeded with 1234. Upstream commit: d4e79eb. Code commit: 3cb7864.

Attribution: FastSpeech2 by ming024 and HiFi-GAN by Kong et al., both MIT licensed; notices are kept with the derived code. The Indic TTS Database is from the Speech Technology Consortium, IIT Madras; its dataset card says use is subject to the Indic TTS license.