Supplementary Table S4.1 of Chapter 4.

Comorbidities in Juvenile-onset Rheumatic Diseases: a systematic review and meta-analysis

Shall be considered in conjunction with the

Thesis submitted in accordance with the requirements of the

University of Liverpool

for the degree of Doctor of Philosophy by

Syed Abu Bakar Siddiq

Department of Health Data Science

2026

=For reproducibility only in academic research and development=

Supplementary Table S4.1. Prevalence and incidence rates of comorbidities in JIA, jSLE and JDM patients presenting in childhood or apparent in adulthood 3
Childhood / JIA 3
Adulthood / JIA 22
Childhood / jSLE 32
Adulthood / jSLE 50
Childhood / JDM 58
Adulthood / JDM 65
References 70

=For reproducibility only in academic research and development=

Supplementary Table S4.1. Prevalence and incidence rates of comorbidities in JIA, jSLE and JDM patients presenting in childhood or apparent in adulthood

Childhood / JIA											
Study	**Gender**	**Age in yrs**	**Onset age, yrs**	**Age diagnosis, yrs**	**Disease duration**	**Follow up period for the study**	**Comorbidity**	**Sample size, N (patients/ controls)**	**Prevalence**	**Incidence (per 1000 person-yrs)**	**Ethnicity /Race**
Demirkaya et al. (2011), Turkey[1]	F: 354	Mean 11.84±4.66 yrs			Mean 4.35 ±3.25 yrs	Mean 7.6±4.4 yrs		634			
							Macrophage Activation Syndrome	14	0.022082	2.905528806	
							Infections	14	0.022082	2.905528806	
							Uveitis	62	0.0977918	12.86734186	
Jain et al. (2001), India[2]	F: 10	Mean 8.7± 3.2 yrs			Mean 16.4 ± 5.23 months			50			
							Keratoconjunctivitis sicca	7	0.14		
Rangel et al. (2003), UK[3]	F:20	Mean 15.2±2.4 yrs	Mean 5.5±3.6 yrs		Mean 9.8 ± 3.8 yrs			30			Caucasian 27; Asian (SE) 3
							Major depressive episode	2/27	0.0740741		
							Over-anxious disorder/generalized anxiety disorder	3/27	0.1111111		
							Dysthymic disorder	2/27	0.0740741		
							Night terrors	1	0.0333333		
							Oppositional defiant disorder	1	0.0333333		

=For reproducibility only in academic research and development=

Saurenman n et al. (2007), Canada[4]	F: 711	Mean 13.8 yrs (1.2 to 34.1)	Mean 6.9 yrs (0.5-17.8 yrs)	Mean 6.9 yrs (Range 0.08 to 25.7)	Mean 6.9 yrs (Range 0.08 to 25.7)		1081			
						Uveitis	142	0.1313599	19.03765971	
						Cataracts	33	0.0305273	4.424244862	
						Synechiae	31	0.0286772	4.15610881	
						Glaucoma	22	0.0203515	2.949496575	
						Band keratopathy	20	0.0185014	2.681360522	
						Macular oedema	7	0.0064755	0.938476183	
						Legal blindness	10	0.0092507	1.340680261	
						Impaired vision	6	0.0055504	0.804408157	
Chhabra et al. (2020), Canada[5]	F: 142	Median 16.9 yrs (IQR 12.9 - 18.0)			Median 5.6 yrs (IQR 3.3-8.3)		247			
						Uveitis	24	0.097166	17.35106998	
						Band keratopathy	1	0.0040486	0.722961249	
						Decreased visual acuity	1	0.0040486	0.722961249	
						Cataract	1	0.0040486	0.722961249	
						Micrognathia or facial asymmetry	11	0.0445344	7.952573742	
						Leg-length discrepancy	12	0.048583	8.675534991	
Beukelman et al. (2012), USA[6]	F: 5,421	Mean 9.7±4.4 yrs			Median 1.1 yrs (IQR 0.5-2.2)		8479			White 4402; Black 1448; Latino 1721; other/unknown 932
						Upper respiratory tract	110	0.0129732	11.79384361	
						Pneumonia	87	0.0102606	9.327858131	
						Bacteraemia/septicaemia	67	0.0079019	7.183522928	
						Urinary tract/pyelonephritis	65	0.007666	6.969089408	
						Skin and soft tissue	44	0.0051893	4.717537445	

=For reproducibility only in academic research and development=

						Abdominal abscess	20	0.0023588	2.144335202
						Gastroenteritis	30	0.0035382	3.216502804
						Diabetes mellitus	56	0.0066046	6.004138567
						Asthma	669	0.0789008	71.72801252
van Rossum, et al, 2007, Netherlands	F: 41	Median 18 yrs (range 10-25)		Median 10.7 yrs (range 8-23)	Median 9 yrs (IQR 8-9 yrs)		61		
						Uveitis	12	0.1967213	21.8579235
Gerloni, et al, 2008, Italy	F:124	Mean 17.1 yrs SD 9.2 yrs (range 1.9-49.8)	Mean 6.4 yrs SD 4.8 (Range 0.5-16.8)	Mean 10.7 yrs SD 8.6 (range 1.8-49.8)			163		
						Flare or new onset of chronic iridocyclitis	7	0.0429448	
						Gonadal effects	6	0.0368098	
						Hypertension	8	0.0490798	
						Infective events	41 (split below)		
						Recurrent URI or UTI or mycotic vaginitis	21	0.1288344	
						Viral thyroiditis	1	0.006135	
						Varicella	4	0.0245399	
						EBV infections	3	0.0184049	
						Single URI	3	0.0184049	
						Rotavirus gastro-enteritis	3	0.0184049	
						Helicobacter gastritis	1	0.006135	
						Scarlet fever	1	0.006135	
						Hip prosthetic infection	1	0.006135	
						CMV pneumonia complicated by MAS	1	0.006135	

=For reproducibility only in academic research and development=

Klotsche, et al, 2016, Germany	F: 1,537	Mean 11.3 yrs (SD 4.6)	Mean 7.8 yrs (SD 3.7)	Mean 3.5 yrs (SD 3.6)		
					Pneumonia	1	0.006135
					Impetigo	1	0.006135
					Neuropsychiatric manifestations	53 (split below)	
					Headache	10	0.0613497
					Severe headache (dose-dependent)	4	0.0245399
					Psychoses	2	0.0122699
					Depression	3	0.0184049
					Panic attacks	2	0.0122699
					Anxiety	4	0.0245399
					Anorexia nervosa	1	0.006135
					Nervousness/hyperactivity	7	0.0429448
					Memory and concentration deficit	1	0.006135
					Aggressiveness	3	0.0184049
					Fatigue	5	0.0306748
					Hyperalgesia	1	0.006135
					Pain amplification syndrome	1	0.006135
					Sleepiness	2	0.0122699
					Insomnia	1	0.006135
					Vertigo	3	0.0184049
					Paraesthesia	1	0.006135
					Hypoglossal paralysis	1	0.006135
					Neuroalgodistrofy	1	0.006135
						2263	
					Malignancies	8 (split below)	
					Acute lymphoblastic leukaemia	2	0.0008838
					Thyroid gland carcinoma	1	0.0004419
					Yolk sac carcinoma	1	0.0004419

=For reproducibility only in academic research and development=

				Non-Hodgkin's lymphoma	1	0.0004419		
				Hodgkin's lymphoma	2	0.0008838		
				Oligodendroglioma	1	0.0004419		
				Uveitis	361	0.1595228		
				Inflammatory bowel disease (IBD)	14 (split below)			
				Colitis	4	0.0017676		
				Crohn's disease	10	0.0044189		
				Infections	471 (split below)			
				Bacterial	29	0.0128148		
				Viral	107 (split below)			
				Epstein Barr infection	8	0.0035351		
				Varicella zoster infection	34	0.0150243		
				Chickenpox	16	0.0070703		
				Herpes Zoster	18	0.007954		
				HPV	2	0.0008838		
Beukelman, et al, 2013, USA	F: 5,421	Median 10.1 yrs (IQR 5.9-13.3)	Median 1.2 yrs (IQR 0.6-2.4)		8503			White 4,402; Black 1,448; Latino 1,721; Other/unknown 932
				Infections			(300/100,000 (95% CI 216-406) yrs split below)	
				Herpes zoster			225 /100,000 yrs (95% CI 154–318)	
				Salmonella			86/100,000 yrs (95% CI 44–150)	

=For reproducibility only in academic research and development=

Coccidioides	35/100,000 yrs (95% CI 11–81)
Nontuberculous Mycobacterium	21/100,000 yrs (95% CI 4–61)
Nocardia	7/100,000 yrs (95% CI 0.2-39)
Pneumocystis	7/100,000 yrs (95% CI 0.2-39)
Toxoplasma	7/100,000 yrs (95% CI 0.2-39)
Blastomyces	0/100,000 yrs (95% CI 0.2-39)
Histoplasma	0/100,000 yrs (95% CI 0-36)
JC virus	0/100,000 yrs (95% CI 0-36)
Cryptococcus	0/100,000 yrs (95% CI 0-36)
Tuberculosis	0/100,000 yrs (95% CI 0-36)
Legionella	0/100,000 yrs (95% CI 0-36)
Listeria	0/100,000 yrs (95% CI 0-36)
Aspergillus	0/100,000 yrs (95% CI 0-36)

=For reproducibility only in academic research and development=

Schenck, et al, 2018, German	F: 8,043	Mean 11.6 yrs		Mean 4.2 yrs			12,269			
						Type 1 Diabetes	58	0.0047274		
						Type 2 Diabetes	2	0.000163		
						Mature onset diabetes of the young	2	0.000163		
Angeles-Han, et al, 2015, USA	F: 208		Median 6.4 (2.9-11.7) yrs	Median 3.4, range (1.8 – 5.9) yrs	Mean 15.1± 12 months		287			Caucasian 221, African American 36, Others 30
						Uveitis	52	0.1811847	11.9989847	
						Cataracts	14	0.0487805	3.230495881	
						Glaucoma	7	0.0243902	1.615247941	
						Synechiae	12	0.0418118	2.76899647	
						Band keratopathy	11	0.0383275	2.538246764	
						Cystoid macular oedema	7	0.0243902	1.615247941	
						Cataract extraction	3	0.010453	0.692249117	
Thiele, et al, 2021, Germany	F: 2,490	Median 12.3, IQR (8.6-15.2)					3258			Caucasian 95%, African and Asian 5%
						Pneumonia	30	0.0092081		
						Herpes zoster	34	0.0104359		
						Varicella	23	0.0070595		
						SAE infection	108	0.0331492		
						Infections	813 (split below)			

=For reproducibility only in academic research and development=

					Upper respiratory tract infection	412	0.1264579	
					Otitis media	28	0.0085942	
					Urinary tract infection	32	0.009822	
					Tonsillitis	67	0.0205648	
					Gastroenteritis	63	0.019337	
					Streptococcal infection	20	0.0061387	
Kearsley-Fleet, et al, 2022, multiple countries	F: 2,014	Mean, 6.5 (SD 4.6) Median 14, IQR (10–17) yrs	Median 1, IQR (0, 4) yrs, N=2894	Median 5, IQR (3, 9) yrs, N=2926		2693		
					MAS: macrophage activation syndrome (systemic JIA only)	37/250	0.148	29.6
					Varicella	822/2238	0.3672922	73.45844504
					Tuberculosis	17	0.0063127	1.262532492
					Uveitis	556	0.2064612	41.29223914
	F: 1,046	Mean 13.2 (SD 6.1) Median 22, IQR (19–25) yrs	Median 3, IQR (1, 7) yrs, N=1531	Median 14, IQR (7, 18) yrs, N=1514		1541		
					Uveitis	238	0.1544452	11.03179753
					MAS: macrophage activation syndrome (systemic JIA only)	5/82	0.0609756	4.355400697
					Varicella	127/871	0.1458094	10.41495818
					Tuberculosis	2/1541	0.0012979	0.092704181

=For reproducibility only in academic research and development=

	F : 2,476	Mean 6.5 SD (4.5) Median 13, IQR (9–17) yrs		Median 3, IQR (1–6) yrs	Median 6, IQR (3–9) yrs		3562		
						Uveitis	676/3484	0.1940299	32.33830846
						MAS: macrophage activation syndrome (systemic JIA only)	62/366	0.1693989	28.23315118
						Varicella	1166/2312	0.5043253	84.05420992
						Tuberculosis	54/3006	0.0179641	2.994011976
Krause, et al, 2017, USA	F: 57	Mean 8.6 (±5.1) yrs at index		Median 1.3, range (0.2–4.0) yrs	Mean 6.3 (±4.4) yrs		89			Caucasian 75, Hispanic 2, Black 4, Asian 3, Other 1, Unknown 4
						Joint surgeries	6	0.0674157	10.70090958	
						Non-joint surgeries	14	0.1573034	24.96878901	
						Non-surgical hospitalisations (due to infection, JIA management etc.)	12	0.1348315	21.40181915	
						Hospitalisations for depression	5	0.0561798	8.917424648	
						Pregnancies	9/28	0.3214286	51.02040816	
						Depression	7	0.0786517	12.48439451	
Lee, et al, 2020, USA	F: 10,233	Mean 13.86 ±3.44 yrs			Mean 2.68 yrs SD 2.34		15210			
						Type 1 diabetes	18	0.0011834	44/100,000 person yrs (95% CI 28-70)	

=For reproducibility only in academic research and development=

		Type 2 diabetes	27	0.0017751	66/100,000 person yrs (95% CI 45-96)
		Hyperlipidaemia	191.646	0.0126	4.701492537
		Hypertension	158.184	0.0104	3.880597015
		Obesity	305.721	0.0201	7.5
Horneff, et al, 2022, Germany	aged 2 to 15 yrs		546		
		Allergic rhinitis	76	0.1391941	
		Predominantly allergic asthma	15	0.0274725	
		Amyloidosis	<5	<5/546	
		Anaemia	15	0.0274725	
		Phobic anxiety disorders	17	0.0311355	
		Essential hypertension	<5	<5/546	
		Atopic dermatitis	80	0.1465201	
		Persistent somatoform pain disorder	46	0.0842491	
		Ulcerative colitis	<5	<5/546	
		Depression	21	0.0384615	
		Diabetes mellitus	5	0.0091575	
		Iron deficiency	8	0.014652	
		Post-viral fatigue syndrome	0	0	
		Fibromyalgia	13	0.0238095	
		Autoimmune thyroiditis	6	0.010989	
		Thyrotoxicosis	0	0	
		Hypothyroidism	8	0.014652	
		Lack of expected normal physiological development	26	0.047619	
		Crohn's disease	12	0.021978	
		Migraine	14	0.025641	
		Kidney disease (chronic)	<5	<5/546	

=For reproducibility only in academic research and development=

Psoriasis	21	0.0384615
Sicca syndrome	5	0.0091575
Uveitis	59	0.1080586
	849	
Allergic rhinitis	94	0.1107185
Predominantly allergic asthma	25	0.0294464
Amyloidosis	11	0.0129564
Anaemia	24	0.0282686
Phobic anxiety disorders	30	0.0353357
Essential (primary) hypertension	<5	<5/849
Atopic dermatitis	105	0.1236749
Persistent somatoform pain disorder	71	0.0836278
Ulcerative colitis	<5	<5/849
Depression	19	0.0223793
Diabetes mellitus	7	0.008245
Iron deficiency	7	0.008245
Post-viral fatigue syndrome	<5	<5/849
Fibromyalgia	9	0.0106007
Autoimmune thyroiditis	13	0.0153121
Thyrotoxicosis	<5	<5/849
Hypothyroidism	18	0.0212014
Lack of expected normal physiological development	31	0.0365135
Crohn‘s disease	<5	<5/849
Migraine	29	0.0341578
Kidney disease (chronic)	0	0
Osteoporosis	5	0.0058893
Psoriasis	39	0.0459364
Sicca syndrome	<5	<5/849
Uveitis	90	0.1060071

=For reproducibility only in academic research and development=

Bolt, IB. et al, 2008, Switzerland	F: 174	≤18 yrs (see comments)	Mean 6.49, range (0.67–15.67) yrs	Mean 4.82, range (0.08–16.58) yrs		265		
					Synechiae	10	0.0377358	7.829014327
					Cataracts	9	0.0339623	7.046112894
					Band keratopathy	5	0.0188679	3.914507164
					Glaucoma	3	0.0113208	2.348704298
					Macular oedema	2	0.0075472	1.565802865
					Uveitis	35	0.1320755	27.40155014
					Impaired visual acuity	1	0.0037736	0.782901433
					Legal blindness in one eye	2	0.0075472	1.565802865
Simon, et al, 2020, USA		< 18 yrs						
	F: 6,173	Mean 10.6±4.5 yrs				8633		
					Multiple sclerosis	1	0.0001158	
					Asthma	777	0.0001158	
					Anxiety	295	0.0001158	
					Depression	208	0.0001158	
					Diabetes mellitus	92	0.0001158	
					Anaemia	498	0.0001158	
					Hypertension	2	0.0001158	
					Hyperlipidaemia	174	0.0001158	
					Malignancy	56	0.0001158	
	F: 6,587	Mean 10.5±4.5 yrs				9155		
					Multiple sclerosis	1	0.0001092	
					Asthma	887	0.0001092	
					Anxiety	317	0.0001092	

=For reproducibility only in academic research and development=

						Depression	214	0.0001092	
						Diabetes mellitus	84	0.0001092	
						Anaemia	479	0.0001092	
						Hypertension	6	0.0001092	
						Hyperlipidaemia	202	0.0001092	
						Malignancy	49	0.0001092	
Schulz, C. et al, 2022, Germany	F 333	Mean 6.8 yrs (range: 2-22)	Median 6.0 yrs (<1-16.4)		Median 4.4 yrs (range: 0.9–14.1)		499		Europe 413, Asia 31, Turkish 28 , Africa Arab 2, mixed countries of origin 30 and unknown 23
						Hypothyroidism	6	0.012024	
						Autoimmune thyroiditis	8	0.0160321	
						Other thyroid disorder	2	0.004008	
						Coeliac disease	3	0.006012	
						Scleroderma	1	0.002004	
						Overlap syndrome	1	0.002004	
Swart, et al, 2018, Italy	F: 5,584	≤ 18 yrs	Median 5.4 yrs (IQR : 2.4–10.0)	Med 6.2 (IQR 2.8–10.9) yrs	Med 5.3 (IQR 2.7–8.8) yrs		8274		
						Infections	1523 (split below)		
						Serious/targeted infections (Epstein– Barr virus, cytomegalovirus, papilloma virus, herpes zoster primary and reactivation, and opportunistic infections)	674	0.08146	
						Tuberculosis	27	0.0032632	
						Other infections	822	0.0993474	
						Macrophage activation syndrome	75	0.0090645	

=For reproducibility only in academic research and development=

			Autoimmune disease	50 (split below)	
			Inflammatory bowel disease (IBD)	21	0.0025381
			Multiple sclerosis	2	0.0002417
			Other autoimmune diseases excluding IBD, uveitis, and demyelinisation disorder	18	0.0021755
			Malignancies	16 (split below)	
			Leukaemia's	3	0.0003626
			Lymphomas	2	0.0002417
			Hematopoietic neoplasms (excluding leukaemia and lymphoma)	1	0.0001209
			Neoplasm (other)	10	0.0012086
			Gastrointestinal (GI) ulcer/GI bleed/GI perforation	17	0.0020546
			Pregnancy	9	0.0010877
			Congestive heart failure	1	0.0001209
F: 2,670	Median 7.6 yrs (IQR 3.2–11.7)	Med 6.1 (IQR 3.5–9.5) yrs		3990	
			Infections	1509 (split below)	
			Serious/targeted infections (Epstein– Barr virus, cytomegalovirus, papilloma virus, herpes zoster primary and reactivation, and opportunistic infections)	171	0.0428571
			Tuberculosis	0	0
			Other infections	1338	0.3353383

=For reproducibility only in academic research and development=

				Macrophage activation syndrome	11	0.0027569
				Autoimmune disease	50 (split below)	
				Inflammatory bowel disease (IBD)	23	0.0057644
				Multiple sclerosis	0	0
				Other autoimmune diseases excluding IBD, uveitis, and demyelinisation disorder	24	0.006015
				Malignancies	13 (split below)	
				Leukaemia	2	0.0005013
				Lymphoma	5	0.0012531
				Hematopoietic neoplasms (excluding leukaemia and lymphoma)	2	0.0005013
				Neoplasm (other)	4	0.0010025
				Gastrointestinal (GI) ulcer/GI bleed/GI perforation	4	0.0010025
				Pregnancy	7	0.0017544
				Congestive heart failure	0	0
Giancane, et al, 2019, Italy	F: 189	Med 3.1 yrs (IQR 1.8–5.8)	Med 7.7 yrs (IQR 6.1–10.2)		239	
				Ocular	21	0.0878661
				Muscular atrophy	19	0.0794979
				Osteoporosis	3	0.0125523
				Subcutaneous atrophy	9	0.0376569
				Growth failure	19	0.0794979
				Pubertal delay	5	0.0209205
				Avascular necrosis	0	0
				Amyloidosis	0	0
				Diabetes	0	0

=For reproducibility only in academic research and development=

	F: 219	Med 2.5 yrs (IQR 1.6–4.7)	Med 6.9 yrs (IQR 5.4–9.7)		269		
				Ocular	7	0.0260223	
				Muscular atrophy	8	0.0297398	
				Osteoporosis	1	0.0037175	
				Avascular necrosis	1	0.0037175	
				Subcutaneous atrophy	6	0.0223048	
				Growth failure	1	0.0037175	
				Diabetes	0	0	
				Amyloidosis	0	0	
Grassi, et al, 2007, Italy	F: 244	mean 4.9 ± 3.6 yrs		mean 7.6 ± 5.6 yrs	309		
				Synechiae	12	0.038835	5.109862034
				Band keratopathy	8	0.02589	3.406574689
				Cataract	6	0.0194175	2.554931017
				Glaucoma	2	0.0064725	0.851643672
				Retinal detachment	1	0.0032362	0.425821836
				Iris atrophy	1	0.0032362	0.425821836
				Blindness*	4	0.012945	1.703287345
				Uveitis	62	0.2006472	26.40095384
				Severe visual loss	8	0.02589	3.406574689
Horneff, et al, 2016, Germany				13,198 observation yrs	3695		
				Suspected Malignancies	12 (split below)		
				Hodgkin's lymphoma	2	0.0005413	4.10117E-05
				non-Hodgkin's lymphoma	1	0.0002706	2.05058E-05
				acute lymphatic leukaemia (ALL)	2	0.0005413	4.10117E-05
				lymphoproliferative disorder	1	0.0002706	2.05058E-05

=For reproducibility only in academic research and development=

Lovell, DJ. et al, 2021, USA	F: 867	Mean 6.6 yrs (SD 4.5)	Mean 8.0 (SD 4.8)

thyroid carcinoma	1	0.0002706	2.05058E-05
yolk sac carcinoma	1	0.0002706	2.05058E-05
anaplastic ependymoma	1	0.0002706	2.05058E-05
	1332		
Autoimmune diseases	1085 (split below)		
Addison disease	11	0.0082583	
Autoimmune/Hashimoto's thyroiditis	16	0.012012	
Graves' disease	1	0.0007508	
Morphoea	12	0.009009	
Multiple sclerosis	1	0.0007508	
Takayasu arteritis	1	0.0007508	
Type 1 diabetes mellitus	17	0.0127628	
Vitiligo	5	0.0037538	
Myasthenia Gravis	0	0	
Pernicious Anaemia	0	0	
Primary biliary cirrhosis	0	0	
Associated conditions		0	
Autoimmune disease not elsewhere classified	8	0.006006	
Chronic glomerulonephritis	1	0.0007508	
Chronic urticaria	49	0.0367868	
Episcleritis/scleritis	5	0.0037538	
Erythema nodosum	1	0.0007508	
Haemolytic anaemia	1	0.0007508	
Immune thrombocytopenia purpura	2	0.0015015	
Leukocytoclastic vasculitis	2	0.0015015	
Pulmonary fibrosis/interstitial lung disease	15	0.0112613	

=For reproducibility only in academic research and development=

						Raynaud's syndrome	19	0.0142643
						Sjögren's syndrome/sicca syndrome	3	0.0022523
						Thrombocytopenia purpura	1	0.0007508
						Vasculitis	8	0.006006
Barthel, et al, 2015, Germany	F: 2,073	Mean 6.1 ± 3.9 yrs			8389 patient-yrs		3071	
						Inflammatory bowel disease	11 (split below)	
						Crohn Disease	8	0.002605
						Ulcerative colitis	3	0.0009769
Sahin, et al, 2021, Turkey	F: 289		8.8 ± 4.7 yrs (mean) (range 9 months to 17 yrs)	4.0 ± 1.9 yrs (mean)			500	
						Uveitis	34	0.068
						Osteoporosis	8	0.016
						Delayed puberty	6	0.012
						Autoimmune Thyroiditis	4	0.008
						Inflammatory Bowel Disease (IBD)	2	0.004
						Depression	2	0.004
						Hypertension	1	0.002
						Amyloidosis	1	0.002
						familial Mediterranean fever (FMF)	63	0.126
						Psoriasis	15	0.03
						Cataract	4	0.008
						Band keratopathy	1	0.002
						Posterior synechia	1	0.002

=For reproducibility only in academic research and development=

Pohjankoski, et al, 2010, Finland	F: 283		Mean 7 (1–15) yrs			417		
					Uveitis	91	0.2182254	
					Diabetes mellitus type 1	9	0.0215827	
					Coeliac disease	3	0.0071942	
					Hypothyroidism	3	0.0071942	
Cakan, et al, 2020, Turkey	F: 202			Mean 29.2±18.0 months		405		
					Uveitis	27	0.0666667	2.283105023
Cosickic, et al, 2017, Bosnia and Herzegovina	F: 61	Med 7.1 rs (IQR, 2.3 -10.6 yrs)				97		
					Synechia	3	0.0309278	
					Band keratopathy	2	0.0206186	
					Cataracts	2	0.0206186	
					Glaucoma	1	0.0103093	
					Uveitis	14	0.1443299	
Berthold, et al, 2022, Sweden	F: 433		Med 8.7 yrs ((IQR) 3.7 – 12.7 yrs)			640		
					Depressive disorder	93	0.1453125	
					Anxiety disorder	111	0.1734375	
Lien, et al, 2003, Norway	F: 80	Mean 17.0 ±1.8 yrs	Mean 2.8±1.4 yrs	Mean 14.2 ±1.4 yrs		105		
					Osteopenia/Low total-body BMC	42/103	0.407767	

=For reproducibility only in academic research and development=

					Osteoporosis (BMD Z score≤-2.5)	5/103	0.0485437
Saraux, et al, 2015, France	F: 18	Mean 13.5 yrs (SD 5.84)				26	
					Infections	3	0.1153846
					Bacterial infection	3	0.1153846
					Viral infection	1	0.0384615
Alberdi-Saugstrup, et al, 2017, Nordic countries	F: 135		Median 6.0 (IQR 2.8-10.0)			193	
					Uveitis	30	0.1554404
Amine, et al, 2011, Morrocco	F: 32	Mean 11 ± SD 3.3 yrs range (2-16)	Mean 7 ±SD 3.4 range (1–15)	Mean 3 ± SD 2.4 yrs range (1-12)		58	
					Obesity	13	0.2241379
Adulthood / JIA							
Smitherman, et al, 2022, USA	F: 144	Mean 20±1.4 yrs	CARRA (or any other) JIA registry, Age onset will have childho			187	White 147; Hispanic 23; Black 9; Other* 8

=For reproducibility only in academic research and development=

		od onset disease.								
						Self-reported symptoms of pain or discomfort	122	0.6524064		
						Self-reported symptoms of anxiety or depression	84	0.4491979		
Mena-Vazquez, et al, 2022, Spain	F: 35	Mean 25 yrs +/- 6.1		161.4 months (103.6 - 220.4 IQR)	24 months		52			Caucasian 50
						Depression	13	0.25	125	
						Arterial hypertension	1	0.0192308	9.615384615	
						Diabetes melllitus	1	0.0192308	9.615384615	
						Dyslipidaemia	4	0.0769231	38.46153846	
						Obesity (BMI ≥30)	7	0.1346154	67.30769231	
						Uveitis	11	0.2115385	105.7692308	
Raab, et al, 2013, Germany	F: 196	Mean 19.7 yrs (SD 2.8)		Mean 10.6 yrs (since symptom onset) 5.6 SD			344			
						Cardiovascular diseases	34 (split below)			
						Hypertension	25	0.0726744	6.856077227	
						Cardiac insufficiency	1	0.002907	0.274243089	

=For reproducibility only in academic research and development=

Pulmonary diseases	28 (split below)		
Asthma	26	0.0755814	7.130320316
Gastrointestinal diseases	14 (split below)		
Crohn's disease	4	0.0116279	1.096972356
Ulcerative colitis	3	0.0087209	0.822729267
Gastrointestinal ulcer	1	0.002907	0.274243089
Liver and gallbladder diseases	3	0.0087209	0.822729267
Diseases of the kidneys or the Urinary tract	16 (split below)		
Renal insufficiency	1	0.002907	0.274243089
Kidney stone	4	0.0116279	1.096972356
Amyloidosis	3	0.0087209	0.822729267
Gynaecological diseases	12	0.0348837	3.290917069
Haematological diseases	23 (split below)		
Anaemia	11	0.0319767	3.01667398
Iron deficiency	6	0.0174419	1.645458534
Allergic diseases	84 (split below)		
Allergic rhinitis	50	0.1453488	13.71215445
House dust mite allergy	16	0.0465116	4.387889425
Thyroid/endocrine diseases	23 (split below)		
Hypothyroidism	7	0.0203488	1.919701624
Hashimoto thyroiditis	4	0.0116279	1.096972356
Diabetes mellitus	3	0.0087209	0.822729267
Skin diseases	67 (split below)		
Psoriasis	22	0.0639535	6.03334796
Atopic dermatitis	30	0.0872093	8.227292672

=For reproducibility only in academic research and development=

Aggarwal, et al, 2006, India	M: 30	22.6 ± 5.12 yrs	Mean 11.37 ± 2.67 yrs	Mean 11.27 ± 5.39 yrs

Eye diseases	80 (split below)		
Uveitis	59	0.1715116	16.18034226
Cataract	3	0.0087209	0.822729267
Glaucoma	9	0.0261628	2.468187802
Other eye diseases	8 (split below)		
Benign eye tumour	1	0.002907	0.274243089
Episcleritis	1	0.002907	0.274243089
Scleritis	2	0.005814	0.548486178
Sicca syndrome/ sicca symptoms	3	0.0087209	0.822729267
Chronic conjunctivitis	1	0.002907	0.274243089
Astigmatism	1	0.002907	0.274243089
Neurologic diseases	41 (split below)		
Migraine	30	0.0872093	8.227292672
Epilepsy	5	0.0145349	1.371215445
Psychiatric disorders	32 (split below)		
Depression	17	0.0494186	4.662132514
Anxiety disorder	7	0.0203488	1.919701624
Other comorbidities	30 (split below)		
Osteoporosis	11	0.0319767	3.01667398
	30		
Osteopenia (Lumbar Spine)	14	0.4666667	41.40786749
Osteopenia (Hip)	15	0.5	44.36557232
Osteopenia (Distal third of forearm)	15	0.5	44.36557232
Osteoporosis (Lumbar Spine)	8	0.2666667	23.66163857
Osteoporosis (Hip)	7	0.2333333	20.70393375

=For reproducibility only in academic research and development=

						Osteoporosis (Distal third of forearm)	12	0.4	35.49245785	
						Joint deformities	5	0.1666667	14.78852411	
Arvidsson, et al, 2010, Norway	F: 44	Mean 35.2 yrs +/- 3.6 (27.9-44.4)	Mean 5.5 yrs +/-3.1 (0.8-14.5 yrs)	Mean 29.7 yrs +/- 3.3 yrs (24.4-38.0)	Mean 27 yrs		60			
						Craniofacial growth disturbance	34	0.5666667	20.98765432	
						Micrognathia	16	0.2666667	9.87654321	
Packham, et al, 2002, UK	F: 176	Mean 35.4 yr (range 19-78, SD = 11.1)	Mean 7.1 yr (range 0.8–15.9, S.D.=4.5)	Mean 28.3 yr (range 8–73, S.D.=10.8)			246			Asian 1, Afro-Caribbean 1, Caucasian descent 244
						Uveitis	22%	0.22	7.77385159	
						Glaucoma	4.10%	0.041	1.448763251	
						Amyloidosis	8.90%	0.089	3.144876325	
						Cataracts	10.20%	0.102	3.604240283	
						Required eye surgery	10.60%	0.106	3.745583039	
						Sicca syndrome	15.00%	0.15	5.300353357	
						At least one major prosthetic joint replacement	51.2% (split below)			
						Hip prosthetic	43.90%	0.439	15.51236749	
						Revision hip prostheses	15.40%	0.154	5.441696113	
						Knee prosthetic	27.60%	0.276	9.752650177	
						Shoulder prosthetic	4.90%	0.049	1.731448763	
						Elbow prosthetic	3.30%	0.033	1.166077739	
						Wrist prosthetic	1.60%	0.016	0.565371025	
						Ankle prosthetic	1.60%	0.016	0.565371025	

=For reproducibility only in academic research and development=

Mars, et al, 2019, Finland	F: 92	Mean 32.4 ± 13.4 yrs				119		
					Cardiovascular diseases*	17	0.1428571	
					Diabetes	5	0.0420168	
					Eye disorders	16	0.1344538	
					Gastrointestinal disorders	11	0.092437	
					Infections	27	0.2268908	
					Malignancies	2	0.0168067	
					Mental disorders	12	0.1008403	
					Neurological disorders	18	0.1512605	
					Other musculoskeletal disorders	38	0.3193277	
					Rheumatic diseases	76	0.6386555	
					Skin disorders	19	0.1596639	
Dimopoulou, et al, 2017, Greece	F: 72	Mean 25 yrs SD 5.9, median 24 yrs range 8-41 yrs	Median 7 yrs Mean 7.7 yrs SD 4 (range 1-15.5)	Median 17 yrs range 5-31.5	Mean 17.2 yrs SD 6.7 yrs	102		
					Uveitis	11	0.1078431	6.26994984
					Prosthetic arthroplasty	9	0.0882353	5.12995896
					Mandibular correction	1	0.0098039	0.56999544
					Arthrodesis of the radiocarpal joint	1	0.0098039	0.56999544
					Hands or foot small joint correction	4	0.0392157	2.27998176
					Blindness in one eye	2	0.0196078	1.13999088
					Leg length discrepancy ≥0.5cm	37	0.3627451	21.08983128

=For reproducibility only in academic research and development=

					Mandibular dysfunction (such as reduced mouth opening, frontal facial asymmetry or retrognathia)	29.40%	0.0028824	0.167578659	
Rebane, et al, 2022, Finland	F: 62	Mean 23 yrs (range 16-23)		17 yrs		97			
					Coeliac disease	1	0.0103093	0.606428138	
					Crohn's disease	2	0.0206186	1.212856277	
					Irritable bowel syndrome (IBS)	2	0.0206186	1.212856277	
					Hypothyroidism	1	0.0103093	0.606428138	
					Depression	2	0.0206186	1.212856277	
					Panic disorder	2	0.0206186	1.212856277	
					Uveitis	4	0.0412371	2.425712553	
					Ulcerative colitis	0	0	0	
Minden, et al, 2019, Germany	F: 464	Mean 23.4±3.9 yrs	Mean 14.3±6.1 yrs	Mean 9.1±3.7 yrs		701			
					Arthroplasty	36	0.0513552	5.643429324	
					Eye surgery	22	0.0313837	3.448762365	
					Uveitis	63	0.0898716	9.876001317	
					Synovectomy	112	0.1597718	17.55733567	
Smith, et al, 2019, USA	F: 170	Mean 30.55±0.39 yrs (Age at estimated due date)	Mean 20.32±7.32 yrs			170			White 145; African American 3; Asian/Pacific islander 2; Native America 3; Other 1
					Comorbid pregestational conditions				
					Thyroid dysfunction	13	0.0764706		

=For reproducibility only in academic research and development=

					Hypertension	21	0.1235294
					Diabetes Mellitus (Type 1 and 2)	0	0
					Other autoimmune diseases		
					Inflammatory bowel disease	11	0.0647059
					Sjögren's syndrome or UCTD	3	0.0176471
					Antiphospholipid syndrome	1	0.0058824
					Psoriasis	11	0.0647059
					Lupus	4	0.0235294
					Obstetric complications		
					Preeclampsia	15	0.0882353
					PIH without preeclampsia	10	0.0588235
					Placenta previa and/or abruption	4	0.0235294
					Preterm labour	25	0.1470588
					GDM	13	0.0764706
					Fever during pregnancy	47	0.2764706
					Caesarean section	70	0.4117647
						2592	
Barth, et al, 2016, Germany	F: 1,617	range (18–73) yrs	Median 8, range (0–15) yrs IQR (4-11)	Median 27; range (3–70) yrs IQR (15-40)			

=For reproducibility only in academic research and development=

				Pain/discomfort	(split below)		
				Moderate problems	1395	0.5381944	
				Severe problems	94	0.0362654	
				Anxiety/depression:	(split below)		
				Moderate problems	624	0.2407407	
				Severe problems	54	0.0208333	
				Severe disability	783	0.3020833	
Simon, et al, 2020, USA		≥ 18 yrs	1 year				
	F: 4,506	Mean 37.0 ±16.5 yrs			5789 (split below)		
				Multiple sclerosis	20	0.0034548	3.454828122
				Asthma	472	0.0815339	81.53394369
				Anxiety	555	0.0958715	95.87148039
				Depression	653	0.1128001	112.8001382
				Diabetes mellitus	440	0.0760062	76.00621869
				Anaemia	948	0.1637589	163.758853
				Hypertension	103	0.0177924	17.79236483
				Hyperlipidaemia	1162	0.2007255	200.7255139
				Malignancy	278	0.0480221	48.0221109
	F: 4,315	Mean 34.6 ±14.7 yrs			5638 (split below)		
				Multiple sclerosis	19	0.00337	3.369989358
				Asthma	486	0.0862008	86.20078042
				Anxiety	549	0.097375	97.37495566
				Depression	622	0.1103228	110.3228095
				Diabetes mellitus	371	0.0658035	65.80347641

=For reproducibility only in academic research and development=

						Anaemia	655	0.1161759	116.1759489
						Hypertension	103	0.0182689	18.26888968
						Hyperlipidaemia	1023	0.1814473	181.4473217
						Malignancy	162	0.0287336	28.73359347
Packham and Hall, 2003, UK	F: 177	Mean 35.4±11.1 yrs (19-78)	Mean 7.1±4.2 yrs (range 0.8-15.9)	Mean 28.7±10.8 yrs (range 8-73)			177		
						Primary ovarian failure	9 (split below)		
						Primary ovarian failure (unrelated to medication use)	6	0.0338983	1.181125613
Ma, et al, 2022, Taiwan	F: 1,155	0-30 yrs			249 593 months		2791		
						Obstructive sleep apnoea (OSA)	31	0.0111071	0.64 per 10000 person yrs 95% CI 0.5-0.82)
						Allergic rhinitis	401	0.1436761	0.006907699
						Obesity	19	0.0068076	0.000327297
						Osteoporosis	7	0.0025081	0.000120583
						Disorders of mineral metabolism	3	0.0010749	5.16785E-05
						Hypocalcaemia/hypomagnesemia	0	0	0
Zhang-Jian, et al, 2020, Taiwan	F: 549	Age at pregnancy is 24.4 ± 3.4 yrs					549		
						Pregnancy outcomes			

=For reproducibility only in academic research and development=

					Stillbirth	4	0.007286	
					Foetal distress	32	0.0582878	
					Foetal abnormalities, any	38	0.0692168	
					Preeclampsia	17	0.0309654	
					Gestational diabetes	24	0.0437158	
					Pregnancy-related hypertension	24	0.0437158	
					Antepartum haemorrhage	55	0.1001821	
					Severe postpartum haemorrhage	25	0.0455373	
					Chorioamnionitis	5	0.0091075	
					Caesarean delivery	155	0.2823315	
					Low birth weight <2500g	64	0.1165756	
					Prematurity <37 weeks	49	0.0892532	
Rypdal, et al, 2021, USA	F: 297	≥19 yrs	Mean 5.7 IQR 2.6-9.8	17.6 yrs IQR (16.7-18.4)		434		
					Uveitis	96	0.2211982	12.56807708
					At least 1 ocular complication	31/80	0.3875	22.01704545
					Cataract	25/80	0.3125	17.75568182
					Glaucoma	22/80	0.275	15.625
					Synechiae	14/80	0.175	9.943181818
					Macular oedema	8/80	0.1	5.681818182
					Band keratopathy	7/80	0.0875	4.971590909
					Epiretinal membrane	3/80	0.0375	2.130681818
					Hypotony	3/80	0.0375	2.130681818
					Phthisis	3/80	0.0375	2.130681818
					Blindness <3/60 - binocular	2/80	0.025	1.420454545
					Blindness <3/60 - monocular	3/80	0.0375	2.130681818
Childhood / jSLE								

=For reproducibility only in academic research and development=

Davis, et al, 2023, USA	F: 571	18.4±3.7 yrs (10-24 yrs)			650		White 367; Black 110; Hispanic 91; Asian 41; Unknown 41
				Depression	117	0.18	
				Anxiety	78	0.12	
				Adjustment disorder	65	0.1	
				Seizure/stroke disorder	52	0.08	
Garf, et al, 2015, Egypt	F: 49	Mean 13.1±3.0 yrs	Mean 3.9±3.0 yrs (range 0.2-12 yrs)		70		
				Vitamin D deficiency	28	0.4	
				Vitamin D insufficiency (≤30/ng/ml)	42	0.6	

=For reproducibility only in academic research and development=

Paim-Marques, et al, 2019, Brazil	F: 61	Mean 17.9±3.07 yrs	Mean 13.56 ± 2.60 yrs (corneal verticillata) 12.63 ± 2.9 (no corneal verticillata)		Mean 5.06 ± 2.04 yrs (with corneal verticillata)		76			
						Visual acuity reduction	25	0.3289474	65.00936135	
						Posterior subcapsular cataracts	4	0.0526316	10.40149782	
						Keratitis	40	0.5263158	104.0149782	
						Crystalline abnormalities	1	0.0131579	2.600374454	
						Corneal vortex keratopathy	16	0.2105263	41.60599126	
Silva, et al, 2015, Brazil	F: 732	Median 14.5 (6–20) yrs, IFI; 17.0 (2–25.9) non- IFI	Median 12.4 (range 5.1–17.2) yrs, IFI; 11.8 (0.2–17.8) non IFI		Median 1.0 (range 0–7.3) yrs, IFI; 4.7 (range 0–23.4) non-IFI		852			White 592/830
						Invasive Fungal Infections (Proven)	22 (split as follows)			
						Candidiasis	13	0.0152582		
						Aspergillosis	6	0.0070423		
						Cryptococcosis	2	0.0023474		
						Histoplasmosis	1	0.0011737		
						Arterial hypertension	119/843	0.1411625		
						Acute renal failure	37/841	0.0439952		
						Chronic renal failure	27/842	0.0320665		

=For reproducibility only in academic research and development=

				Renal replacement Therapy	28/842	0.0332542		
Knight, et al, 2016, USA	F: 805	Mean 14.7 SD 2.0 (10-18 yrs)			970			White 141; African American 410; Latino 265; Other 154
				Depression diagnosis	181	0.1865979		
				Anxiety	72	0.0742268		
				Acute stress/adjustment	60	0.0618557		
				Other psychiatric disorder	175	0.1804124		
				Seizures/stroke	155	0.1597938		
Das Chagas Medeiros, et al, 2016, Brazil	F: 52	Mean 15.5±2.0 yrs	Mean 10.4±6.4 yrs		60			
				Antiphospholipid syndrome	3/49	0.0612245	5.886970173	
				Hypothyroidism	1/37	0.027027	2.598752599	
				Thrombosis	7/60 (split below)			
				Deep vein thrombosis	1	0.0166667	1.602564103	
				Mesenteric artery thrombosis	1	0.0166667	1.602564103	
				CVA	1	0.0166667	1.602564103	
				Pulmonary embolus	1	0.0166667	1.602564103	
				Portal vein thrombosis	1	0.0166667	1.602564103	
				Renal vein thrombosis	1	0.0166667	1.602564103	
				DVT + PE	1	0.0166667	1.602564103	
				Neoplasia	1/58	0.0172414	1.657824934	
				hypertension	27/60	0.45	43.26923077	
				Cardiovascular diseases	3/58 (split below)			
				Congestive heart failure				
				Coronary artery disease				
				Aortic and mitral valve disorder				
				Diabetes	0/60	0	0	

=For reproducibility only in academic research and development=

					Seizure	7/60	0.1166667	11.21794872
					Psychosis	2/60	0.0333333	3.205128205
Frittoli, et al, 2016, Brazil	F: 38	Mean 14.5±2.84 yrs				41		
					Cognitive dysfunction	17	0.4146341	
					Anxiety symptoms	8	0.195122	
					Depression symptoms	1	0.0243902	
Holland , et al, 2018, USA	F: 869	Mean 12.2±3.1 yrs	Mean 3.81±2.98 yrs	Mean 3.8 yrs		1048		
					Ocular			
					Cataracts	4.20%	4.008E-05	0.010546404
					Retinal change	1.70%	1.622E-05	0.004268783
					Neuropsychiatric			
					Cognitive impairment	8.40%	8.015E-05	0.021092808
					Seizures requiring therapy	3.90%	3.721E-05	0.00979309
					Cerebrovascular accident	2.9%/0.4%	0.0069179	1.820510245
					Cranial/peripheral neuropathy	2.40%	2.29E-05	0.006026517
					Transverse myelitis	0.40%	3.817E-06	0.001004419
					Renal			
					End-stage renal disease	1.30%	1.24E-05	0.003264363
					Pulmonary			
					Pulmonary hypertension	0.40%	3.817E-06	0.001004419
					Pleural fibrosis	1.30%	1.24E-05	0.003264363
					Shrinking lung	0.80%	7.634E-06	0.002008839
					Pulmonary fibrosis	0.90%	8.588E-06	0.002259944
					Pulmonary infarction	0%	0	0

=For reproducibility only in academic research and development=

Cardiovascular			
Angina/artery bypass	0.10%	9.542E-07	0.000251105
Myocardial infarction	0.1 / 0.1	0.0009542	0.251104861
Cardiomyopathy	0.90%	8.588E-06	0.002259944
Valvular disease	0.90%	8.588E-06	0.002259944
Pericarditis/pericardiectomy	1.60%	1.527E-05	0.004017678
Peripheral vascular			
Claudication for 6 months	0.30%	2.863E-06	0.000753315
minor tissue loss	2.40%	2.29E-05	0.006026517
significant tissue loss	0.7/0.3%	0.0022265	0.585911343
Venous thrombus swelling, ulcer/stasis	2.50%	2.385E-05	0.006277622
Gastrointestinal			
Bowel infarction or resection	1.3 / 0.3%	0.0041349	1.088121066
Mesenteric insufficiency	0.10%	9.542E-07	0.000251105
Peritonitis	0.20%	1.908E-06	0.00050221
Stricture/upper GI tract surgery ever	0.40%	3.817E-06	0.001004419
Pancreatic insufficiency	0.50%	4.771E-06	0.001255524
Musculoskeletal			
Muscle atrophy/weakness	7.90%	7.538E-05	0.019837284
Deforming/erosive arthritis	4.70%	4.485E-05	0.011801928
Osteoporosis with fracture	2.60%	2.481E-05	0.006528726
Avascular necrosis	2.7 / 1.0	0.0025763	0.677983126
Osteomyelitis	0.40%	3.817E-06	0.001004419
Ruptured tendons	0.10%	9.542E-07	0.000251105
Skin			
Scarring chronic alopecia	9.10%	8.683E-05	0.022850542
Extensive scar/panniculum	1.70%	1.622E-05	0.004268783
Skin ulceration for 6 months	2.70%	2.576E-05	0.006779831
Premature gonadal failure	2%	1.908E-05	0.005022097
Diabetes	0.90%	8.588E-06	0.002259944
Malignancy	0.20%	1.908E-06	0.00050221

=For reproducibility only in academic research and development=

Gad, et al, 2013, Egypt	F: 17	Mean 12.90±2.673 yrs (8-16 yrs)		Mean 4.40±1.875 yrs			20		
						Sensorineural hearing loss (SNHL)	5	0.25	
						Mild Conductive hearing loss (CHL)	2	0.1	
Jongvilaikasem and Rianthavorn, 2021, Thailand	F: 87	Mean 11.3 ± 2.4 yrs			26 months		97		
						Short final height	22	0.2268041	104.6788263
						Mild CKD	88	0.9072165	418.7153053
						Advanced CKD	9	0.0927835	42.82315623
AlAhmed, et al, 2020, USA	F: 306	Mean 11.39±3.8 yrs	Mean 12.04±3.62 year (Age first seen by paediatric rheumatologist)				386			Hispanic 102; Non-Hispanic 283, White 216, African American 105, Asia 33, Other 13
						Cerebrovascular accident	2	0.0051813	
						Cranial nerve disease	1	0.0025907	
						Renal dialysis	3	0.007772	

=For reproducibility only in academic research and development=

			Arterial thrombosis	3	0.007772	
			Venous thrombosis	10	0.0259067	
			Avascular necrosis	5	0.0129534	
			Autoimmune thyroiditis	10	0.0259067	
			Coeliac disease	1	0.0025907	
			T1DM	1	0.0025907	
			Other autoimmune disorder	22	0.0569948	
			Pulmonary hypertension	0	0	
			Coronary heart disease	0	0	
			Renal transplant	0	0	
Karve, S. et al, 2012, USA	0-15 yrs	18 months		71		
			Asthma	8	0.1126761	75.11737089
			Atopic dermatitis	2	0.028169	18.77934272
			Allergic rhinitis	6	0.084507	56.33802817
			General diabetes	1	0.0140845	9.389671362
			Rheumatoid arthritis	14	0.1971831	131.4553991
			Multiple sclerosis	1	0.0140845	9.389671362

=For reproducibility only in academic research and development=

					Thyroiditis	1	0.0140845	9.389671362
					Fracture in post-index period	4	0.056338	37.55868545
					Psoriasis	0	0	0
					Type 1 diabetes	0	0	0
					Other CNS demyelinating disease	0	0	0
					Vitiligo	0	0	0
					Grave's disease	0	0	0
Ye, Q., et al, 2021, China	F: 82	Median age 169.02 months (range 31.00-220.53)	133.83, range (27.70–202.83) months	28.00, range (0–144.00) months		107		
					Cataracts	21	0.1962617	
					Steroid-induced osteonecrosis of femoral head	3	0.0280374	
					Osteoporosis	5	0.046729	
					Short stature	8	0.0747664	

=For reproducibility only in academic research and development=

					Obesity	7	0.0654206		
					Diabetes	6	0.0560748		
					HDL resistance	1	0.0093458		
					Upper respiratory tract infection	11	0.1028037		
					Pneumonia	13	0.1214953		
					EB virus infection	15	0.1401869		
					Progressive systemic sclerosis	1	0.0093458		
					Secondary Sjogren	6	0.0560748		
					Juvenile rheumatoid arthritis	1	0.0093458		
					Antiphospholipid syndrome	2	0.0186916		
Cann, et al, 2022, Australia	F: 37		*12.5 yrs (mean) 13 yrs (median)*	Mean 4.3 yrs , IQR (2.5–6.1) yrs		42			Caucasian 16, Indigenous Australian 11, Asian 10, Other 5
					Cataract	2	0.047619	11.07419712	
					retinal change	2	0.047619	11.07419712	
					CVA	3	0.0714286	16.61129568	
					Significant tissue loss	1	0.0238095	5.53709856	
					Venous thrombosis	1	0.0238095	5.53709856	
					Muscle weakness	1	0.0238095	5.53709856	
					AVN	1	0.0238095	5.53709856	
					Scarring alopecia	2	0.047619	11.07419712	
					Diabetes	1	0.0238095	5.53709856	
					Growth failure	3	0.0714286	16.61129568	
					Delayed puberty	1	0.0238095	5.53709856	
					Premature gonadal failure	0	0	0	
					Malignancy	0	0	0	
Medhat, et al, 2020, Egypt	F: 86	Mean 12.7 ±2.6 yrs (range 6–16)	Mean 9.9±2.5, range (4–15) yrs	Median 24, IQR (12–48) months		106			

=For reproducibility only in academic research and development=

					Osteoporosis	6	0.0566038	
					Hypothyroidism	2	0.0188679	
					Diabetes mellitus	4	0.0377358	
					Hypertension	31	0.2924528	
					Hepatitis C virus infection	5	0.0471698	
					Chronic kidney disease	5	0.0471698	
					End-stage renal disease	1	0.009434	
					Avascular necrosis	1	0.009434	
					Sicca manifestations	2	0.0188679	
					Ischaemic heart disease	0	0	
					CVA	0	0	
					Malignancy	0	0	
Aggarwal, et al, 2018, India	F: 250	≤ 18 yrs	Median 14 yrs range (1-17)	Median 3.5 yrs, Range (0.25-28 yrs) (248 patients); 25 patients were not followed up		273		
					Cushingoid habitus	35	0.1282051	36.63003663
					Growth retardation	32	0.1172161	33.4903192
					Avascular necrosis	9	0.032967	9.419152276
					Cataract	8	0.029304	8.372579801
					Osteopenia	10	0.03663	10.46572475
					Infection	72	0.2637363	75.35321821
					Hypertension	42	0.1538462	43.95604396
					DVT	8	0.029304	8.372579801

=For reproducibility only, academic research and development=

						Pulmonary thromboembolism	2	0.007326	2.09314495	
						Stroke	3	0.010989	3.139717425	
						Renal vein thrombosis	1	0.003663	1.046572475	
Al-Mayouf, et al, 2008, Saudi Arabia	F: 76	F 14.4±3.9 yrs, male 15.8±4.4 yrs (mean)	Mean 9.3±2.8 yrs(F); 10±2.5 yrs (M)	F 66.5 ± 39.2 months, Male 76.2 ± 56.4 months, median 5 yrs	F 60.5 ± 38 months, Male 69.1 ± 57.5 months		89			
						Diabetes	1	0.011236	0.185718265	
						Malignancy	0	0	0	
						Dialysis + transplant (ESRD)	5	0.0561798	0.928591327	
						Premature gonadal failure	0	0	0	
						Transverse myelitis	2	0.0224719	0.371436531	
						Pyoderma gangrenosum	1	0.011236	0.185718265	
						Pancreatic pseudocyst	1	0.011236	0.185718265	
Costagliola, et al, 2018, Italy	F: 24		Mean 14.6 ± 1.6 yrs		Mean 14.17 ± 8.04 yrs (1 patient excluded)		25			Caucasian 24, Hispanic 1
						Renal damage (including nephrotic syndrome or ESRD)	9	0.36	25.40578687	
						Vascular involvement (including DVT or ischaemic arterial lesions)	7	0.28	19.76005646	
						Nervous system involvement (with ischemic stroke, cranial neuropathies and cerebral vasculitis)	4	0.16	11.29146083	

=For reproducibility only. For academic research and development=

					Cutaneous damage (chronic non-scarring alopecia)	3	0.12	8.468595625	
					Myositis	1	0.04	2.822865208	
					Acute myocardial infarction	1	0.04	2.822865208	
					Pulmonary (restrictive syndrome and pulmonary heart)	1	0.04	2.822865208	
					CMV reactivation	3	0.12	8.468595625	
					Herpes zoster reactivation	2	0.08	5.645730416	
					Severe EBV infection	1	0.04	2.822865208	
					Mycobacterium tuberculosis infection	1	0.04	2.822865208	
					ESRD	3	0.12	8.468595625	
					Requiring dialysis	1	0.04	2.822865208	
					Multi-infarct encephalopathy	1	0.04	2.822865208	
Torrente-Segarra, et al, 2017, Spain	F: 435	Mean 31.5±10.5 Median 30 range (24-28) yrs Childhood	Mean 16.6 ± 6.3 yrs, median 16 (13-18)	Mean 10.7±7.2 yrs		484			Caucasian 441
					Articular				
					Erosive arthritis	40	0.0826446		
					Atrophy, muscle weakness	15	0.0309917		
					Tendon rupture	5	0.0103306		
					Osteoporosis	15	0.0309917		
					Fibromyalgia	11	0.0227273		
					Avascular necrosis	1.6 ± 0.62 (1-2)			
					Pulmonary embolism	11	0.0227273		
					Lung fibrosis	6	0.0123967		

=For reproducibility only in academic research and development=

Pulmonary hypertension	8	0.0165289
Alveolar haemorrhage	6	0.0123967
Shrinking lung	4	0.0082645
Pleural fibrosis	1	0.0020661
Pulmonary infarction	1	0.0020661
Vascular disease	25	0.0516529
Valvular dysfunction	19	0.0392562
Libman-Sachs Endocarditis	8	0.0165289
Cardiomyopathy	7	0.0144628
Angina or cardiac bypass	6	0.0123967
Myocarditis	3	0.0061983
Heart attacks	1.1± 0.01 (1-1)	
Small tissue loss	22	0.0454545
Major tissue loss	3	0.0061983
Venous thrombosis	3	0.0061983
Intermittent claudication >6 months	1	0.0020661
Renal terminal failure	27	0.0557851
Seizures (requiring therapy for 6 months)	46	0.0950413
Cognitive impairment/ Psychosis	21	0.0433884
Neuropathy	13	0.0268595
Transverse myelitis	3	0.0061983
Strokes	1.2±0.61 (1-1)	
Cataract	31	0.0640496
Retinopathy	22	0.0454545
Amenorrhoea <40	22 (51.2%)	0.0454545
Dyslipidaemia	104	0.214876
High blood pressure	100	0.2066116
Autoimmune thyroiditis	31	0.0640496
Alcoholism	14	0.0289256

=For reproducibility only in academic research and development=

						Congestive heart failure	8	0.0165289	
						Diabetes mellitus with organ involvement	8	0.0165289	
						Diabetes mellitus without organ involvement	0	0	
						Chronic obstructive pulmonary disease	7	0.0144628	
						Peripheral arterial disease	3	0.0061983	
						Malignancy Solid without metastasis	15	0.0309917	
						Malignancy Solid with metastasis	0	0	
						Leukaemia	1	0.0020661	
						Lymphoma	2	0.0041322	
						Dialysis	23	0.0475207	
						Kidney transplantation	15	0.0309917	
						Splenectomy	14	0.0289256	
Ponin, et al, 2022, Thailand	F: 87	Mean 20.6 ± 3.0 yrs	Mean 12.1 ± 2.3 yrs	Mean 5.5 ± 2.7 yrs			106		
						Growth impairment	25	0.2358491	
Avar Aydin, et al, 2018, USA	F: 87		Mean yrs 13.2±3.1		Median 29.5 months (IQR 6.0–55.2)		110		Caucasian 54; African American 39; Asian 8; Other 9
						Hypertension	22	0.2	81.3559322
						Obesity	19	0.1727273	70.26194145
						Dyslipidaemia	14	0.1272727	51.77195686
Ahluwalia, et al, 2014, India	F: 17				Mean 82 months (range 9–210 months)		21 (27 patients initially, 6 lost to follow up)		

=For reproducibility only in academic research and development=

					Thrombosis	3 (split below)	
					Cerebral infarct (death)	1	0.047619	6.968641115
					Pulmonary thromboembolism (death)	1	0.047619	6.968641115
					Spinal infarct	1	0.047619	6.968641115
Sinicato, et al, 2017, Brazil	F: 37	16.7 ± 4.0 (mean)		Mean 4.8 ± 4.1 yrs		41		
					iglyceridemia	11	0.268	
					Insulin resistance	2	0.049	
					Arterial hypertension	4	0.097	
					Albumin Exretion	5	0.122	
					high LDL-c levels	19	0.463	
					hypercholesterolemia	8	0.195	
Cabral, et al, 2013, Portugal	F: 46		Mean 12.6±4.04 yrs Median 13.5 range (1-17)	Mean 5.5±5.4 yrs Median 4 range (0-24)		56		
					Cataract	4	0.0714286	12.98701299
					Epilepsy	3	0.0535714	9.74025974
					Obesity	25	0.4464286	81.16883117
					Cardiac failure	2	0.0357143	6.493506494
					Arterial hypertension	5	0.0892857	16.23376623
					Avascular necrosis	1	0.0178571	3.246753247
					Growth delay	3	0.0535714	9.74025974
					Osteoporosis	5	0.0892857	16.23376623

=For reproducibility only. Academic research and development=

				Gastrointestinal tract bleeding	1	0.0178571	3.246753247
				Macrophage activation syndrome	2	0.0357143	6.493506494
				Infection	6 (split below)		
				Pneumonia	2	0.0357143	6.493506494
				Sepsis	1	0.0178571	3.246753247
				Bacterial endocarditis	1	0.0178571	3.246753247
				Cellulitis	3	0.0535714	9.74025974
				Cognitive impairment	4	0.0714286	12.98701299
				End stage renal disease	2	0.0357143	6.493506494
				Vascular thrombosis	5 (split below)		
				Cerebrovascular (thrombosis)	4	0.0714286	12.98701299
				Cerebral hemorrhage	2	0.0357143	6.493506494
				Myocardium infarct	1	0.0178571	3.246753247
				Epilepsy	3	0.0535714	9.74025974
Bernatsky, et al, 2017, North America	F: 978	Mean 13±3.3 yrs	Mean 7.6 yrs, SD 6.4 yrs, IQ 3.4-10.0 yrs/8839 PY		1168		
				Non-Hodgkin lymphoma	3	0.0025685	0.337959625
				Head and neck squamous cell carcinomas (tongue and nasopharynx)	2	0.0017123	0.225306417
				Glioblastoma	1	0.0008562	0.112653208
				Thyroid cancer (papillary adenoma)	1	0.0008562	0.112653208
				Breast cancer (infiltrating duct carcinoma)	1	0.0008562	0.112653208

=For reproducibility only in academic research and development=

				Adenocarcinoma not otherwise specified	1	0.0008562	0.112653208	
				Cancers whose morphology and histology codes were indeterminate	3	0.0025685	0.337959625	
Yang, et al, 2015, Canada	F: 30 (AVN), F: 82 (non-AVN)	Mean 13.8 ± 2.5 (AVN), 13.8 ± 2.4 (non-AVN)	Mean 6.89 ± 5.39 yrs (AVN), 5.72 ± 5.09 yrs (non-AVN)		617			AVN: South Asian 10; *Other Asian 9; Black 9; White 8; Other 1. Non- AVN: South Asian 10, Other Asian 30, Black 12, WhIte 40, Hispanic 1 Other 13, Unknown 5
				Symptomatic Avascular Necrosis (AVN)	37	0.0599676	8.703568228	
Lin, et al, 2018, Taiwa		Mean 12.9±3.12 yrs (range 6-18 yrs)	mean 6 yrs		35			
				Vitamin D deficiency	28	0.8	133.3333333	

=For reproducibility only in academic research and development=

Kahwage, et al, 2017, Brazil	F: 6/7 (uveitis)	≤25 yrs, Median 10.4 range (8.8 - 14.5) (Uveitis)				852	
					Uveitis	7	0.008216
					Cataracts & bilateral irreversible blindness	1	0.0011737
					Unilateral blindness	1	0.0011737
Lai, et al, 2022, China	F: 95	Age at enrolment - Girls mean 14.4 (SD 3.4), Boys mean 13.9 (SD 5.0)		Girls mean 6.6 (SD 4.1) Boys mean 5.2 (SD 4.0)		115	
					Hypertension	22	0.1913043
					Chronic kidney disease	14	0.1217391
Adulthood / jSLE							
Al Hamzi, et al, 2014, Saudi Arabia	F: 45	Mean 23.6±4 yrs	Mean 10.3±6 yrs	Mean 15±4 yrs		48	
					Growth retardation/Short stature	24	0.5
					Delayed puberty	13	0.2708333
					Renal disease	12 (as split below)	

=For reproducibility only in academic research and development=

					Progressive renal disease and required dialysis	7	0.1458333	
					Renal transplant	5	0.1041667	
					Neuropsychiatric	9	0.1875	
					Cardiovascular	6	0.125	
					Musculoskeletal	9	0.1875	
					Skin	2	0.0416667	
					Seizure disorder	6	0.125	
					Chorea	3	0.0625	
					Cerebrovascular accident	3	0.0625	
					Miscarriage	4	0.0833333	
Tanigava, et al, 2022, Brazil	F: 65	Median 21 yrs (IQR 20-26)	Median 14 IQR 12-16	Median 9 yrs IQR 6-14		69		White 35; Black 31; Asian 3

=For reproducibility only in academic research and development=

Mental disorders	16	0.2318841
Obesity	14	0.2028986
Thyroid diseases	7	0.1014493
Fibromyalgia	6	0.0869565
Antiphospholipid syndrome	56	0.8115942
Osteoporosis and osteoporotic fracture	5	0.0724638
Hypertension	5	0.0724638
Cerebrovascular disease	4	0.057971
Allergic disorders	4	0.057971

=For reproducibility only in academic research and development=

Gastrointestinal diseases	4	0.057971
Valvular disease	4	0.057971
Chronic kidney disease	3	0.0434783
Diabetes mellitus	2	0.0289855
Dyslipidaemia	2	0.0289855
Retinal change or optic atrophy	5	0.0724638
Cataract	2	0.0289855
Cognitive impairment or major psychosis	3	0.0434783
Seizures requiring therapy for ≥6 months	2	0.0289855
Cerebrovascular accident	3	0.0434783
Cranial or peripheral neuropathy	3	0.0434783
Transverse myelitis	0	0
End-stage renal disease	3	0.0434783
Pulmonary hypertension	0	0
Pulmonary fibrosis	2	0.0289855
Shrinking lung	0	0
Pleural fibrosis	0	0
Pulmonary infarction	0	0
Angina or coronary artery bypass	0	0
Myocardial infarction	0	0
Cardiomyopathy	0	0

=For reproducibility only in academic research and development=

					Pericarditis or pericardiectomy	0	0	
					Venous thrombosis	1	0.0144928	
					Infarction or resection of bowel	1	0.0144928	
					Mesenteric insufficiency	0	0	
					Chronic peritonitis	0	0	
					Stricture or upper gastrointestinal tract surgery	0	0	
					Pancreatic insufficiency	1	0.0144928	
					Muscle atrophy or weakness	0	0	
					Deforming or erosive arthritis	0	0	
					Osteoporosis with fracture or vertebral collapse	2	0.0289855	
					Avascular necrosis	2	0.0289855	
					Osteomyelitis	0	0	
					Ruptured tendon	0	0	
					Scarring chronic alopecia	0	0	
					Extensive scarring	1	0.0144928	
					Skin ulceration (excluding thrombosis)	4	0.057971	
					Premature gonadal failure	0	0	
					Diabetes requiring therapy	0	0	
					Malignancy	0	0	
Hersh, et al,2009, USA	F: 78	Mean 30.5±12.8 yrs	14.0 +/-2.7 range (2–17)	Mean 16.5 yrs +/- 8.5 (range 3-47)		90		White 48.9%; Asian/Pacific Islander 16.7%; Hispanic/Latino 15.6 %; African American
					Pulmonary	23.60%	0.236	
					Clotting disorders	11.30%	0.113	
					Seizures	23.60%	0.236	
					Myocardial infarction	7.90%	0.079	
					Transplant	12.4	0.1377778	

=For reproducibility only in academic research and development=

						Dialysis	19.1	0.1377778		7.8%; Other 11%
Sousa, et al, 2016, Portugal	F: 77	Mean 25.1 ± 9.1 yrs	13.4 ± 5.5				89			Caucasian 78, African 3, Others 4
						Hypertension	17	0.1910112		
						Diabetes	3	0.0337079		
						Hypercholesterolemia	2	0.0224719		
						Thyroid disease	3	0.0337079		
						Antiphospholipid syndrome	10	0.1123596		
						Sjögren's syndrome	2	0.0224719		
Koutsonikoli, et al, 2015, Greece	F: 39	Mean 22±7.8 yrs at the end of follow up	Mean 12.5 ± 3.1 (SD)	Median 7.4 yrs and IQR (3.9–14.2) yrs	440 person-yrs (people*avg follow up time)		47			All Caucasians
						Cataract	4	0.0851064	0.193423598	
						Retinopathy	1	0.0212766	0.048355899	
						Optic atrophy	1	0.0212766	0.048355899	
						Cataract and retinopathy	1	0.0212766	0.048355899	
						Seizures	2	0.0425532	0.096711799	
						Cognitive impairment and seizures	1	0.0212766	0.048355899	
						Major psychosis and seizures	1	0.0212766	0.048355899	
						Cerebral vascular accident	1	0.0212766	0.048355899	
						Transverse myelitis	1	0.0212766	0.048355899	
						Single venous thrombosis	5	0.106383	0.241779497	

=For reproducibility only, academic research and development=

					Significant tissue loss and venous thrombosis	1	0.0212766	0.048355899
					Avascular necrosis	3	0.0638298	0.145067698
					Persistent impairment of renal function or end-stage renal disease	0	0	0
					Pulmonary fibrosis	1	0.0212766	0.048355899
					Pulmonary infarction	1	0.0212766	0.048355899
					Premature gonadal failure	3	0.0638298	0.145067698
					Delayed growth	6	0.1276596	0.290135397
Gamal, et al, 2022, Egypt	F: 163	25 yrs (median); range, 20 to 30.3 yrs	14 (median) (range 12-15)	12 yrs (median); (range, 6.75 to 17.25) yrs		186		
					Hypertension	82	0.4408602	
					Diabetes mellitus	12	0.0645161	
					Dyslipidaemia	75	0.4032258	
					Thyroid dysfunction	10	0.0537634	
					Malignancy	1	0.0053763	
					Osteoporosis	27/150	0.18	
					Avascular necrosis	23	0.1236559	
					End stage renal disease	17	0.0913978	
					Thrombosis	22	0.1182796	
					Raynaud's phenomenon	51	0.2741935	
					Pulmonary hypertension	24	0.1290323	
Groot, et al, 2019, Netherlands	F: 101	Median 33 yrs (range 18-65)	14 (range 4-17)	Median 20 yrs range (1-55 yrs)		111		White 80, Non-White 31
					Muscle atrophy or weakness	1	0.009009	
					Deforming or erosive arthritis	10	0.0900901	
					Osteoporosis with fracture	6	0.0540541	

=For reproducibility only in academic research and development=

Avascular necrosis	14	0.1261261
Osteomyelitis	1	0.009009
Ruptured tendon	1	0.009009
Cognitive impairment or psychosis	12	0.1081081
Seizures	10	0.0900901
CVA	7	0.0630631
Cranial or Peripheral Neuropathy	4	0.036036
Transverse Myelitis	0	0
ESRD	8	0.0720721
Claudication	0	0
Minor tissue loss	0	0
Significant tissue loss	4	0.036036
Venous thrombosis	8	0.0720721
Scarring alopecia	8	0.0720721
Scarring/ panniculum	0	0
Skin ulceration	3	0.027027
Cataracts	8	0.0720721
Retinal change	3	0.027027
Angina/bypass	4	0.036036
MI	5	0.045045
Cardiomyopathy	1	0.009009
Valvular disease	2	0.018018
Pericarditis	0	0
PAH	1	0.009009
Pulmonary fibrosis	4	0.036036
Shrinking lung	1	0.009009
Pleural Fibrosis	0	0
Pulmonary Infarction	0	0
Infarction or resection of bowel	4	0.036036

=For reproducibility only in academic research and development=

					Mesenteric insufficiency	0	0		
					Chronic peritonitis	0	0		
					Stricture or upper GI surgery	0	0		
					Pancreatitis	0	0		
					Premature gonadal failure	2	0.018018		
					Malignancy	2	0.018018		
					IDDM	1	0.009009		
Sinicato, et al, 2017, Brazil	F:32					35			
					Low HDL-cholesterol	5	0.143		
					Hypertriglyceridemia	6	0.171		
					Insulin Resistance	0	0.00		
					Arterial Hypertension	4	0.14		
					Albumin excretion	4	0.114		
Childhood / JDM									
Huber, et al, 2000, Canada	F: 46	Median 13 (range 7-26)	Median 5.8 yrs Range (1-16)	Median 7.2 yrs range (3.2 - 13.9 yrs)		65			Caucasian 56; Asian 7, African Canadian 1, Indian 1
					Calcinosis	22	0.3384615	47.00854701	
					Insulin-dependent diabetes mellitus	3	0.0461538	6.41025641	
					Connective tissue diseases	2 (split below)			
					Scleroderma	1	0.0153846	2.136752137	
					Overlap connective tissue disease	1	0.0153846	2.136752137	
					Malignancies	0	0		

=For reproducibility only in academic research and development=

Cho, et al, 2019, Korea	F: 68	Mean 12.7 ± 7.1 yrs		10 yrs		130	
					Congestive heart failure	1	0.0076923	0.769230769
					Cardiac arrhythmias	1	0.0076923	0.769230769
					Valvular disease	1	0.0076923	0.769230769
					Pulmonary circulation disorders	2	0.0153846	1.538461538
					Peripheral vascular disorders	3	0.0230769	2.307692308
					Hypertension, uncomplicated	5	0.0384615	3.846153846
					Hypertension, complicated	2	0.0153846	1.538461538
					Paralysis	3	0.0230769	2.307692308
					Other neurological disorders	2	0.0153846	1.538461538
					Chronic pulmonary disease	36	0.2769231	27.69230769
					Diabetes, uncomplicated	8	0.0615385	6.153846154
					Diabetes, complicated	2	0.0153846	1.538461538
					Renal failure	1	0.0076923	0.769230769
					Liver disease	15	0.1153846	11.53846154
					Peptic ulcer disease excluding bleeding	15	0.1153846	11.53846154
					AIDS/HIV	1	0.0076923	0.769230769
					Solid tumour without metastasis	1	0.0076923	0.769230769
					Coagulopathy	4	0.0307692	3.076923077
					Weight loss	1	0.0076923	0.769230769
					Fluid and electrolyte disorders	8	0.0615385	6.153846154
					Deficiency anaemia	17	0.1307692	13.07692308
					Depression	6	0.0461538	4.615384615
					Pulmonary disease specified			
					Interstitial lung disease	2	0.0153846	1.538461538

=For reproducibility only in academic research and development=

Concannon and Han, 2021, New Zealand	F: 18	≤15 yrs		Mean 8.6 yrs SD 3.7 yrs		Mean 6.5, range (0.4–16.7) yrs		31			Asian 5. Maori 7, pacific island 3, European 16
							Calcinosis	9	0.2903226	44.66501241	
							Cutaneous vasculopathy	5	0.1612903	24.81389578	
							Interstitial lung disease	6	0.1935484	29.77667494	
							Pneumomediastinum	2	0.0645161	9.925558313	
							Pneumothorax	3	0.0967742	14.88833747	
							Surgical emphysema	1	0.0322581	4.962779156	
Okong'o, et al, 2016, South Africa	F: 16		Median 6.75, range (2.0–9.7) yrs	Median 7.9 , range (3.4 – 9.75) year	median 4, range (0.5-84) months	Minimum of 12 months, median 55.5 months (inactive disease) 49.1 months (active disease)		25			Indigenous African 13, mixed race 11, European ancestry 1
							Skin				
							Calcinosis	8	0.32		
							Skin ulcers	1	0.04		
							Oedema (Generalized, Periorbital or limb)	0	0		
							Alopecia	3	0.12		
							Lipodystrophy	1	0.04		
							Musculoskeletal:		0		
							Arthritis	2	0.08		
							Contractures	5	0.2		

=For reproducibility only in academic research and development=

				Osteoporosis with fracture	1	0.04
				Endocrine:		0
				Growth failure	8	0.32
				Diabetes mellitus	1	0.04
				Adrenal insufficiency	0	0
				Respiratory:		0
				Interstitial lung disease (ILD)	2	0.08
				Pulmonary haemorrhage	1	0.04
				Gastrointestinal:		0
				Abdominal pain or bleeding	0	0
				Ocular:		0
				Cataracts	2	0.08
				Nervous system:		0
				Sensorineural hearing loss	1	0.04
				Seizures, neuropathy		0
				Cardiovascular		0
				Raynaud's phenomenon	6	0.24
				Cardiomyopathy	0	0
				Infections:		0
				Fungal (skin)	7	0.28
				Bacterial (staph aureus 2, gram negative 1)	3	0.12
				TB	2	0.08
Ravelli, A. et al, 2010, Italy, UK	F: 321	Mean 6.9, range (0.9–17.8) yrs	Mean 7.7, range (2–25.2) yrs		490	White 320
				Cutaneous scarring/atrophy	195/443	0.4401806
				Calcinosis	106/406	0.2610837
				Joint contractures	82/448	0.1830357
				Lipodystrophy	43/444	0.0968468
				Hirsutism	44/431	0.1020882
				Growth failure	34/424	0.0801887

=For reproducibility only in academic research and development=

					Osteoporosis with fractures	26/435	0.0597701		
					Cataract	9/430	0.0209302		
					Gastrointestinal infarction/resection	7/444	0.0157658		
					Malignancy	0/447	0		
Tabarki, et al, 1998, France	F: 22	Mean 6.9 yrs (range 2-14 yrs)		Mean 4.9 yrs (range: 2.5-13 yrs)		36			
					Calcinosis	15	0.4166667	85.03401361	
					Impaired function	8	0.2222222	45.35147392	
					Cataracts	1	0.0277778	5.66893424	
					Vertebral collapse	2	0.0555556	11.33786848	
					Contractures	1	0.0277778	5.66893424	
Chevalier, et al, 2021, France	F: 4	Median 6 yrs range 2-11 yrs	Median 5.5 months	Mean 14.9±8.8 yrs		7			Caucasian 100%
					Polycystic ovary syndrome	1	0.1428571	9.587727709	
					Depressive disorder	1	0.1428571	9.587727709	
					mild physical dysfunction (CHAQ/HAQ >0)	2	0.2857143	19.17545542	
					Calcinosis	2	0.2857143	19.17545542	
					Lipodystrophy	2	0.2857143	19.17545542	
					Osteopenia/osteoporosis	0	0	0	
					Cardiovascular damage	0	0	0	
					Peripheral vascular damage	0	0	0	

=For reproducibility only in academic research and development=

					Ocular damage	0	0	0
					Malignancy	0	0	0
					Fracture	0	0	0
					Moderate or severe disability CHAQ/HAQ>1	0	0	0
Al-Mayouf, et al, 2017, Saudi Arabia	F: 58	Mean 6 ± 3 yrs		Mean 5 ± 4.4 yrs		92		
					Permanent skin changes	16	0.173913	34.7826087
					Residual muscle weakness	12	0.1304348	26.08695652
					Calcinosis	27	0.2934783	58.69565217
					Growth failure	37	0.4021739	80.43478261
					Osteoporosis	15	0.1630435	32.60869565
					Lipodystrophy	3	0.0326087	6.52173913
					Mucinous cystic ovarian tumour	1	0.0108696	2.173913043
Sag, et al, 2021, Turkey	F: 35	Mean 8.1±4.3 yrs	Mean 8.7±4.4	Median 4.85 yrs IQR 3.7, Mean 5.66±3.59 yrs		58		
					Calcinosis	19	0.3275862	67.54354781
					Pulmonary involvement	8	0.137931	28.43938855
					Skin ulcers	4	0.0689655	14.21969428
					Gastrointestinal involvement	4	0.0689655	14.21969428
					Severe muscle disease (wheel-chair dependency)	3	0.0517241	10.66477071
					Cardiac involvement	2	0.0344828	7.109847138
Ramanan, et al, 2005, Canada								

=For reproducibility only, an academic research and development=

	F: 20		Mean 8.4 yrs	Mean 34.6 months	JDM patients after June 1997	31			Black 2; East Indian 4; Native Canadian 1; Asian 1; White 23
					Calcinosis	2	0.0645161	22.37553608	
					Cataracts	3	0.0967742	33.56330412	
	F:16		6.7 yrs (mean)	4 yrs (1056 patient months)	JDM patients pre-June 1997	22			Black 1; East Indian 1; Native Canadian 1; Asian 2; White 17
					Calcinosis	5	0.2272727	56.81818182	
					Cataracts	8	0.3636364	90.90909091	
Sun, et al, 2015, Taiwan	F: 26	Mean 81.97 ± 46.63 months (25-216)	Mean 87.97± 45.90 months (28-213)	For those receiving IVIG: Mean 79 months		39			
					Calcinosis	15	0.3846154		
					Pulmonary involvement	4	0.1025641	Follow up time and cases were not reported coherently. Hence, no incidence rate was calculated	
					Malignancy	0	0		
					Disability	4	0.1025641		
					GI perforation	1	0.025641		

=For reproducibility only in academic research and development=

					Avascular necrosis of the hip joint	1	0.025641	
Silverberg et al. (2018), USA[7]	F: 915	0-17				1407		White 543; Black 203; Hispanic 260; Asian 19; Multiracial /other 71
					Obesity	38	0.0270078	
					Hypertension	119	0.0845771	
					Diabetes, uncomplicated	18	0.0127932	
					Late effects of cerebrovascular disease	≤10	≤10/1407	
					Pulmonary circulatory disorder	15	0.010661	
					Valvular heart disease	17	0.0120824	
					Peripheral and visceral atherosclerosis	≤10	≤10/1407	
					Any lipid abnormalities	≤10	≤10/1407	
					Lipodystrophy	≤10	≤10/1407	
					Personal history of TIA and cerebral infarction without residual deficits	≤10	≤10/1407	
					Arrythmia	47	0.0334044	
					Valvular heart disease	17	0.0120824	
Adulthood / JDM								
Boros et al. (2022), UK[8]	F:68	Mean 20.6 yrs ±3.9 (SD)	Mean 9.2 yrs ± 4.3 (SD)	Mean 12.4 yrs ± 5.0		84		White 69
					Feel shorter than peers	20 /80	0.25	
					Feel weight was affected by myositis	25/80	0.3125	
					Puberty affected by myositis	16/80	0.2	
					Calcinosis	18/82	0.225	

=For reproducibility only in academic research and development=

						Lipodystrophy	6/82	0.0731707	
						Pulmonary hypertension	2/83	0.0240964	
Mathiesen et al. (2014), Denmark[9]	F: 37	Mean 21.7 yrs (SD 11.1) (Range 4.2-45.9) (Non-restrictive lung); 14.2 (4.4) (10.0-19.7) (restrictive lung)	Mean 7.7 yrs (SD 4.7) (Range 1.4-17.8) (non-restrictive lung); 7.7 (4.2) (1.5-10.5) (restrictive lung)		Mean 4.2 yrs (SD 2.9) (Range 0.610.6) (non-restrictive lung); 5.3 (2.5) (2.6-8.5) (restrictive lung)	Mean 14.3 yrs (SD 10.7) (Range 1.1-35.1) (non-restrictive lung); 6.5 (3.0) (2.6-9.2) (restrictive lung)		51			
						Restrictive interstitial lung disease	4	0.0784314	12.06636501	
						Obstructive lung function pattern	7	0.1372549	9.598244892	
Tsaltskan et al. (2020), USA[10]	F: 39	Median 24.0 yrs (IQR 19.0-28.6) yrs		Median 11.0 (IQR 8.5-15.7)	median 11.5 yrs (IQR 4.5-18.9) yrs			49			Caucasian 59.2%, African American 11.1% , Hispanic 17.7%, Other 12.0%
						Cutaneous Damage:					
						Cutaneous scarring or atrophy	28	0.5714286		
						Calcinosis	27	0.5510204		
						Lipodystrophy	16	0.3265306		
						Alopecia	8	0.1632653		
						Poikiloderma	6	0.122449		
						Skeletal Damage:				
						Joint Contracture	31	0.6326531		

=For reproducibility only in academic research and development=

						Deforming Arthropathy	8	0.1632653
						Osteoporosis with fracture	4	0.0816327
						Avascular Necrosis	2	0.0408163
						Endocrine Damage:		
						Irregular Menses	10/40	0.25
						Hirsutism	7/40	0.175
						Diabetes	6	0.122449
						Amenorrhea	4/40	0.1
						Infertility	1	0.0204082
						Pulmonary Damage:		
						Impaired lung function	7	0.1428571
						Dysphonia	4	0.0816327
						Pulmonary Fibrosis	1	0.0204082
						Ocular Damage:		
						Cataract	4	0.0816327
						Vision Loss	3	0.0612245
						Gastrointestinal Damage:		
						Dysmotility	5	0.1020408
						Dysphagia	3	0.0612245
						Infection:		
						Chronic Infection	5	0.1020408
						Multiple Infections	4	0.0816327
						Cardiovascular Damage:		
						Hypertension	4	0.0816327
						Peripheral Vascular Damage:		
						Tissue or pulp loss	4	0.0816327
						Digit or limb loss	1	0.0204082
						Malignancy	1	0.0204082
							53	
Mathiesen et al. (2012), Denmark[11]	F: 38	Mean 21.5 yrs SD 11.1 Range 4.2-45.9)		Mean 4.3 yrs SD 2.9 range (0.6-10.6)	Mean 13.9 SD 10.5 (range 2.1–35.1) yrs			

=For reproducibility only in academic research and development=

Deforming arthropathy	1	0.0188679	1.357404642
Pulmonary fibrosis	3	0.0566038	4.072213927
Growth failure	6/49	0.122449	8.809279107
Diabetes	1	0.0188679	1.357404642
Scarring or atrophy	21	0.3962264	28.50549749
Calcinosis	11	0.2075472	14.93145107
Lipodystrophy	7	0.1320755	9.501832496
Tissue or pulp loss	1	0.0188679	1.357404642
Alopecia, poikiloderma	0	0	0
Joint contractures	11	0.2075472	14.93145107
Osteoporosis/osteopenia estimated by DXA	5	0.0943396	6.787023212
Osteoporotic fractures	2	0.0377358	2.714809285
Delay in secondary sexual characteristics*	3/14	0.2142857	15.41623844
Hypertriglyceridemia	9	0.1698113	12.21664178
Hirsutism, irregular menses, amenorrhoea	0	0	0
Paraesthesia	2	0.0377358	2.714809285
Arthritis	3	0.0566038	4.072213927
Impaired pulmonary function test	4	0.0754717	5.429618569
Pulmonary hypertension	0	0	0
Severe abdominal pain	3	0.0566038	4.072213927
Dysphagia, gastrointestinal dysfunction	1	0.0188679	1.357404642
Gastrointestinal surgery	1	0.0188679	1.357404642
Hypertension, cardiomyopathy, angina, myocardial infarction	0	0	0
Tissue or pulp loss, claudication	0	0	0
Cataract, visual loss	0	0	0

=For reproducibility only in academic research and development=

							Chronic infection, multiple infections	0	0	0	
							Malignancy	0	0	0	
Sanner et al. (2010), Norway[12]	F: 36	Median 21.5 (range 6.7–55.4) yrs	Mean 8.3 ±4.5 yrs	Mean 9.1 ± 4.5 yrs	minimum 24 months	Mean 16.9 ± 10.6		59			European 57
							Calcinosis	14	0.2372881	14.04071808	

=For reproducibility only in academic research and development=

References

1. Demirkaya E, Ozen S, Bilginer Y, Ayaz NA, Makay BB, Unsal E, Erguven M, Poyrazoglu H, Kasapcopur O, Gok F, et al: **The distribution of juvenile idiopathic arthritis in the eastern Mediterranean: results from the registry of the Turkish Paediatric Rheumatology Association.** *Clinical and Experimental Rheumatology* 2011, **29:**111-116.
2. Jain V, Singh S, Sharma A: **Keratoconjunctivitis sicca is not uncommon in children with juvenile rheumatoid arthritis.** *Rheumatology International* 2001, **20:**159-162.
3. Rangel L, Garralda ME, Hall A, Woodham S: **Psychiatric adjustment in chronic fatigue syndrome of childhood and in juvenile idiopathic arthritis.** *Psychological Medicine* 2003, **33:**289-297.
4. Saurenmann RK, Levin AV, Feldman BM, Rose JB, Laxer RM, Schneider R, Silverman ED: **Prevalence, risk factors, and outcome of uveitis in juvenile idiopathic arthritis: A long-term followup study.** *Arthritis and Rheumatism* 2007, **56:**647-657.
5. Chhabra A, Robinson C, Houghton K, Cabral DA, Morishita K, Tucker LB, Petty RE, Larche M, Batthish M, Guzman J: **Long-term outcomes and disease course of children with juvenile idiopathic arthritis in the ReACCh-Out cohort: a two-centre experience.** *Rheumatology (Oxford)* 2020, **59:**3727-3730.
6. Beukelman T, Xie F, Chen L, Baddley JW, Delzell E, Grijalva CG, Lewis JD, Ouellet-Hellstrom R, Patkar NM, Saag KG, et al: **Rates of hospitalized bacterial infection associated with juvenile idiopathic arthritis and its treatment.** *Arthritis and Rheumatism* 2012, **64:**2773-2780.
7. Silverberg JI, Kwa L, Kwa MC, Laumann AE, Ardalan K: **Cardiovascular and cerebrovascular comorbidities of juvenile dermatomyositis in US children: an analysis of the National Inpatient Sample.** *Rheumatology (Oxford)* 2018, **57:**694-702.
8. Boros C, McCann L, Simou S, Cancemi D, Ambrose N, Pilkington CA, Cortina-Borja M, Wedderburn LR, on behalf of the JDMC, Biomarker S: **Juvenile Dermatomyositis: what comes next? Long-term outcomes in childhood myositis from a patient perspective.** *Pediatric Rheumatology* 2022, **20**.
9. Mathiesen PR, Buchvald F, Nielsen KG, Herlin T, Friis T, Nielsen S: **Pulmonary function and autoantibodies in a long-term follow-up of juvenile dermatomyositis patients.** *Rheumatology (United Kingdom)* 2014, **53:**644-649.
10. Tsaltskan V, Aldous A, Serafi S, Yakovleva A, Sami H, Mamyrova G, Targoff IN, Schiffenbauer A, Miller FW, Simmens SJ, et al: **Long-term outcomes in Juvenile Myositis patients.** *Semin Arthritis Rheum* 2020, **50:**149-155.
11. Mathiesen P, Hegaard H, Herlin T, Zak M, Pedersen FK, Nielsen S: **Long-term outcome in patients with juvenile dermatomyositis: A cross-sectional follow-up study.** *Scandinavian Journal of Rheumatology* 2012, **41:**50-58.
12. Sanner H, Kirkhus E, Merckoll E, Tollisen A, Roisland M, Lie BA, Taraldsrud E, Gran JT, Flato B: **Long-term muscular outcome and predisposing and prognostic factors in juvenile dermatomyositis: A case-control study.** *Arthritis Care Res (Hoboken)* 2010, **62:**1103-1111.

=For reproduction only in academic research and development=