

AssureX Claim Engine

Test Results

Group	NN_DevStorm
Batch	2609E2'
Faculty	Sir Minhaj
Repository	https://github.com/Saba1512006/assurex-claim-engine
Live application	https://assurex.pythonanywhere.com
Date	29 September 2026

Student ID	Name	Role
Student1525913	Saba Noor	Team lead · integration, frontend direction, QA, documentation
Student1524867	Muhammad Sami	Backend and ML pipeline developer · deployment
Student1509222	Muhammad Ghanyan	Frontend design (Figma, colour palette, mobile checks)
Student1505677	Muhammad Sami ur Rehman	Testing (sample claims, Chrome and mobile)

Abstract

AssureX Claim Engine evaluates warranty claims for consumer electronics, home appliances and industrial tools. A customer or service center registers a product from its receipt (read by OCR), files a claim with evidence, and the application pre-processes the claim into model features. A calibrated Python classification model (HistGradientBoosting, 89.3% test accuracy on 225 unseen claims) scores the structured record; the same claim is drawn as a Claim Summary Card and classified by a Google Teachable Machine model (93.8% test accuracy). The two predictions and their confidences are compared (Strong Match, Acceptable Match, Weak Match, Model Disagreement, Uncertain Result), the category's warranty policy is executed from JSON configuration, contradictions, missing documents and duplicates are detected, and a decision table produces Likely Valid, Likely Invalid or Manual Review Required. Anything uncertain goes to a human reviewer, and every step is recorded in an audit trail. The application has four roles (customer, service-center staff, claim reviewer, administrator), 295 automated tests and 34 browser tests.

The test cases by SRS category (\$1.10 item 8) and the results of the latest automated run. The same test cases are listed one per row in Test_Cases.xlsx.

Contents

- 1. Test cases
- 2. Test results

1. Test cases

Run everything: `python -m pytest -q` → **295 passed** (about 60 s); the browser suite `python -m pytest -m e2e tests/e2e` → **34 passed** (about 140 s). Every test is automated; the table maps each SRS test category to the functions that cover it (file :: function).

SRS category	What is checked	Tests
Functional	Register product with receipt; full claim journey (submit → evaluate → approve, notifications, audit, card, PDF, tracking); drafts; request-info loop; reviewer take/decide; admin pages & exports	<code>test_workflow ::</code> <code>test_customer_registers_product_with_receipt,</code> <code>test_full_claim_journey_with_agreeing_models,</code> <code>test_draft_edit_then_submit,</code> <code>test_request_info_loop,</code> <code>test_reviewer_queue_and_take,</code> <code>test_admin_tools,</code> <code>test_public_pages</code>
Integration	Real Flask app + DB + file store + OCR + both model runtimes + rule engine end to end	<code>test_workflow :: *, test_pipeline ::</code> <code>test_both_models_agree_valid_is_approved,</code> <code>test_detectors</code> <code>:: test_repair_serial_feeds_contradictions</code>
Boundary	Last day of cover, first/last day of grace, first day after grace; reporting deadline ±1 day; exclusion at 0.54 / 0.55 diagnosis; consistency at $\Delta = 0.10 / 0.25$ and confidence = 0.60	<code>test_rules :: test_warranty_boundaries,</code> <code>test_reporting_window_boundaries,</code> <code>test_exclusion_needs_diagnosis_to_hard_fail,</code> <code>test_pipeline :: test_consistency_boundaries,</code> <code>test_ml_integrity :: test_consistency_matrix</code>
Negative	Bad product form, future dates, unknown damage type, fake/oversized/mismatched files, non-receipt PDF, non-TFLite model upload, invalid policy values, invalid decision thresholds	<code>test_workflow :: test_product_form_validation,</code> <code>test_wizard_rejects_bad_input,</code> <code>test_gtm_upload_rejects_non_tflite,</code> <code>test_policy_editor_validates_and_audits,</code> <code>test_documents</code> <code>:: test_invalid_files_are_refused,</code> <code>test_oversized_file_is_refused,</code> <code>test_rules ::</code> <code>test_policy_validation_rejects_bad_files,</code> <code>test_decision_policy_save_rejects_invalid</code>
Security	No unguarded route; registration can't create admins; generic login errors; logout; session revoked on role change/disable; IDOR returns 404; staff/reviewer scope; separation of duties; admin self-protection; CSRF; CSP & headers; open redirect; POST-only logout; denials audited; CSV formula injection	<code>test_rbac_routes :: *, test_rbac_policy :: *,</code> <code>test_workflow :: test_csrf_is_enforced,</code> <code>test_security_headers_and_csp,</code> <code>test_open_redirect_blocked,</code> <code>test_logout_is_post_only_and_clears_session,</code> <code>test_admin_tools</code>
Database	Unique public IDs enforced; every evaluation a new immutable row; status history and audit rows written with each change	<code>test_workflow :: test_database_constraints,</code> <code>test_pipeline</code> <code>:: test_reevaluation_keeps_earlier_results,</code> <code>test_workflow</code> <code>:: test_full_claim_journey_with_agreeing_models</code>
OCR	PDF receipt read (invoice, serial, date, amount); entity patterns; words not mistaken for identifiers; OCR engine missing → accept & type; user corrections saved and audited	<code>test_documents :: test_pdf_receipt_is_read_by_ocr,</code> <code>test_entity_patterns,</code> <code>test_words_are_not_mistaken_for_identifiers,</code> <code>test_image_receipt_accepted_when_ocr_engine_missing,</code> <code>test_workflow :: test_scan_receipt_endpoint,</code> <code>test_ocr_values_confirmed_by_user_are_saved_and_audited</code>
Python model	Accuracy ≥ 85% and not suspiciously perfect; no single-feature leakage; three calibrated probabilities; unknown category rejected; failure handled	<code>test_ml_integrity ::</code> <code>test_model_meets_srs_accuracy_and_is_not_suspiciously_perfect,</code> <code>test_unknown_category_is_rejected_not_silently_zeroed,</code> <code>test_pipeline ::</code> <code>test_python_model_scores_all_three_classes,</code> <code>test_unknown_category_is_rejected_by_model,</code> <code>test_python_model_failure_is_handled</code>
Teachable Machine	Missing model → <i>Uncertain Result</i> + manual review (no fallback); label-file parsing incl. folder names; installer rejects non-TFLite files; card is 600×600 and prediction-free	<code>test_pipeline ::</code> <code>test_without_teachable_machine_claim_goes_to_manual_review,</code> <code>test_teachable_machine_label_file_parsing,</code> <code>test_card_stored_and_contains_no_prediction,</code> <code>test_workflow :: test_gtm_upload_rejects_non_tflite,</code> <code>test_gtm_upload_replaces_and_archives_running_model</code>
Accuracy guards	The installed Teachable Machine model is re-scored on test cards rendered with the current card code and policies (≥ 85% and equal to the recorded 93.8%); the saved Python model is re-scored on the test split (≥ 85% and equal to the recorded 89.3%); editing a policy limit shown on the card warns that the image model needs retraining	<code>test_ml_integrity ::</code> <code>test_teachable_machine_keeps_its_accuracy_on_freshly_rendered_cards,</code> <code>test_installed_teachable_machine_model_matches_its_evaluation,</code> <code>test_saved_python_model_still_scores_its_recorded_accuracy,</code> <code>test_workflow ::</code> <code>test_changing_a_card_limit_warns_that_teachable_machine_needs_retraining</code>
Model artefacts & exports	Exported label encoder, preprocessing pipeline and processed CSVs reproduce the saved model exactly; Excel export is a valid workbook and neutralises formulas	<code>test_ml_integrity ::</code> <code>test_exported_encoder_preprocessing_and_processed_data_match_the_model,</code> <code>test_workflow ::</code> <code>test_excel_export_is_a_real_workbook_and_neutralises_formulas</code>
Model comparison	All five consistency statuses; disagreement; low confidence; hard fail beats agreeing models	<code>test_ml_integrity :: test_consistency_matrix,</code> <code>test_pipeline ::</code> <code>test_model_disagreement_goes_to_manual_review,</code> <code>test_low_confidence_image_model_is_uncertain,</code> <code>test_hard_fail_wins_over_agreeing_models</code>
Rule engine	Every rule fires and passes; per-category exclusions; severities from config; policy files complete (SRS deliverable 7)	<code>test_rules :: *</code>
Contradiction detection	Claim before purchase, fault before purchase, fault after claim, repair before purchase, model/invoice/purchase-date mismatch	<code>test_detectors :: test_date_contradictions,</code> <code>test_model_invoice_and_purchase_date_mismatch,</code> <code>test_consistent_claim_has_no_contradictions</code>

SRS category	What is checked	Tests
Missing documents	Mandatory vs supporting documents; product-level receipt counts; D03 routing; evidence rules	<code>test_detectors :: test_missing_documents_follow_policy,</code> <code>test_product_level_receipt_counts_for_claims,</code> <code>test_rules :: test_evidence_rules</code>
Duplicate claims	Same file hash on another product; invoice reused; open claim on the same serial; near-identical description; closed history is not a duplicate	<code>test_detectors ::</code> <code>test_duplicate_document_hash_across_products,</code> <code>test_invoice_reuse_and_open_claim_on_same_serial,</code> <code>test_closed_claim_on_same_unit_is_history_not_duplicate</code>
Serial-number mismatch	Checked against receipt, warranty card, serial photo, diagnostic report and repair records; hard fail vs manual review depends on evidence	<code>test_detectors ::</code> <code>test_serial_checked_against_every_source,</code> <code>test_repair_serial_feeds_contradictions,</code> <code>test_rules ::</code> <code>test_serial_mismatch_severity_depends_on_evidence</code>
Low confidence	Confidence < 0.60 → <i>Uncertain Result</i> → manual review	<code>test_pipeline ::</code> <code>test_low_confidence_image_model_is_uncertain,</code> <code>test_ml_integrity :: test_consistency_matrix</code>
Model disagreement	Different classes → <i>Model Disagreement</i> → D04	<code>test_pipeline ::</code> <code>test_model_disagreement_goes_to_manual_review,</code> <code>test_demonstration_cases :: ll_model_disagreement_claim</code>
Demonstration cases	The 11 SRS cases from sample_claims/	<code>test_demonstration_cases :: *</code>
Surprise modifications	New exclusion, rule severity change, confidence threshold, extra date format, decision-logic (routing) change	<code>test_rules :: test_surprise_*</code>
Performance	Both predictions + rules within 5 s (SRS NFR-1); text responses gzipped	<code>test_pipeline :: test_evaluation_is_fast_enough,</code> <code>test_frontend_contracts ::</code> <code>test_text_responses_are_gzipped_only_when_accepted</code>
Access matrix	Every guarded route (68 route/method pairs) called as each role and signed out; the answer must match config/rbac.json (403 with the JSON envelope under /api/ , sign-in redirect or 401 when signed out)	<code>test_route_matrix :: *</code>
Frontend contracts	Stored verdict payload complete and consistent (fixed class order, scores sum to 1, decision re-derivable); JSON envelope and error codes; cross-customer 404 on every claim URL; verdict animates once; no <code>\ safe</code> on data, inline styles or un-nonce'd scripts in any template; icon subset complete	<code>test_frontend_contracts :: *</code>
Live bench, what-if, batch	Demo endpoint runs the real pipeline, writes nothing, 400 on unknown cases, 429 on the 11th call; what-if is read-only, reproduces all 225 stored decisions at current thresholds, apply saves a new audited version; batch validates rows, runs a chunk per call, writes no claims, exports CSV, 429 on the 4th upload	<code>test_frontend_contracts :: test_demo_*, test_what_if_*,</code> <code>test_batch_*</code>
Wizard autosave and workbench	Draft created once and reused on submit; another customer's draft is never reused; workbench only for reviewers, next-claim order, decisions return to the workbench through the open-redirect guard	<code>test_frontend_contracts :: test_wizard_autosave_*,</code> <code>test_workbench_*</code>
Input rules	Names, cities, brands, retailers and providers take no digits; phone numbers take no letters; emails are well formed (server-side, 20+ good/bad cases); malformed login email is refused without counting as an attempt; the account pauses for one minute after five wrong passwords and the page counts down; the rate-limit page shows a countdown	<code>test_input_rules :: *</code>
Hero engine (landing)	Layout math (zone inflation, Bézier-rect intersection, rerouting, tiers, outcome mapping) as Node unit tests; in the browser: no engine part overlaps text or the card at 1440/1280/1024/768/390 px, foreground opacity stays 1, text contrast ≥ 4.5:1 over the rendered background, foreground pixels identical with and without the layer, the lit outcome follows the live check, reduced motion is still	<code>test_hero_engine_math :: * (runs tests/js/*.test.mjs),</code> <code>tests/e2e/test_hero_engine.py :: *</code>
Browser journeys (e2e)	Landing bench, persona sign-in, receipt prefill, wizard with OCR split view, reviewer keyboard flow and double-submit guard, what-if and batch, session revoked on role change, reduced motion, 390 px without sideways scroll, axe WCAG 2 A/AA on 21 pages; any console error fails the test	<code>tests/e2e/test_journeys.py :: *</code>

Hidden-test readiness checklist

- [x] No logic keyed on claim IDs, names or demo values; OCR has no hard-coded retailer/product lists.
- [x] Every categorical value comes from one vocabulary ([src/core/vocab.py](#)); the UI options are tested to equal the training values.
- [x] Unknown categories fail loudly instead of being silently encoded as zeros.
- [x] Model selected on validation, test used once; calibrated probabilities; leakage audit < 90%.
- [x] Dates accepted in seven formats; adding one is a one-line change (tested).
- [x] Rules, thresholds and routing are configuration, editable in the admin UI and validated on save.
- [x] A missing or broken model can never crash a request or silently decide a claim.
- [x] Every prediction is stored with both model versions, the card hash and the decision trace.
- [x] 295 tests pass on a clean checkout (`python -m pytest -q`), and the 34 browser tests pass (`python -m pytest -m e2e tests/e2e`).

Manual checks performed

- Every page rendered for all four roles (customer, staff, reviewer, administrator) with the seeded data: no server errors; out-of-scope records return 404 and forbidden pages 403.
- Browser screenshots at 1440, 1024 and 390 px; the e2e suite writes the current ones to [docs/screenshots/](#).
- Lighthouse (landing, sign-in, model card, blog): performance 99, accessibility 100, best practices 100, SEO 100.
- [python database/seed.py](#) submits the 11 demonstration claims through the live pipeline.

2. Test results

Summary

```
AssureX Claim Engine - automated test results
Command : python -m pytest -q -RA
Date : 2026-09-28 (UTC)
Python : 3.11.15 · scikit-learn 1.9.1 · Linux
Result : 295 passed, 34 deselected in 59.86s
Browser : python -m pytest -m e2e tests/e2e -RA
Result : 34 passed in 140.65s (0:02:20)
```

Results by test file

Test file	Passed	Not passed
tests/e2e/test_hero_engine.py	21	0
tests/e2e/test_journeys.py	13	0
tests/test_demonstration_cases.py	12	0
tests/test_detectors.py	11	0
tests/test_documents.py	19	0
tests/test_frontend_contracts.py	25	0
tests/test_hero_engine_math.py	1	0
tests/test_input_rules.py	62	0
tests/test_ml_integrity.py	37	0
tests/test_navigation.py	3	0
tests/test_notifications.py	3	0
tests/test_pipeline.py	17	0
tests/test_rbac_policy.py	32	0
tests/test_rbac_routes.py	21	0
tests/test_route_matrix.py	2	0
tests/test_rules.py	27	0
tests/test_workflow.py	23	0

Every test

[illegible]

Test file	Test
tests/test_pipeline.py	test_python_model_failure_is_handled
tests/test_pipeline.py	test_unknown_category_is_rejected_by_model
tests/test_pipeline.py	test_teachable_machine_label_file_parsing
tests/test_pipeline.py	test_evaluation_is_fast_enough
tests/test_rbac_policy.py	test_permission_matrix[u0-claim.create-True]
tests/test_rbac_policy.py	test_permission_matrix[u1-admin.dashboard-False]
tests/test_rbac_policy.py	test_permission_matrix[u2-review.decide-False]
tests/test_rbac_policy.py	test_permission_matrix[u3-user.manage-False]
tests/test_rbac_policy.py	test_permission_matrix[u4-repair.record-True]
tests/test_rbac_policy.py	test_permission_matrix[u5-review.decide-False]
tests/test_rbac_policy.py	test_permission_matrix[u6-policy.manage-False]
tests/test_rbac_policy.py	test_permission_matrix[u7-review.queue-True]
tests/test_rbac_policy.py	test_permission_matrix[u8-claim.create-False]
tests/test_rbac_policy.py	test_permission_matrix[u9-export.data-False]
tests/test_rbac_policy.py	test_permission_matrix[u10-policy.manage-True]
tests/test_rbac_policy.py	test_permission_matrix[u11-review.decide-False]
tests/test_rbac_policy.py	test_permission_matrix[u12-claim.read-False]
tests/test_rbac_policy.py	test_permission_matrix[u13-claim.read-False]
tests/test_rbac_policy.py	test_unauthenticated_denied
tests/test_rbac_policy.py	test_customer_sees_only_own_claim_and_gets_404_semantics
tests/test_rbac_policy.py	test_customer_document_idor_blocked
tests/test_rbac_policy.py	test_staff_limited_to_own_service_center
tests/test_rbac_policy.py	test_reviewer_scope_assigned_or_unassigned_queue
tests/test_rbac_policy.py	test_reviewer_cannot_decide_own_claim
tests/test_rbac_policy.py	test_review_state_machine[Manual Review-Approved-True]
tests/test_rbac_policy.py	test_review_state_machine[Manual Review-Closed-False]
tests/test_rbac_policy.py	test_review_state_machine[Approved-Rejected-False]
tests/test_rbac_policy.py	test_review_state_machine[Approved-Closed-True]
tests/test_rbac_policy.py	test_review_state_machine[Closed-Approved-False]
tests/test_rbac_policy.py	test_review_state_machine[Draft-Approved-False]
tests/test_rbac_policy.py	test_override_requires_reason
tests/test_rbac_policy.py	test_submitted_claim_locked_for_customer_edits
tests/test_rbac_policy.py	test_admin_self_protection_and_last_admin
tests/test_rbac_policy.py	test_only_customer_can_self_register
tests/test_rbac_policy.py	test_list_filter_matches_object_scope
tests/test_rbac_policy.py	test_every_message_code_has_text
tests/test_rbac_routes.py	test_no_unguarded_endpoints
tests/test_rbac_routes.py	test_public_registration_cannot_create_admin
tests/test_rbac_routes.py	test_login_does_not_reveal_which_emails_exist
tests/test_rbac_routes.py	test_lockout_after_five_failures
tests/test_rbac_routes.py	test_role_change_kills_existing_session
tests/test_rbac_routes.py	test_disabled_user_is_signed_out
tests/test_rbac_routes.py	test_role_endpoint_matrix[customer-/admin/dashboard-403]
tests/test_rbac_routes.py	test_role_endpoint_matrix[customer-/reviewer/queue-403]
tests/test_rbac_routes.py	test_role_endpoint_matrix[service_center_staff-/admin/policies-403]
tests/test_rbac_routes.py	test_role_endpoint_matrix[claim_reviewer-/admin/export/claims-403]
tests/test_rbac_routes.py	test_role_endpoint_matrix[claim_reviewer-/claims/new-403]
tests/test_rbac_routes.py	test_role_endpoint_matrix[administrator-/claims/new-403]
tests/test_rbac_routes.py	test_role_endpoint_matrix[administrator-/admin/dashboard-200]
tests/test_rbac_routes.py	test_role_endpoint_matrix[claim_reviewer-/reviewer/queue-200]
tests/test_rbac_routes.py	test_role_endpoint_matrix[customer-/claims/new-200]
tests/test_rbac_routes.py	test_role_endpoint_matrix[service_center_staff-/claims/-200]
tests/test_rbac_routes.py	test_idor_on_other_customers_records_returns_404
tests/test_rbac_routes.py	test_staff_only_see_their_service_center
tests/test_rbac_routes.py	test_reviewer_cannot_decide_claim_they_filed
tests/test_rbac_routes.py	test_denied_access_is_audited
tests/test_rbac_routes.py	test_admin_cannot_demote_themselves_or_last_admin
tests/test_route_matrix.py	test_every_guarded_route_answers_each_role_as_rbac_json_says
tests/test_route_matrix.py	test_signed_out_visitors_are_sent_to_sign_in
tests/test_rules.py	test_clean_claim_passes_every_rule
tests/test_rules.py	test_warranty_boundaries[0-expected0]
tests/test_rules.py	test_warranty_boundaries[-1-expected1]
tests/test_rules.py	test_warranty_boundaries[-7-expected2]
tests/test_rules.py	test_warranty_boundaries[-8-expected3]
tests/test_rules.py	test_reporting_window_boundaries[23-expected0]
tests/test_rules.py	test_reporting_window_boundaries[24-expected1]
tests/test_rules.py	test_reporting_window_boundaries[30-expected2]
tests/test_rules.py	test_reporting_window_boundaries[31-expected3]
tests/test_rules.py	test_late_reporting_not_judged_when_dates_conflict
tests/test_rules.py	test_exclusion_needs_diagnosis_to_hard_fail[0.55-EXCLUDED_DAMAGE]
tests/test_rules.py	test_exclusion_needs_diagnosis_to_hard_fail[0.54-EXCLUDED_DAMAGE_UNCONFIRMED]
tests/test_rules.py	test_exclusions_are_per_category
tests/test_rules.py	test_serial_mismatch_severity_depends_on_evidence[1-1-SERIAL_MISMATCH]
tests/test_rules.py	test_serial_mismatch_severity_depends_on_evidence[1-0-SERIAL_UNVERIFIED]
tests/test_rules.py	test_serial_mismatch_severity_depends_on_evidence[0-1-SERIAL_UNVERIFIED]

Test file	Test
tests/test_rules.py	test_evidence_rules
tests/test_rules.py	test_other_manual_review_rules
tests/test_rules.py	test_all_three_policies_are_valid_and_complete
tests/test_rules.py	test_policy_validation_rejects_bad_files
tests/test_rules.py	test_surprise_add_warranty_exclusion
tests/test_rules.py	test_surprise_change_rule_severity
tests/test_rules.py	test_surprise_change_confidence_threshold
tests/test_rules.py	test_decision_policy_save_rejects_invalid
tests/test_rules.py	test_surprise_modify_decision_logic
tests/test_rules.py	test_surprise_support_another_date_format
tests/test_rules.py	test_unknown_fact_in_decision_table_fails_loudly
tests/test_workflow.py	test_customer_registers_product_with_receipt
tests/test_workflow.py	test_product_form_validation
tests/test_workflow.py	test_scan_receipt_endpoint
tests/test_workflow.py	test_full_claim_journey_with_agreeing_models
tests/test_workflow.py	test_ocr_values_confirmed_by_user_are_saved_and_audited
tests/test_workflow.py	test_draft_edit_then_submit
tests/test_workflow.py	test_wizard_rejects_bad_input
tests/test_workflow.py	test_reviewer_override_requires_reason_and_keeps_ai_result
tests/test_workflow.py	test_request_info_loop
tests/test_workflow.py	test_reviewer_queue_and_take
tests/test_workflow.py	test_admin_tools
tests/test_workflow.py	test_admin_invites_staff_who_must_change_password
tests/test_workflow.py	test_policy_editor_validates_and_audits
tests/test_workflow.py	test_gtm_upload_rejects_non_tflite
tests/test_workflow.py	test_security_headers_and_csp
tests/test_workflow.py	test_csrf_is_enforced
tests/test_workflow.py	test_open_redirect_blocked
tests/test_workflow.py	test_logout_is_post_only_and_clears_session
tests/test_workflow.py	test_public_pages
tests/test_workflow.py	test_database_constraints
tests/test_workflow.py	test_gtm_upload_replaces_and_archives_running_model
tests/test_workflow.py	test_changing_a_card_limit_warns_that_teachable_machine_needs_retraining
tests/test_workflow.py	test_excel_export_is_a_real_workbook_and_neutralises_formulas
tests/e2e/test_hero_engine.py	test_engine_never_overlaps_the_foreground[1440-800]
tests/e2e/test_hero_engine.py	test_engine_never_overlaps_the_foreground[1280-720]
tests/e2e/test_hero_engine.py	test_engine_never_overlaps_the_foreground[1024-768]
tests/e2e/test_hero_engine.py	test_engine_never_overlaps_the_foreground[768-1024]
tests/e2e/test_hero_engine.py	test_engine_never_overlaps_the_foreground[390-844]
tests/e2e/test_hero_engine.py	test_foreground_keeps_full_opacity[1440-800]
tests/e2e/test_hero_engine.py	test_foreground_keeps_full_opacity[390-844]
tests/e2e/test_hero_engine.py	test_text_contrast_over_the_rendered_background
tests/e2e/test_hero_engine.py	test_foreground_pixels_are_identical_with_and_without_the_layer
tests/e2e/test_hero_engine.py	test_running_a_check_lights_the_matching_outcome
tests/e2e/test_hero_engine.py	test_reduced_motion_shows_a_still_diagram
tests/e2e/test_hero_engine.py	test_snapshots[idle-1440-800]
tests/e2e/test_hero_engine.py	test_snapshots[idle-1280-720]
tests/e2e/test_hero_engine.py	test_snapshots[idle-1024-768]
tests/e2e/test_hero_engine.py	test_snapshots[idle-768-1024]
tests/e2e/test_hero_engine.py	test_snapshots[idle-390-844]
tests/e2e/test_hero_engine.py	test_snapshots[reduced-1440-800]
tests/e2e/test_hero_engine.py	test_snapshots[reduced-1280-720]
tests/e2e/test_hero_engine.py	test_snapshots[reduced-1024-768]
tests/e2e/test_hero_engine.py	test_snapshots[reduced-768-1024]
tests/e2e/test_hero_engine.py	test_snapshots[reduced-390-844]
tests/e2e/test_journeys.py	test_landing_bench_runs_the_real_pipeline
tests/e2e/test_journeys.py	test_persona_sign_in_and_customer_dashboard
tests/e2e/test_journeys.py	test_product_registration_reads_the_receipt
tests/e2e/test_journeys.py	test_claim_wizard_autosaves_reads_the_receipt_and_shows_the_verdict
tests/e2e/test_journeys.py	test_reviewer_workbench_keyboard_flow_and_double_submit_guard
tests/e2e/test_journeys.py	test_admin_what_if_and_batch
tests/e2e/test_journeys.py	test_role_change_signs_the_person_out_everywhere
tests/e2e/test_journeys.py	test_reduced_motion_turns_animation_off
tests/e2e/test_journeys.py	test_pages_have_no_serious_accessibility_violations[None-paths0]
tests/e2e/test_journeys.py	test_pages_have_no_serious_accessibility_violations[customer-paths1]
tests/e2e/test_journeys.py	test_pages_have_no_serious_accessibility_violations[reviewer-paths2]
tests/e2e/test_journeys.py	test_pages_have_no_serious_accessibility_violations[admin-paths3]
tests/e2e/test_journeys.py	test_phone_width_has_no_horizontal_scroll