

H001 碱性富氢净水机 Alkaline Hydrogen-Rich Water Generator

超智能 黑科技
Super Intelligence Blackbox Technology

富氢速热净饮
Hydrogen-rich and Fast-heating Water Purification and
Dispensing
一步到位
In one step





Core selling point 核心卖点

- 后现代轻奢高端大气外观
- Post-modern, light luxury and high-end atmospheric appearance
- 物理溶氢纳米气泡超浓富氢水技术
- Technology of super-concentration hydrogen-rich water by physically dissolved hydrogen nano-bubbles
- 航天科技反渗透净化技术
- Reverse osmosis purification technology from space science and technology
- 第三代稀土3秒速热技术，多段水温
- The third generation of 3-second instant heating with rare earth technology, water temperature changed in different stages.
- 内置LED UVC 杀菌，可视化指示
- Built-in LED UVC sterilization, visual indication
- 200加仑大通量膜+内置2升大水箱，快速补水多人连续使用
- 200 Gallon high flux membrane + built-in 2L large water tank, fastly and continuously supplying for many people.
- 智能提醒，享智慧生活
- Intelligent reminder, intelligent life enjoyment


一机多能 One machine with several functions 升级喝水新方式 Upgrading new ways to drink water

集过滤、加热、富氢水为一体，

Setting the filtration, heating, hydrogen-rich water as one

既有净水器的过滤功能，又有饮水机的加热制、富氢水机的制氢水功能

This machine fuses the filter of water purifier, heating of water dispenser and hydrogen production of hydrogen-rich water purifier



即开即热
Heating when turn
on immediately



水质新鲜
The high quality of
water



多段温控
Multi-stage
temperature control



气泡富氢水
Hydrogen-rich
water with bubbles

水质更安全 The water quality is safer

重点升级
Key
upgrades



UVC杀菌 UVC sterilization

内置UVC杀菌灯，可视化指示，杀菌抑菌，确保水质安全（可解决行业COD超标问题）
Built-in UVC lamp with visual indication has bactericidal and bacteriostatic functions, and ensures water quality safety (can solve the industry problem of COD exceeding the standard)



内置水箱可开盖清洗 The cover on built-in water tank can be opened for cleaning

可拆卸式水箱，长期使用后水箱内部会有少量沉淀物，本机可以拆盖进行水箱清洁
Removable water tank, long-term use will lead to a small amount of sediment inside the tank, and the cover of this machine can be removed for water tank cleaning



重点升级
Key
upgrades



水质更健康、有口感
The water is healthier and more palatable

气泡富氢水
Hydrogen-rich water with bubbles

全球领先技术，通过独立电解模块将纯净水电解生成氢气，并通过水汽混合系统将氢气和饮用水快速混合和加压，使氢气瞬间溶解到饮用水中生成超高浓度富氢水

World leading technology to electrolyze purified water into hydrogen through independent electrolysis module, and rapidly mix and pressurize hydrogen and drinking water through water vapor mixing system to instantly dissolve hydrogen into drinking water to generate super-concentration hydrogen-rich water

三大优势 Three advantages



3秒速热 3-second fast heating

厚膜技术，3秒煮开水，避免千滚水，水质更新鲜。

Thick film technology, boiling water will only need 3 seconds, and water presents much higher quality after thousand boiling water is avoided.



4级净化 4-layer purification

3级滤芯，4重净化：航天反渗透过滤技术、富锶矿化滤芯、炭棒复合滤芯。

3-grade filter element, 4-layer purification: Aerospace reverse osmosis filtration technology, strontium-rich mineralized filter element, carbon composite filter element.



6段温控 6-stage temperature control

常温水、泡奶、蜂蜜水、冲咖啡、泡绿茶、开水。

Making normal temperature water, milk, honey water, brewing coffee, green tea, and boiling water.



3级滤芯·4重过滤 3-grade filter element · 4-layer filtration

滤除重金属，保留有益矿物质
Filtration of heavy metals, retention of beneficial minerals



PAC2合1层
2 PAC combining into 1

RO反渗透膜
RO membrane

天然微量矿化碳棒滤芯
Natural trace mineralized carbon rod filter element

本机采用抛弃式快接滤芯，可自行安装
This machine adopts jettison-type quick-connect filter, which can be installed by itself.

① PAC复合滤芯

① PAC composite filter element

滤除泥沙、铁锈、胶体等大颗粒污染物，吸附异色异味，余氯等细菌、微生物、水垢等微小杂质。
Filtration of sediment, rust, colloid and other large particulate pollutants, adsorption of small impurities such as colors, odors, residual chlorine and other bacteria, micro-organisms and scale.

② 200G大通量 RO反渗透膜

② 200G high flux RO reverse osmosis membrane

滤除泥沙、铁锈、胶体等大颗粒污染物，吸附异色异味，余氯等。
Filtration of sediment, rust, colloid and other large particulate pollutants, adsorption of colors, odors, residual chlorine, and so on.

③ 天然微量矿化碳棒滤芯

③ Natural trace mineralized carbon rod filter element

进一步吸附异色异味，增加锶等矿物质，增强水质口感，使水变得甘甜可口。
Further adsorption of colors and odors, increasing strontium and other minerals, can enhance the taste of water quality, making water sweet and delicious.

第一级：PAC复合滤芯 Level 1: PAC composite filter element

二合一复合滤芯，1根抵2根，净化更简单

Two-in-one composite filter element, 1 piece can substitute two traditional ones, and purification is more simple.

滤材：聚丙烯折叠纤维PP棉+炭棒

Filter material: Polypropylene folding fiber PP cotton + carbon rod

作用：

Actions:

- ① 拦截水中残留的泥沙、铁锈悬浮物等大颗粒杂质。
- ① Intercepting large particles of sediment, rust suspended solids and other impurities in water.
- ② 吸附余氯、异味、异色等。
- ② Removal of residual chlorine, odor, colors, etc.

工作原理：

How it works:

折叠纤维PP棉：创新采用折叠式设计，缩小了体积，过滤面积却大大增加，对进入的自来水进行预处理，去除水中残留的泥沙、铁锈、沙石、悬浮物、杂物等大颗粒杂质。



Folding fiber PP cotton: folding design, which reduces the volume, but greatly increases the filter area. The tap water is pre-treated to remove the residual sediment, rust, sand, suspended solids, debris and other large particles.

炭棒：使用比传统颗粒活性炭颗粒更小的炭棒滤芯，表面积更大，吸附能力更强，过滤效果更好。进一步深层次的去除水中的余氯、异色、异味及部分有机物。

Carbon rod: The carbon filter element, which is smaller than traditional granular activated carbon, has larger surface area, stronger adsorption ability and better filtration effect. Further removal of residual chlorine, different color, peculiar smell and some organic matter in the water.

注意事项：进水温度不能超过65℃，保证水的纯净。

Note: The inlet temperature should not exceed 65 °C to ensure the purity of the water.



活性炭炭棒
Activated carbon rod

聚丙烯折叠纤维PP棉
Polypropylene folding fiber PP cotton

第二级: RO反渗透膜(200G大通量) Level 2: RO membrane (200G high flux)

滤材: RO反渗透膜

Filter material: RO membrane


使用背景: 航天员上太空的时候, 太空没有大量的淡水供予饮用, 所以航天员使用美国NASA航天级RO反渗透滤材, 通过过滤尿液和汗液来变成再次饮用的水。

Use background: Astronauts don't have a lot of fresh water to drink when they go into space, so they use NASA's space-grade RO reverse osmosis filter to filter urine and sweat into drinking water again.

工作原理: 采用**高科技航天级RO反渗透技术**, 理论净化精度**0.0001微米**, 滤除水中细菌、化学农药残留物、放射性微粒、余氯、微生物、有机物等有害物质。

How it works: Using **high-tech space RO technology** theoretically **assists in purifying the impurity down to 0.0001 microns**, and filtering out the bacteria, chemical pesticide residues, radioactive particles, residual chlorine, microorganisms, organic substances and other harmful substances.

采用**200G大通量RO膜片**, 超快补水, 满足多人连续使用。
Using **200G high flux RO membrane** can help supply water with **ultra-fast speed**, and meet a number of people's demand for **continuous use**.



细菌
Bacteria

0.4-0.5μm

病毒
Virus

0.01-0.1μm

抗生素
Antibiotics

0.001-0.01μm

铁锈
Rust

0.0005-0.005μm

无机物
Inorganic
substance

0.0002-
0.0005μm

有机物
Organic
substance

分子量大于100

The number of molecules is
more than 100

第三级：天然微量矿化碳棒滤芯 Level 3: Natural trace mineralized carbon rod filter element

天然微量矿化 Natural trace mineralization

由18种天然矿岩破碎而成
It is formed by crushing 18 kinds of natural ore rocks
稳定水的PH值 保持水弱碱态
Stablize PH value of water and maintain weak alkali state of water

滤材：18种纯天然矿化材料
Filter material: 18 purely natural mineralized materials

工作原理：采用2大创专利技术，PCC改性工艺，极大增加矿物比表面积和离子交换吸附容量；微量元素谱配比技术；56道改性工艺实现微量元素的释放稳定性。

How it works: Two innovative national patent technologies and PCC modification process are adopted to greatly increase the surface area and ion exchange adsorption capacity of minerals; microelement spectrum proportioning technology; 56 modification processes to realize release stability of microelements.

水质特点：

Characteristics of water quality:

- 绿色环保，无二次污染，无重金属超标；
·Environmental protection, no secondary pollution, no excessive heavy metals;
- 微碱性，pH值可以稳定在7.0——8.5之间，保持v碱性，通水可以达到5吨水以上；
·Weak alkaline, pH can be stable between 7.0 - 8.5, maintain weak alkaline, and water can reach more than 5 tons;
- 富含钾钠钙镁等微量元素谱，连续使用12个月依然具有矿化效果。
·Rich in microelements such as potassium, sodium, calcium and magnesium, it still has mineralization effect after continuous use for 12 months.



蛇纹石
Serpentine



海浮石
Pumice stone



钙长石
Anorthite



锌尖晶石
Gahnite




生物碎屑灰岩
Baimo bioclastic limestone



百魔白云岩
Dolomite



磁铁矿
Magnetite



硅灰石
Wollastonite




斜发沸石
Clinoptilolite



腾冲火山石
Tengchong Volcanic Stone



百魔白云岩
Dolomite



泥灰岩
Marl



高岭土矿石
Kaolin ore



火山玻璃岩
Acid volcanic glass



电气石
Tourmaline



天山麦饭石
Tianshan Maifan Stone



钾长石
Potash feldspar



多孔玄武岩
Porous basalt




重点升级
Key
upgrades

物理溶氢超浓富氢水技术
Technology of super-concentration hydrogen-rich
water by physically dissolved hydrogen


全球领先技术，通过独立电解模块将纯净水电解生成氢气，并通过SuperMix气液混合系统将氢气和饮用水快速混合和加压，使氢气瞬间溶解到饮用水中生成超高浓度富氢水

World leading technology to electrolyze purified water into hydrogen through independent electrolysis module. Rapidly mix and pressurize hydrogen and drinking water through SuperMix gas-liquid mixing system to instantly dissolve hydrogen into drinking water to generate super-concentration hydrogen-rich water.



重点升级
Key
upgrades

富氢水的特点
Characteristics of hydrogen-rich water



抗氧化能力强

Strong antioxidant capacity

富氢水含量有丰富的活性氢，可以有效去除体内自由基，具有超过维生素C、胡萝卜、卵磷脂等所有人类已知抗氧化物的抗氧化性。

Hydrogen-rich water is rich in active hydrogen, which can effectively remove free radicals in the body and contains anti-oxidation stronger than all known antioxidants such as vitamin C, carrot, lecithin.

穿透性强

Strong penetrability

富氢水属于小分子团水，易吸收渗透力强。

Hydrogen-rich water belongs to microcluster water, which is easy to absorb and has strong penetrability.

安全可靠

Safe and reliable

富氢水属于负电位水，和人体体液的弱碱性更具亲和力。

Hydrogen-rich water belongs to negative potential water and has more affinity for weak alkalinity of human body fluids.

重点升级 Key upgrades

SuperMix气液混合技术 SuperMix gas-liquid mixing technology

气体溶解过程

Process of gas dissolution

是指气体分子通过热力学平衡过程进入液体分子内部的过程。

It refers to the process in which gas molecules enter into liquid molecules through thermodynamic equilibrium process.

SuperMix气液混合技术

SuperMix gas-liquid mixing technology

本系统采用SuperMix气液混合技术，通过水流在受限空间内强制的高速相对流动，利用水分子间巨大剪切力对自由氢气进行高速切割，形成大量微米、亚微米级氢气气泡，极大增加气液接触面积，在短时间内实现氢气的溶解过程；

SuperMix gas-liquid mixing technology is adopted in this system. Through the forced high-speed relative flow of water in the confined space, the free hydrogen is cut at high speed by the huge shearing force between water molecules, forming a large number of micro-and sub-micron hydrogen bubbles, greatly increasing the gas-liquid contact area, and realizing the process of hydrogen dissolution in a short time;

专利设计

Patent design

大量溶解氢气的水进入截流通道降压至常压，专利设计的截流孔道通过高频率注入具有可压缩性的氢气，限制水流速度梯度，增加溶解氢气分子的同向碰撞几率，提升氢气分子在水中的留存时间，保证出水溶解氢气的含量。

A large amount of hydrogen dissolved in water enters the shut-off channel to reduce pressure to normal pressure. The shut-off channel with patent design is designed to inject compressible hydrogen through high frequency to limit the water flow velocity gradient, reduce the same-direction collision probability of dissolved hydrogen molecules, improve the retention time of hydrogen molecules in water, and ensure the dissolved hydrogen content in the outlet water.



SuperMix气液混合技术 SuperMix gas-liquid mixing technology

瞬间产生浓度高达3000-5000ppb高浓富氢水
Instantaneous production of super-concentration hydrogen-rich water with the concentration up to 3000-5000 ppb



纳米气泡技术专家
共同研发
Development with experts
on nano-bubble technology





3秒即热

3-second instant heating

拒绝漫长等待，不为喝水奔波

Refuse to wait long, not run for water

先过滤再烧水，滴滴新鲜纯净

Fresh and pure drops can be achieved when the water is filtered first and then boiled.

· 防爆精钢芯

· Explosion-proof refined steel core

· 热量迅速穿透每个水分子

· Heat quickly penetrates every water molecule.

· 第三代稀土3秒速热技术，实现3秒速热

· The third generation rare earth 3-seconds heat technology, realizes 3 seconds heat.

· 同传统加热对比，水质新鲜，避免反复加热

· In comparison with traditional heating, water quality is fresher and repeated heating can be avoided.

厚膜技术对比石英管技术，

Thick film technology contrasts with quartz tube technology.


改善了其稳定性差、不良率高的缺点。

The disadvantages of poor stability and high bad rate are improved.

6段温控可调 6-stage adjustable temperature control

对每一段温度把控，轻松满足不同水温需求

For each stage of temperature control, the different needs of temperature can be easily met





定量出水 Quantitative effluent

150ml, 满足小杯取水
150ml, for a small glass of water.

300ml, 满足大杯取水
300ml for a large glass of water

500ml, 预防忘记关水
500ml to prevent you from
forgetting to turn off the water




滤芯寿命提醒

Filter element life warning

保养省心

Care without worrying



正常使用不亮灯，
Normal use with lights unlit
滤芯使用寿命达到80%，亮橙色灯闪烁提醒，
The service life of filter element is up to 80%, flashing bright orange light means warning,
到期常亮橙灯
Orange light means expiry



1号滤芯
Filter element No.1
PAC滤芯
PAC filter element
使用寿命：
Service life: 6-12个月
6-12 months



2号滤芯
Filter element No.2
反渗透膜滤芯
RO membrane filter element
使用寿命：
Service life: 12-24个月
12-24 months



3号滤芯
Filter element No.3
天然微量矿化碳棒滤芯
Natural trace mineralized carbon rod filter element
使用寿命：
Service life: 6-12个月
6-12 months

产品示意图 Product schematic diagram

WATER 水
SOURCE 源
LIFE IN EVERY DROP
还原生命之水，激活健康之源

显示面板
Display panel
操作面板
Operation panel

出水嘴
Effluent nozzle

可视化窗口
Visual window

接水盒
Water receiver

主机箱
Main case



触控操作面板 Touch control panel



高清显示，简易交互设计

High-definition display, simple interactive design

轻松上手

Operation is easy





产品视图
Product View



产品参数
Product parameters

产品名称 Product Name	碱性富氢净水机 Alkaline Hydrogen-Rich Water Purifier	产品型号 Product model	H001
额定净水量 Rated water yield	2000L	第一级滤芯 First-grade filter element	PAC复合滤芯 PAC composite filter element
制水流量 Water discharge	30L/h	第二级滤芯 Secondary-grade filter element	200G反渗透膜滤芯 200G reverse osmosis membrane filter element
额度电压/频率 Rated voltage/ frequency	220V~/50Hz	第三级滤芯 Third-grade filter element	天然微量矿化碳棒滤芯 Natural trace mineralized carbon rod filter element
耗电量 Power consumption	0.1kw·h/24h	额定功率 Rated power	2200W
适用水温 Applicable temperature	4-38℃	外壳材料 Shell material	ABS
适用水源 Applicable water source	自来水 Tap water	产品尺寸 Product Size	L 350 * H 240 * W 430MM

- SuperMix气液混合技术
- SuperMix gas-liquid mixing technology
- 物理溶氢纳米气泡超浓富氢水技术
- Technology of super-concentration hydrogen-rich water by physically dissolved hydrogen nano-bubbles
- 第三代稀土3秒速热技术，多段水温
- The third generation of 3-second instant heating with rare earth technology, water temperature changed in different stages.
- 增加UVC 杀菌灯，内置水箱可拆洗，水路增加抗菌材料
- UVC lamp is added, built-in water tank can be removed and washed, add antibacterial materials in the watercourse
- 整体水路板滤芯结构
- Integral watercourse plate filter element structure
- 大小杯定量出水
- Quantitative supply
- 滤芯更换提醒，享智慧生活
- Filters replace reminder to enjoy an intelligent life

healthy water

健康好水

healthy water

从选择开始

Start with selection

净水专家 让生活更健康

Water purification experts make life healthier

<https://www.watersource.com.sg>

Hotline: 9325 6199

E-mail: info@watersource.com.sg,

Evergreen Health Pte Ltd

8 New Industrial Road #01-02/03, LHK3 Singapore 536200

