

14 - Automation with Python

Exercises for Module "Automation with Python"


► Solution 1: Working with Subnets in AWS

EXERCISE 1: Working with Subnets in AWS

- Get all the subnets in your default region
- Print the subnet Ids

Step 1: In the first step, I installed the Boto3 library. Then, I ran the Python script to list the subnets.

```
pip install boto3
```



The screenshot shows the PyCharm IDE interface. The top toolbar includes icons for running and debugging. The left sidebar shows the project structure with a folder named 'chapter-14-automation-with-pyhton' containing a 'venv' directory and a 'main.py' file. The main editor window displays the code in 'main.py':

```
1 import boto3
2
3 ec2 = boto3.client('ec2')
4 subnets = ec2.describe_subnets()
5 for subnet in subnets["Subnets"]:
6     if subnet["DefaultForAz"]:
7         print(subnet["SubnetId"])
8
```

Below the editor, the 'Run' window shows the output of the script:

```
/Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/venv/bin/python /Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/main.py
subnet-0e9565af5dd37baf
subnet-09f493c21d5062bd9
subnet-0d621ddaf7eb3d890
Process finished with exit code 0
```

The status bar at the bottom indicates the file encoding is UTF-8, the line length is 5:34, and the Python version is 3.12.

Step 2: In the second step, I executed my Python script.

```
import boto3

# Initialize EC2 client
ec2 = boto3.client('ec2')
```

```
# Describe all subnets
subnets = ec2.describe_subnets()

# Print header
print(f"{'Subnet ID':<20} {'AZ':<20} {'CIDR Block':<18} {'VPC ID':<20}
{'Default?':<10}")

# Iterate and print details
for subnet in subnets["Subnets"]:
    subnet_id = subnet["SubnetId"]
    az = subnet["AvailabilityZone"]
    cidr = subnet["CidrBlock"]
    vpc_id = subnet["VpcId"]
    is_default = subnet["DefaultForAz"]

    print(f"{subnet_id:<20} {az:<20} {cidr:<18} {vpc_id:<20}
{str(is_default):<10}")
```

The screenshot shows the PyCharm IDE with a project named 'chapter-14-automation-with-pyhton'. The file 'main.py' is open, displaying the Python code from the previous block. The 'Run' tab at the bottom shows the output of the script, which is a table of subnet information.

Subnet ID	AZ	CIDR Block	VPC ID	Default?
subnet-0e9565afb5dd37baf	eu-central-1c	172.31.0.0/20	vpc-0aef6e3692d08e1df	True
subnet-031216f187cd48f43	eu-central-1c	10.0.1.0/24	vpc-06bb2dee1b5bfd46e	False
subnet-09f493c21d5062bd9	eu-central-1a	172.31.16.0/20	vpc-0aef6e3692d08e1df	True
subnet-0d621ddaf7eb3d890	eu-central-1b	172.31.32.0/20	vpc-0aef6e3692d08e1df	True

Process finished with exit code 0

► Solution 2: Working with IAM in AWS

EXERCISE 2: Working with IAM in AWS

- Get all the IAM users in your AWS account

- For each user, print out the name of the user and when they were last active (hint: Password Last Used attribute)
- Print out the user ID and name of the user who was active the most recently

With my script, I listed the IAM users along with their attributes.

```
import boto3
from datetime import datetime

# Initialize IAM client
iam = boto3.client('iam')

# Get list of IAM users
response = iam.list_users()
users = response.get("Users", [])

last_active_user = None

print(f'{'UserName':<25} {'PasswordLastUsed'}')
print("-" * 50)

for user in users:
    username = user["UserName"]
    last_used = user.get("PasswordLastUsed")

    # Print user and last login time (or 'Never')
    if last_used:
        print(f'{'username':<25} {'last_used'}')
    else:
        print(f'{'username':<25} Never logged in")

    # Find the most recently active user
    if last_used:
        if last_active_user is None or last_used >
last_active_user["PasswordLastUsed"]:
            last_active_user = user

print("\nMost recently active user:")
if last_active_user:
    print(f"User ID    : {last_active_user['UserId']}")
    print(f"Username   : {last_active_user['UserName']}")
    print(f>Last Used  : {last_active_user['PasswordLastUsed']}")
else:
    print("No user has logged in yet.")
```

The screenshot shows a PyCharm IDE window titled 'chapter-14-automation-with-pyhton'. The left sidebar displays the project structure, including a 'venv' directory and files like 'exercise-1.py' and 'exercise-2.py'. The main editor shows the code for 'exercise-2.py', which uses the boto3 library to list IAM users and print their details. The 'Run' window at the bottom shows the output of the script, listing users 'admin' and 'sgworker' with their last active times. Below the output, it shows the 'Most recently active user' as 'admin' with a specific User ID and last used timestamp. The process finished with exit code 0.

```

1 import boto3
2 from datetime import datetime
3
4 # Initialize IAM client
5 iam = boto3.client('iam')
6
7 # Get list of IAM users
8 response = iam.list_users()
9 users = response.get("Users", [])
10
11 last_active_user = None
12
13 print(f'UserName:<25> {{"PasswordLastUsed"}}')
14 print(f'~" * 50')
15
16 for user in users:
17     username = user["UserName"]

```

Run output:

```

/Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/venv/bin/python /Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/exercise-2.py
UserName      PasswordLastUsed
-----
admin         2025-05-05 20:19:58+00:00
sgworker      2024-01-09 13:32:08+00:00

Most recently active user:
User ID   : AIDAXUDEEMKDU2IQHG2JB
Username  : admin
Last Used : 2025-05-05 20:19:58+00:00

Process finished with exit code 0


```

► Solution 3: Automate Running and Monitoring Application on EC2 instance


EXERCISE 3: Automate Running and Monitoring Application on EC2 instance Write Python program which automatically creates EC2 instance, install Docker inside and starts Nginx application as Docker container and starts monitoring the application as a scheduled task. Write the program with the following steps:

- Start EC2 instance in default VPC
- Wait until the EC2 server is fully initialized
- Install Docker on the EC2 server
- Start nginx container
- Open port for nginx to be accessible from browser
- Create a scheduled function that sends request to the nginx application and checks the status is OK
- If status is not OK 5 times in a row, it restarts the nginx application

Step 1: As the first step, I created a security group (ID: sg-0ef4366a5265883ed) within my default VPC.



Step 2: In step 2, I created an SSH key pair to securely connect to my EC2 instance.



Step 3: In step 3, I prepared the Python script with my data.

The screenshot shows the PyCharm IDE interface. The top toolbar includes icons for running and debugging. The left sidebar shows the project structure with files like exercise-1.py, exercise-2.py, exercise-3.py, my_python_automate_key.pem, and rsakey.py. The main editor displays the code for exercise-3.py, which includes commands for setting up Docker and Nginx on an EC2 instance. The bottom pane shows the Run output, detailing the instance initialization, public IP address, and successful authentication via SSH.

```

82 commands = [
83     'sudo apt update -y && sudo apt install -y docker.io',
84     'sudo systemctl start docker',
85     'sudo usermod -aG docker admin',
86     'docker run -d -p 8080:80 --name nginx nginx'
87 ]
88
89 ssh = paramiko.SSHClient()
90 ssh.set_missing_host_key_policy(paramiko.AutoAddPolicy())
91 ssh.connect(hostname=ssh_host, username=ssh_user, key_filename=ssh_private_key_path)
92
93 logging.info("Running setup commands on EC2...")
94 print("Running setup commands on EC2...")
95 for cmd in commands:
96     logging.debug(f"Executing: {cmd}")
97     print(f"Executing command: {cmd}")
98     stdin, stdout, stderr = ssh.exec_command(cmd)
99     output = stdout.read().decode()
100     print(output)
101     logging.info(output)
102
103 ssh.close()
104
105 # ----- OPEN PORT 8080 -----
106 sg_list = ec2_client.describe_security_groups(GroupNames=['SSHAccess'])
107
108 port_open = any(
109     'FromPort' in perm and perm['FromPort'] == 8080
110     for perm in sg_list['SecurityGroups'][0]['IpPermissions']
111 )

```

```

/Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/venv/bin/python /Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/exercise-3.py
2025-05-14 11:44:44,177 [INFO] Found credentials in shared credentials file: ~/.aws/credentials
Instance already exists.
Waiting for instance to initialize...
2025-05-14 11:44:44,682 [INFO] Instance already exists.
2025-05-14 11:44:44,682 [INFO] Waiting for instance to initialize...
2025-05-14 11:44:44,794 [INFO] Instance fully initialized.
Instance fully initialized.
2025-05-14 11:44:44,879 [INFO] Public IP: 18.192.13.199
Public IP: 18.192.13.199
2025-05-14 11:44:44,933 [INFO] Connected (version 2.0, client OpenSSH_9.2p1)
Running setup commands on EC2...
Executing command: sudo apt update -y && sudo apt install -y docker.io
2025-05-14 11:44:45,135 [INFO] Authentication (pubkey) successful!

```

I used ami-0ef32de3e8ab0640e debian(12) template. !!!! That's why I also had to use the admin user for Debian and replace yum with apt.

```

import boto3
import time
import paramiko
import requests
import schedule
import logging

# ----- LOGGING SETUP -----
logging.basicConfig(
    level=logging.INFO,
    format='%(asctime)s [%(levelname)s] %(message)s',
    handlers=[logging.StreamHandler()]
)

# ----- AWS SETUP -----
ec2_resource = boto3.resource('ec2')
ec2_client = boto3.client('ec2')

image_id = 'ami-0ef32de3e8ab0640e'

```

```

key_name = 'my_python_automate_key'
instance_type = 't2.small'
ssh_private_key_path = '/Users/sgworker/PycharmProjects/chapter-14-automation-with-python/my_python_automate_key.pem'
ssh_user = 'admin'
ssh_host = ''

# ----- CHECK FOR EXISTING INSTANCE -----
response = ec2_client.describe_instances(
    Filters=[{'Name': 'tag:Name', 'Values': ['my-server-2']}]
)

instance_exists = bool(response["Reservations"]) and
bool(response["Reservations"][0]["Instances"])
instance_id = ""

if not instance_exists:
    logging.info("Creating a new EC2 instance...")
    print("Creating a new EC2 instance...")
    instances = ec2_resource.create_instances(
        ImageId=image_id,
        KeyName=key_name,
        MinCount=1,
        MaxCount=1,
        InstanceType=instance_type,
        TagSpecifications=[{
            'ResourceType': 'instance',
            'Tags': [{'Key': 'Name', 'Value': 'my-server-2'}]
        }]
    )
    instance = instances[0]
    instance_id = instance.id
else:
    instance = response["Reservations"][0]["Instances"][0]
    instance_id = instance["InstanceId"]
    logging.info("Instance already exists.")
    print("Instance already exists.")

# ----- WAIT FOR INSTANCE -----
logging.info("Waiting for instance to initialize...")
print("Waiting for instance to initialize...")
while True:
    status = ec2_client.describe_instance_status(InstanceIds=[instance_id])
    if status["InstanceStatuses"]:
        instance_status = status["InstanceStatuses"][0]
        if (instance_status['InstanceStatus']['Status'] == 'ok' and
            instance_status['SystemStatus']['Status'] == 'ok' and
            instance_status['InstanceState']['Name'] == 'running'):
            break
    logging.info("Still initializing... waiting 30 seconds.")
    print("Still initializing... waiting 30 seconds.")
    time.sleep(30)
logging.info("Instance fully initialized.")

```

```
print("Instance fully initialized.")

# ----- GET PUBLIC IP -----
response = ec2_client.describe_instances(
    Filters=[{'Name': 'tag:Name', 'Values': ['my-server-2']}]
)
ssh_host = response["Reservations"][0]["Instances"][0]["PublicIpAddress"]
logging.info(f"Public IP: {ssh_host}")
print(f"Public IP: {ssh_host}")

# ----- INSTALL DOCKER & RUN NGINX -----
commands = [
    'sudo apt update -y && sudo apt install -y docker.io',
    'sudo systemctl start docker',
    'sudo usermod -aG docker admin',
    'docker run -d -p 8080:80 --name nginx nginx'
]

ssh = paramiko.SSHClient()
ssh.set_missing_host_key_policy(paramiko.AutoAddPolicy())
ssh.connect(hostname=ssh_host, username=ssh_user,
            key_filename=ssh_private_key_path)

logging.info("Running setup commands on EC2...")
print("Running setup commands on EC2...")
for cmd in commands:
    logging.debug(f"Executing: {cmd}")
    print(f"Executing command: {cmd}")
    stdin, stdout, stderr = ssh.exec_command(cmd)
    output = stdout.read().decode()
    print(output)
    logging.info(output)

ssh.close()

# ----- OPEN PORT 8080 -----
sg_list = ec2_client.describe_security_groups(GroupNames=['SSHAccess'])

port_open = any(
    'FromPort' in perm and perm['FromPort'] == 8080
    for perm in sg_list['SecurityGroups'][0]['IpPermissions']
)

if not port_open:
    logging.info("Opening port 8080 in default security group...")
    print("Opening port 8080 in default security group...")
    ec2_client.authorize_security_group_ingress(
        GroupName='SSHAccess',
        IpProtocol='tcp',
        FromPort=8080,
        ToPort=8080,
        CidrIp='0.0.0.0/0'
    )
```



```
# ----- MONITOR APP -----
app_not_accessible_count = 0

def restart_container():
    global app_not_accessible_count
    logging.warning("Restarting the nginx container...")
    print("Restarting the nginx container...")
    ssh = paramiko.SSHClient()
    ssh.set_missing_host_key_policy(paramiko.AutoAddPolicy())
    ssh.connect(hostname=ssh_host, username=ssh_user,
key_filename=ssh_private_key_path)
    stdin, stdout, stderr = ssh.exec_command('docker start nginx')
    output = stdout.read().decode()
    logging.info(output)
    print(output)
    ssh.close()
    app_not_accessible_count = 0


def monitor_application():
    global app_not_accessible_count
    try:
        response = requests.get(f"http://{ssh_host}:8080")
        if response.status_code == 200:
            logging.info("Nginx is running.")
            print("Nginx is running.")
            app_not_accessible_count = 0
        else:
            logging.warning("Nginx responded but not with 200.")
            print("Nginx returned an error status.")
            app_not_accessible_count += 1
    except Exception as ex:
        logging.error(f"Connection error: {ex}")
        print(f"Connection error: {ex}")
        app_not_accessible_count += 1

    if app_not_accessible_count >= 5:
        restart_container()

schedule.every(10).seconds.do(monitor_application)

logging.info("Starting health check monitor loop...")
print("Starting health check monitor loop...")
while True:
    schedule.run_pending()
```

Step 4: In step 4, I executed my script, and Nginx was publicly accessible, as shown in the screenshots.



Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

and my logs:

```
/Users/sgworker/PycharmProjects/chapter-14-automation-with-  
pyhton/venv/bin/python /Users/sgworker/PycharmProjects/chapter-14-  
automation-with-python/exercise-3.py  
2025-05-14 11:44:44,177 [INFO] Found credentials in shared credentials  
file: ~/.aws/credentials  
Instance already exists.  
Waiting for instance to initialize...  
2025-05-14 11:44:44,682 [INFO] Instance already exists.  
2025-05-14 11:44:44,682 [INFO] Waiting for instance to initialize...  
2025-05-14 11:44:44,794 [INFO] Instance fully initialized.  
Instance fully initialized.  
2025-05-14 11:44:44,879 [INFO] Public IP: 18.192.13.199  
Public IP: 18.192.13.199  
2025-05-14 11:44:44,933 [INFO] Connected (version 2.0, client  
OpenSSH_9.2p1)  
Running setup commands on EC2...  
Executing command: sudo apt update -y && sudo apt install -y docker.io  
2025-05-14 11:44:45,135 [INFO] Authentication (publickey) successful!  
2025-05-14 11:44:45,135 [INFO] Running setup commands on EC2...  
2025-05-14 11:45:11,166 [INFO] Get:1 file:/etc/apt/mirrors/debian.list  
Mirrorlist [38 B]  
Get:5 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]  
Get:2 https://cdn-aws.deb.debian.org/debian bookworm InRelease [151 kB]  
Get:3 https://cdn-aws.deb.debian.org/debian bookworm-updates InRelease  
[55.4 kB]  
Get:4 https://cdn-aws.deb.debian.org/debian bookworm-backports InRelease  
[59.4 kB]  
Get:6 https://cdn-aws.deb.debian.org/debian-security bookworm-security
```

```
InRelease [48.0 kB]
Get:7 https://cdn-aws.deb.debian.org/debian bookworm/main Sources [9495
kB]
Get:8 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 Packages
[8792 kB]
Get:9 https://cdn-aws.deb.debian.org/debian bookworm/main Translation-en
[6109 kB]
Get:10 https://cdn-aws.deb.debian.org/debian bookworm-updates/main Sources
[796 B]
Get:11 https://cdn-aws.deb.debian.org/debian bookworm-updates/main amd64
Packages [512 B]
Get:12 https://cdn-aws.deb.debian.org/debian bookworm-updates/main
Translation-en [360 B]
Get:13 https://cdn-aws.deb.debian.org/debian bookworm-backports/main
Sources [282 kB]
Get:14 https://cdn-aws.deb.debian.org/debian bookworm-backports/main amd64
Packages [285 kB]
Get:15 https://cdn-aws.deb.debian.org/debian bookworm-backports/main
Translation-en [242 kB]
Get:16 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main Sources [129 kB]
Get:17 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 Packages [258 kB]
Get:18 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main Translation-en [155 kB]
Fetched 26.1 MB in 4s (7332 kB/s)
Reading package lists...
Building dependency tree...
Reading state information...
6 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists...
Building dependency tree...
Reading state information...
The following additional packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cgroupfs-mount
  containerd
  criu git git-man libbinutils libctf-nobfd0 libctf0 liberror-perl
  libgdbm-compat4 libgprofng0 libintl-perl libintl-xs-perl libjansson4
  libmodule-find-perl libnet1 libnftables1 libnl-3-200 libperl5.36
  libproc-processtable-perl libprotobuf32 libsort-naturally-perl
  libterm-readkey-perl needrestart patch perl perl-base perl-modules-5.36
  python3-protobuf runc tini
Suggested packages:
  binutils-doc containernetworking-plugins docker-doc aufs-tools btrfs-
  progs
  debootstrap rinse rootlesskit xfsprogs zfs-fuse | zfsutils-linux
  git-daemon-run | git-daemon-sysvinit git-doc git-email git-gui gitk
  gitweb
  git-cvs git-mediawiki git-svn needrestart-session | libnotify-bin
  iucode-tool ed diffutils-doc perl-doc libterm-readline-gnu-perl
  | libterm-readline-perl-perl make libtap-harness-archive-perl
The following NEW packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cgroupfs-mount
  containerd
```

```

criu docker.io git git-man libbinutils libctf-nobfd0 libctf0 liberror-
perl
libgdbm-compat4 libgprofng0 libintl-perl libintl-xs-perl libjansson4
libmodule-find-perl libnet1 libnftables1 libnl-3-200 libperl5.36
libproc-processtable-perl libprotobuf32 libsort-naturally-perl
libterm-readkey-perl needrestart patch perl perl-modules-5.36
python3-protobuf runc tini

```

The following packages will be upgraded:

```
perl-base
```

1 upgraded, 34 newly installed, 0 to remove and 5 not upgraded.

Need to get 93.1 MB of archives.

After this operation, 406 MB of additional disk space will be used.

Get:1 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]

Get:6 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]

Get:2 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 perl-base amd64 5.36.0-7+deb12u2 [1609 kB]

Get:3 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 perl-modules-5.36 all 5.36.0-7+deb12u2 [2815 kB]

Get:4 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 libperl5.36 amd64 5.36.0-7+deb12u2 [4207 kB]

Get:5 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 perl amd64 5.36.0-7+deb12u2 [239 kB]

Get:7 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libgdbm-
compat4 amd64 1.23-3 [48.2 kB]

Get:8 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 runc amd64
1.1.5+ds1-1+deb12u1 [2710 kB]

Get:9 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 containerd
amd64 1.6.20~ds1-1+deb12u1 [25.9 MB]

Get:10 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 tini
amd64 0.19.0-1 [255 kB]

Get:11 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 docker.io
amd64 20.10.24+dfsg1-1+deb12u1 [36.2 MB]

Get:12 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 binutils-
common amd64 2.40-2 [2487 kB]

Get:13 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libbinutils amd64 2.40-2 [572 kB]

Get:14 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libctf-
nobfd0 amd64 2.40-2 [153 kB]

Get:15 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libctf0
amd64 2.40-2 [89.8 kB]

Get:16 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libgprofng0 amd64 2.40-2 [812 kB]

Get:17 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libjansson4 amd64 2.14-2 [40.8 kB]

Get:18 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 binutils-
x86-64-linux-gnu amd64 2.40-2 [2246 kB]

Get:19 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 binutils
amd64 2.40-2 [65.0 kB]

Get:20 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 cgroupfs-
mount all 1.4 [6276 B]

Get:21 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libprotobuf32 amd64 3.21.12-3 [932 kB]

Get:22 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 python3-
protobuf amd64 3.21.12-3 [245 kB]

```
Get:23 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libnet1
amd64 1.1.6+dfsg-3.2 [60.3 kB]
Get:24 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libnftables1 amd64 1.0.6-2+deb12u2 [299 kB]
Get:25 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libnl-3-
200 amd64 3.7.0-0.2+b1 [63.1 kB]
Get:26 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 criu
amd64 3.17.1-2+deb12u1 [665 kB]
Get:27 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 liberror-
perl all 0.17029-2 [29.0 kB]
Get:28 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 git-man
all 1:2.39.5-0+deb12u2 [2053 kB]
Get:29 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 git amd64
1:2.39.5-0+deb12u2 [7260 kB]
Get:30 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libintl-
perl all 1.33-1 [720 kB]
Get:31 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libintl-
xs-perl amd64 1.33-1 [15.6 kB]
Get:32 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libmodule-find-perl all 0.16-2 [10.6 kB]
Get:33 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libproc-
processtable-perl amd64 0.634-1+b2 [43.1 kB]
Get:34 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libsort-
naturally-perl all 1.03-4 [13.1 kB]
Get:35 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libterm-
readkey-perl amd64 2.38-2+b1 [24.5 kB]
Get:36 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
needrestart all 3.6-4+deb12u3 [60.5 kB]
Get:37 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 patch
amd64 2.7.6-7 [128 kB]
apt-listchanges: Reading changelogs...
Fetched 93.1 MB in 1s (64.4 MB/s)
(Reading database ... 29492 files and directories currently installed.)
Preparing to unpack .../perl-base_5.36.0-7+deb12u2_amd64.deb ...
Unpacking perl-base (5.36.0-7+deb12u2) over (5.36.0-7+deb12u1) ...
Setting up perl-base (5.36.0-7+deb12u2) ...
Selecting previously unselected package perl-modules-5.36.
(Reading database ... 29492 files and directories currently installed.)
Preparing to unpack .../00-perl-modules-5.36_5.36.0-7+deb12u2_all.deb ...
Unpacking perl-modules-5.36 (5.36.0-7+deb12u2) ...
Selecting previously unselected package libgdbm-compat4:amd64.
Preparing to unpack .../01-libgdbm-compat4_1.23-3_amd64.deb ...
Unpacking libgdbm-compat4:amd64 (1.23-3) ...
Selecting previously unselected package libperl5.36:amd64.
Preparing to unpack .../02-libperl5.36_5.36.0-7+deb12u2_amd64.deb ...
Unpacking libperl5.36:amd64 (5.36.0-7+deb12u2) ...
Selecting previously unselected package perl.
Preparing to unpack .../03-perl_5.36.0-7+deb12u2_amd64.deb ...
Unpacking perl (5.36.0-7+deb12u2) ...
Selecting previously unselected package runc.
Preparing to unpack .../04-runc_1.1.5+ds1-1+deb12u1_amd64.deb ...
Unpacking runc (1.1.5+ds1-1+deb12u1) ...
Selecting previously unselected package containerd.
Preparing to unpack .../05-containerd_1.6.20~ds1-1+deb12u1_amd64.deb ...
```

```
Unpacking containerd (1.6.20~ds1-1+deb12u1) ...
Selecting previously unselected package tini.
Preparing to unpack .../06-tini_0.19.0-1_amd64.deb ...
Unpacking tini (0.19.0-1) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../07-docker.io_20.10.24+dfsg1-1+deb12u1_amd64.deb
...
Unpacking docker.io (20.10.24+dfsg1-1+deb12u1) ...
Selecting previously unselected package binutils-common:amd64.
Preparing to unpack .../08-binutils-common_2.40-2_amd64.deb ...
Unpacking binutils-common:amd64 (2.40-2) ...
Selecting previously unselected package libbinutils:amd64.
Preparing to unpack .../09-libbinutils_2.40-2_amd64.deb ...
Unpacking libbinutils:amd64 (2.40-2) ...
Selecting previously unselected package libctf-nobfd0:amd64.
Preparing to unpack .../10-libctf-nobfd0_2.40-2_amd64.deb ...
Unpacking libctf-nobfd0:amd64 (2.40-2) ...
Selecting previously unselected package libctf0:amd64.
Preparing to unpack .../11-libctf0_2.40-2_amd64.deb ...
Unpacking libctf0:amd64 (2.40-2) ...
Selecting previously unselected package libgprofng0:amd64.
Preparing to unpack .../12-libgprofng0_2.40-2_amd64.deb ...
Unpacking libgprofng0:amd64 (2.40-2) ...
Selecting previously unselected package libjansson4:amd64.
Preparing to unpack .../13-libjansson4_2.14-2_amd64.deb ...
Unpacking libjansson4:amd64 (2.14-2) ...
Selecting previously unselected package binutils-x86-64-linux-gnu.
Preparing to unpack .../14-binutils-x86-64-linux-gnu_2.40-2_amd64.deb ...
Unpacking binutils-x86-64-linux-gnu (2.40-2) ...
Selecting previously unselected package binutils.
Preparing to unpack .../15-binutils_2.40-2_amd64.deb ...
Unpacking binutils (2.40-2) ...
Selecting previously unselected package cgroupfs-mount.
Preparing to unpack .../16-cgroupfs-mount_1.4_all.deb ...
Unpacking cgroupfs-mount (1.4) ...
Selecting previously unselected package libprotobuf32:amd64.
Preparing to unpack .../17-libprotobuf32_3.21.12-3_amd64.deb ...
Unpacking libprotobuf32:amd64 (3.21.12-3) ...
Selecting previously unselected package python3-protobuf.
Preparing to unpack .../18-python3-protobuf_3.21.12-3_amd64.deb ...
Unpacking python3-protobuf (3.21.12-3) ...
Selecting previously unselected package libnet1:amd64.
Preparing to unpack .../19-libnet1_1.1.6+dfsg-3.2_amd64.deb ...
Unpacking libnet1:amd64 (1.1.6+dfsg-3.2) ...
Selecting previously unselected package libnftables1:amd64.
Preparing to unpack .../20-libnftables1_1.0.6-2+deb12u2_amd64.deb ...
Unpacking libnftables1:amd64 (1.0.6-2+deb12u2) ...
Selecting previously unselected package libnl-3-200:amd64.
Preparing to unpack .../21-libnl-3-200_3.7.0-0.2+b1_amd64.deb ...
Unpacking libnl-3-200:amd64 (3.7.0-0.2+b1) ...
Selecting previously unselected package criu.
Preparing to unpack .../22-criu_3.17.1-2+deb12u1_amd64.deb ...
Unpacking criu (3.17.1-2+deb12u1) ...
Selecting previously unselected package liberror-perl.
```



```
Preparing to unpack .../23-liberror-perl_0.17029-2_all.deb ...
Unpacking liberror-perl (0.17029-2) ...
Selecting previously unselected package git-man.
Preparing to unpack .../24-git-man_1%3a2.39.5-0+deb12u2_all.deb ...
Unpacking git-man (1:2.39.5-0+deb12u2) ...
Selecting previously unselected package git.
Preparing to unpack .../25-git_1%3a2.39.5-0+deb12u2_amd64.deb ...
Unpacking git (1:2.39.5-0+deb12u2) ...
Selecting previously unselected package libintl-perl.
Preparing to unpack .../26-libintl-perl_1.33-1_all.deb ...
Unpacking libintl-perl (1.33-1) ...
Selecting previously unselected package libintl-xs-perl.
Preparing to unpack .../27-libintl-xs-perl_1.33-1_amd64.deb ...
Unpacking libintl-xs-perl (1.33-1) ...
Selecting previously unselected package libmodule-find-perl.
Preparing to unpack .../28-libmodule-find-perl_0.16-2_all.deb ...
Unpacking libmodule-find-perl (0.16-2) ...
Selecting previously unselected package libproc-processtable-perl:amd64.
Preparing to unpack .../29-libproc-processtable-perl_0.634-1+b2_amd64.deb
...
Unpacking libproc-processtable-perl:amd64 (0.634-1+b2) ...
Selecting previously unselected package libsort-naturally-perl.
Preparing to unpack .../30-libsort-naturally-perl_1.03-4_all.deb ...
Unpacking libsort-naturally-perl (1.03-4) ...
Selecting previously unselected package libterm-readkey-perl.
Preparing to unpack .../31-libterm-readkey-perl_2.38-2+b1_amd64.deb ...
Unpacking libterm-readkey-perl (2.38-2+b1) ...
Selecting previously unselected package needrestart.
Preparing to unpack .../32-needrestart_3.6-4+deb12u3_all.deb ...
Unpacking needrestart (3.6-4+deb12u3) ...
Selecting previously unselected package patch.
Preparing to unpack .../33-patch_2.7.6-7_amd64.deb ...
Unpacking patch (2.7.6-7) ...
Setting up binutils-common:amd64 (2.40-2) ...
Setting up libctf-nobfd0:amd64 (2.40-2) ...
Setting up libnet1:amd64 (1.1.6+dfsg-3.2) ...
Setting up runc (1.1.5+ds1-1+deb12u1) ...
Setting up libjansson4:amd64 (2.14-2) ...
Setting up perl-modules-5.36 (5.36.0-7+deb12u2) ...
Setting up tini (0.19.0-1) ...
Setting up patch (2.7.6-7) ...
Setting up libgdbm-compat4:amd64 (1.23-3) ...
Setting up libprotobuf32:amd64 (3.21.12-3) ...
Setting up libnl-3-200:amd64 (3.7.0-0.2+b1) ...
Setting up git-man (1:2.39.5-0+deb12u2) ...
Setting up cgroupfs-mount (1.4) ...
Setting up libbinutils:amd64 (2.40-2) ...
Setting up python3-protobuf (3.21.12-3) ...
Setting up containerd (1.6.20~ds1-1+deb12u1) ...
Created symlink /etc/systemd/system/multi-
user.target.wants/containerd.service →
/lib/systemd/system/containerd.service.
Setting up libperl5.36:amd64 (5.36.0-7+deb12u2) ...
Setting up libctf0:amd64 (2.40-2) ...
```

```
Setting up libnftables1:amd64 (1.0.6-2+deb12u2) ...
Setting up docker.io (20.10.24+dfsg1-1+deb12u1) ...
Adding group `docker' (GID 109) ...
Done.
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service
→ /lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket →
/lib/systemd/system/docker.socket.
Setting up perl (5.36.0-7+deb12u2) ...
Setting up libgprofng0:amd64 (2.40-2) ...
Setting up libmodule-find-perl (0.16-2) ...
Setting up libproc-processtable-perl:amd64 (0.634-1+b2) ...
Setting up criu (3.17.1-2+deb12u1) ...
Setting up libintl-perl (1.33-1) ...
Setting up libterm-readkey-perl (2.38-2+b1) ...
Setting up libsort-naturally-perl (1.03-4) ...
Setting up binutils-x86-64-linux-gnu (2.40-2) ...
Setting up binutils (2.40-2) ...
Setting up libintl-xs-perl (1.33-1) ...
Setting up liberror-perl (0.17029-2) ...
Setting up git (1:2.39.5-0+deb12u2) ...
Setting up needrestart (3.6-4+deb12u3) ...
Processing triggers for man-db (2.11.2-2) ...
Processing triggers for libc-bin (2.36-9+deb12u10) ...
```

```
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:5 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:2 https://cdn-aws.deb.debian.org/debian bookworm InRelease [151 kB]
Get:3 https://cdn-aws.deb.debian.org/debian bookworm-updates InRelease
[55.4 kB]
Get:4 https://cdn-aws.deb.debian.org/debian bookworm-backports InRelease
[59.4 kB]
Get:6 https://cdn-aws.deb.debian.org/debian-security bookworm-security
InRelease [48.0 kB]
Get:7 https://cdn-aws.deb.debian.org/debian bookworm/main Sources [9495
kB]
Get:8 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 Packages
[8792 kB]
Get:9 https://cdn-aws.deb.debian.org/debian bookworm/main Translation-en
[6109 kB]
Get:10 https://cdn-aws.deb.debian.org/debian bookworm-updates/main Sources
[796 B]
Get:11 https://cdn-aws.deb.debian.org/debian bookworm-updates/main amd64
Packages [512 B]
Get:12 https://cdn-aws.deb.debian.org/debian bookworm-updates/main
Translation-en [360 B]
Get:13 https://cdn-aws.deb.debian.org/debian bookworm-backports/main
Sources [282 kB]
Get:14 https://cdn-aws.deb.debian.org/debian bookworm-backports/main amd64
Packages [285 kB]
Get:15 https://cdn-aws.deb.debian.org/debian bookworm-backports/main
Translation-en [242 kB]
Get:16 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main Sources [129 kB]
```



```
Get:17 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 Packages [258 kB]
Get:18 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main Translation-en [155 kB]
Fetched 26.1 MB in 4s (7332 kB/s)
Reading package lists...
Building dependency tree...
Reading state information...
6 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists...
Building dependency tree...
Reading state information...
The following additional packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cgroupfs-mount
  containerd
  criu git git-man libbinutils libctf-nobfd0 libctf0 liberror-perl
  libgdbm-compat4 libgprofng0 libintl-perl libintl-xs-perl libjansson4
  libmodule-find-perl libnet1 libnftables1 libnl-3-200 libperl5.36
  libproc-processtable-perl libprotobuf32 libsort-naturally-perl
  libterm-readkey-perl needrestart patch perl perl-base perl-modules-5.36
  python3-protobuf runc tini
Suggested packages:
  binutils-doc containernetworking-plugins docker-doc aufs-tools btrfs-
  progs
  debootstrap rinse rootlesskit xfsprogs zfs-fuse | zfsutils-linux
  git-daemon-run | git-daemon-sysvinit git-doc git-email git-gui gitk
  gitweb
  git-cvs git-mediawiki git-svn needrestart-session | libnotify-bin
  iucode-tool ed diffutils-doc perl-doc libterm-readline-gnu-perl
  | libterm-readline-perl-perl make libtap-harness-archive-perl
The following NEW packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cgroupfs-mount
  containerd
  criu docker.io git git-man libbinutils libctf-nobfd0 libctf0 liberror-
  perl
  libgdbm-compat4 libgprofng0 libintl-perl libintl-xs-perl libjansson4
  libmodule-find-perl libnet1 libnftables1 libnl-3-200 libperl5.36
  libproc-processtable-perl libprotobuf32 libsort-naturally-perl
  libterm-readkey-perl needrestart patch perl perl-modules-5.36
  python3-protobuf runc tini
The following packages will be upgraded:
  perl-base
1 upgraded, 34 newly installed, 0 to remove and 5 not upgraded.
Need to get 93.1 MB of archives.
After this operation, 406 MB of additional disk space will be used.
Get:1 file:/etc/apt/mirrors/debian-security.list Mirrorlist [47 B]
Get:6 file:/etc/apt/mirrors/debian.list Mirrorlist [38 B]
Get:2 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 perl-base amd64 5.36.0-7+deb12u2 [1609 kB]
Get:3 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 perl-modules-5.36 all 5.36.0-7+deb12u2 [2815 kB]
Get:4 https://cdn-aws.deb.debian.org/debian-security bookworm-
security/main amd64 libperl5.36 amd64 5.36.0-7+deb12u2 [4207 kB]
Get:5 https://cdn-aws.deb.debian.org/debian-security bookworm-
```

```
security/main amd64 perl amd64 5.36.0-7+deb12u2 [239 kB]
Get:7 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libgdbm-
compat4 amd64 1.23-3 [48.2 kB]
Get:8 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 runc amd64
1.1.5+ds1-1+deb12u1 [2710 kB]
Get:9 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 containerd
amd64 1.6.20~ds1-1+deb12u1 [25.9 MB]
Get:10 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 tini
amd64 0.19.0-1 [255 kB]
Get:11 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 docker.io
amd64 20.10.24+dfsg1-1+deb12u1 [36.2 MB]
Get:12 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 binutils-
common amd64 2.40-2 [2487 kB]
Get:13 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libbinutils amd64 2.40-2 [572 kB]
Get:14 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libctf-
nobfd0 amd64 2.40-2 [153 kB]
Get:15 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libctf0
amd64 2.40-2 [89.8 kB]
Get:16 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libgprofng0 amd64 2.40-2 [812 kB]
Get:17 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libjansson4 amd64 2.14-2 [40.8 kB]
Get:18 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 binutils-
x86-64-linux-gnu amd64 2.40-2 [2246 kB]
Get:19 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 binutils
amd64 2.40-2 [65.0 kB]
Get:20 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 cgroupfs-
mount all 1.4 [6276 B]
Get:21 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libprotobuf32 amd64 3.21.12-3 [932 kB]
Get:22 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 python3-
protobuf amd64 3.21.12-3 [245 kB]
Get:23 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libnet1
amd64 1.1.6+dfsg-3.2 [60.3 kB]
Get:24 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libnftables1 amd64 1.0.6-2+deb12u2 [299 kB]
Get:25 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libnl-3-
200 amd64 3.7.0-0.2+b1 [63.1 kB]
Get:26 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 criu
amd64 3.17.1-2+deb12u1 [665 kB]
Get:27 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 liberror-
perl all 0.17029-2 [29.0 kB]
Get:28 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 git-man
all 1:2.39.5-0+deb12u2 [2053 kB]
Get:29 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 git amd64
1:2.39.5-0+deb12u2 [7260 kB]
Get:30 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libintl-
perl all 1.33-1 [720 kB]
Get:31 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libintl-
xs-perl amd64 1.33-1 [15.6 kB]
Get:32 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
libmodule-find-perl all 0.16-2 [10.6 kB]
Get:33 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libproc-
```

```
processtable-perl amd64 0.634-1+b2 [43.1 kB]
Get:34 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libsort-
naturally-perl all 1.03-4 [13.1 kB]
Get:35 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 libterm-
readkey-perl amd64 2.38-2+b1 [24.5 kB]
Get:36 https://cdn-aws.deb.debian.org/debian bookworm/main amd64
needrestart all 3.6-4+deb12u3 [60.5 kB]
Get:37 https://cdn-aws.deb.debian.org/debian bookworm/main amd64 patch
amd64 2.7.6-7 [128 kB]
apt-listchanges: Reading changelogs...
Fetched 93.1 MB in 1s (64.4 MB/s)
(Reading database ... 29492 files and directories currently installed.)
Preparing to unpack .../perl-base_5.36.0-7+deb12u2_amd64.deb ...
Unpacking perl-base (5.36.0-7+deb12u2) over (5.36.0-7+deb12u1) ...
Setting up perl-base (5.36.0-7+deb12u2) ...
Selecting previously unselected package perl-modules-5.36.
(Reading database ... 29492 files and directories currently installed.)
Preparing to unpack .../00-perl-modules-5.36_5.36.0-7+deb12u2_all.deb ...
Unpacking perl-modules-5.36 (5.36.0-7+deb12u2) ...
Selecting previously unselected package libgdbm-compat4:amd64.
Preparing to unpack .../01-libgdbm-compat4_1.23-3_amd64.deb ...
Unpacking libgdbm-compat4:amd64 (1.23-3) ...
Selecting previously unselected package libperl5.36:amd64.
Preparing to unpack .../02-libperl5.36_5.36.0-7+deb12u2_amd64.deb ...
Unpacking libperl5.36:amd64 (5.36.0-7+deb12u2) ...
Selecting previously unselected package perl.
Preparing to unpack .../03-perl_5.36.0-7+deb12u2_amd64.deb ...
Unpacking perl (5.36.0-7+deb12u2) ...
Selecting previously unselected package runc.
Preparing to unpack .../04-runc_1.1.5+ds1-1+deb12u1_amd64.deb ...
Unpacking runc (1.1.5+ds1-1+deb12u1) ...
Selecting previously unselected package containerd.
Preparing to unpack .../05-containerd_1.6.20~ds1-1+deb12u1_amd64.deb ...
Unpacking containerd (1.6.20~ds1-1+deb12u1) ...
Selecting previously unselected package tini.
Preparing to unpack .../06-tini_0.19.0-1_amd64.deb ...
Unpacking tini (0.19.0-1) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../07-docker.io_20.10.24+dfsg1-1+deb12u1_amd64.deb
...
Unpacking docker.io (20.10.24+dfsg1-1+deb12u1) ...
Selecting previously unselected package binutils-common:amd64.
Preparing to unpack .../08-binutils-common_2.40-2_amd64.deb ...
Unpacking binutils-common:amd64 (2.40-2) ...
Selecting previously unselected package libbinutils:amd64.
Preparing to unpack .../09-libbinutils_2.40-2_amd64.deb ...
Unpacking libbinutils:amd64 (2.40-2) ...
Selecting previously unselected package libctf-nobfd0:amd64.
Preparing to unpack .../10-libctf-nobfd0_2.40-2_amd64.deb ...
Unpacking libctf-nobfd0:amd64 (2.40-2) ...
Selecting previously unselected package libctf0:amd64.
Preparing to unpack .../11-libctf0_2.40-2_amd64.deb ...
Unpacking libctf0:amd64 (2.40-2) ...
Selecting previously unselected package libgprofng0:amd64.
```

```
Preparing to unpack .../12-libgprofng0_2.40-2_amd64.deb ...
Unpacking libgprofng0:amd64 (2.40-2) ...
Selecting previously unselected package libjansson4:amd64.
Preparing to unpack .../13-libjansson4_2.14-2_amd64.deb ...
Unpacking libjansson4:amd64 (2.14-2) ...
Selecting previously unselected package binutils-x86-64-linux-gnu.
Preparing to unpack .../14-binutils-x86-64-linux-gnu_2.40-2_amd64.deb ...
Unpacking binutils-x86-64-linux-gnu (2.40-2) ...
Selecting previously unselected package binutils.
Preparing to unpack .../15-binutils_2.40-2_amd64.deb ...
Unpacking binutils (2.40-2) ...
Selecting previously unselected package cgroupfs-mount.
Preparing to unpack .../16-cgroupfs-mount_1.4_all.deb ...
Unpacking cgroupfs-mount (1.4) ...
Selecting previously unselected package libprotobuf32:amd64.
Preparing to unpack .../17-libprotobuf32_3.21.12-3_amd64.deb ...
Unpacking libprotobuf32:amd64 (3.21.12-3) ...
Selecting previously unselected package python3-protobuf.
Preparing to unpack .../18-python3-protobuf_3.21.12-3_amd64.deb ...
Unpacking python3-protobuf (3.21.12-3) ...
Selecting previously unselected package libnet1:amd64.
Preparing to unpack .../19-libnet1_1.1.6+dfsg-3.2_amd64.deb ...
Unpacking libnet1:amd64 (1.1.6+dfsg-3.2) ...
Selecting previously unselected package libnftables1:amd64.
Preparing to unpack .../20-libnftables1_1.0.6-2+deb12u2_amd64.deb ...
Unpacking libnftables1:amd64 (1.0.6-2+deb12u2) ...
Selecting previously unselected package libnl-3-200:amd64.
Preparing to unpack .../21-libnl-3-200_3.7.0-0.2+b1_amd64.deb ...
Unpacking libnl-3-200:amd64 (3.7.0-0.2+b1) ...
Selecting previously unselected package criu.
Preparing to unpack .../22-criu_3.17.1-2+deb12u1_amd64.deb ...
Unpacking criu (3.17.1-2+deb12u1) ...
Selecting previously unselected package liberror-perl.
Preparing to unpack .../23-liberror-perl_0.17029-2_all.deb ...
Unpacking liberror-perl (0.17029-2) ...
Selecting previously unselected package git-man.
Preparing to unpack .../24-git-man_1%3a2.39.5-0+deb12u2_all.deb ...
Unpacking git-man (1:2.39.5-0+deb12u2) ...
Selecting previously unselected package git.
Preparing to unpack .../25-git_1%3a2.39.5-0+deb12u2_amd64.deb ...
Unpacking git (1:2.39.5-0+deb12u2) ...
Selecting previously unselected package libintl-perl.
Preparing to unpack .../26-libintl-perl_1.33-1_all.deb ...
Unpacking libintl-perl (1.33-1) ...
Selecting previously unselected package libintl-xs-perl.
Preparing to unpack .../27-libintl-xs-perl_1.33-1_amd64.deb ...
Unpacking libintl-xs-perl (1.33-1) ...
Selecting previously unselected package libmodule-find-perl.
Preparing to unpack .../28-libmodule-find-perl_0.16-2_all.deb ...
Unpacking libmodule-find-perl (0.16-2) ...
Selecting previously unselected package libproc-processtable-perl:amd64.
Preparing to unpack .../29-libproc-processtable-perl_0.634-1+b2_amd64.deb
...
Unpacking libproc-processtable-perl:amd64 (0.634-1+b2) ...
```

```
Selecting previously unselected package libsort-naturally-perl.
Preparing to unpack .../30-libsort-naturally-perl_1.03-4_all.deb ...
Unpacking libsort-naturally-perl (1.03-4) ...
Selecting previously unselected package libterm-readkey-perl.
Preparing to unpack .../31-libterm-readkey-perl_2.38-2+b1_amd64.deb ...
Unpacking libterm-readkey-perl (2.38-2+b1) ...
Selecting previously unselected package needrestart.
Preparing to unpack .../32-needrestart_3.6-4+deb12u3_all.deb ...
Unpacking needrestart (3.6-4+deb12u3) ...
Selecting previously unselected package patch.
Preparing to unpack .../33-patch_2.7.6-7_amd64.deb ...
Unpacking patch (2.7.6-7) ...
Setting up binutils-common:amd64 (2.40-2) ...
Setting up libctf-nobfd0:amd64 (2.40-2) ...
Setting up libnet1:amd64 (1.1.6+dfsg-3.2) ...
Setting up runc (1.1.5+ds1-1+deb12u1) ...
Setting up libjansson4:amd64 (2.14-2) ...
Setting up perl-modules-5.36 (5.36.0-7+deb12u2) ...
Setting up tini (0.19.0-1) ...
Setting up patch (2.7.6-7) ...
Setting up libgdbm-compat4:amd64 (1.23-3) ...
Setting up libprotobuf32:amd64 (3.21.12-3) ...
Setting up libnl-3-200:amd64 (3.7.0-0.2+b1) ...
Setting up git-man (1:2.39.5-0+deb12u2) ...
Setting up cgroupfs-mount (1.4) ...
Setting up libbinutils:amd64 (2.40-2) ...
Setting up python3-protobuf (3.21.12-3) ...
Setting up containerd (1.6.20~ds1-1+deb12u1) ...
Created symlink /etc/systemd/system/multi-
user.target.wants/containerd.service →
/lib/systemd/system/containerd.service.
Setting up libperl5.36:amd64 (5.36.0-7+deb12u2) ...
Setting up libctf0:amd64 (2.40-2) ...
Setting up libnftables1:amd64 (1.0.6-2+deb12u2) ...
Setting up docker.io (20.10.24+dfsg1-1+deb12u1) ...
Adding group `docker' (GID 109) ...
Done.
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service
→ /lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket →
/lib/systemd/system/docker.socket.
Setting up perl (5.36.0-7+deb12u2) ...
Setting up libgprofng0:amd64 (2.40-2) ...
Setting up libmodule-find-perl (0.16-2) ...
Setting up libproc-processtable-perl:amd64 (0.634-1+b2) ...
Setting up criu (3.17.1-2+deb12u1) ...
Setting up libintl-perl (1.33-1) ...
Setting up libterm-readkey-perl (2.38-2+b1) ...
Setting up libsort-naturally-perl (1.03-4) ...
Setting up binutils-x86-64-linux-gnu (2.40-2) ...
Setting up binutils (2.40-2) ...
Setting up libintl-xs-perl (1.33-1) ...
Setting up liberror-perl (0.17029-2) ...
Setting up git (1:2.39.5-0+deb12u2) ...
```



```
Setting up needrestart (3.6-4+deb12u3) ...
Processing triggers for man-db (2.11.2-2) ...
Processing triggers for libc-bin (2.36-9+deb12u10) ...

Executing command: sudo systemctl start docker

Executing command: sudo usermod -aG docker admin
2025-05-14 11:45:11,293 [INFO]
2025-05-14 11:45:11,436 [INFO]

Executing command: docker run -d -p 8080:80 --name nginx nginx

2025-05-14 11:45:11,563 [INFO]
Starting health check monitor loop...
2025-05-14 11:45:11,634 [INFO] Starting health check monitor loop...
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2633e0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:45:21,660 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2633e0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:45:31,682 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a263ad0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a263ad0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:45:41,700 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x107cb2cc0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x107cb2cc0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:45:51,727 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2634a0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
```

```
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2634a0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:46:01,754 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2b0380>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:46:01,754 [WARNING] Restarting the nginx container...
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2b0380>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Restarting the nginx container...
2025-05-14 11:46:01,805 [INFO] Connected (version 2.0, client
OpenSSH_9.2p1)
2025-05-14 11:46:01,996 [INFO] Authentication (publickey) successful!
2025-05-14 11:46:02,079 [INFO]

2025-05-14 11:46:12,098 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2b18b0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2b18b0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:46:22,128 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a219f70>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a219f70>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2637a0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:46:32,158 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
```

```

0x10a2637a0>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a263c50>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:46:42,182 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a263c50>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Connection error: HTTPConnectionPool(host='18.192.13.199', port=8080): Max
retries exceeded with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2b1370>: Failed to establish a new connection: [Errno 61] Connection
refused'))
Restarting the nginx container...
2025-05-14 11:46:52,208 [ERROR] Connection error:
HTTPConnectionPool(host='18.192.13.199', port=8080): Max retries exceeded
with url: / (Caused by
NewConnectionError('<urllib3.connection.HTTPConnection object at
0x10a2b1370>: Failed to establish a new connection: [Errno 61] Connection
refused'))
2025-05-14 11:46:52,208 [WARNING] Restarting the nginx container...
2025-05-14 11:46:52,269 [INFO] Connected (version 2.0, client
OpenSSH_9.2p1)
2025-05-14 11:46:52,478 [INFO] Authentication (publickey) successful!
2025-05-14 11:46:52,604 [INFO]

Nginx is running.
2025-05-14 11:47:02,667 [INFO] Nginx is running.
Nginx is running.
2025-05-14 11:47:12,709 [INFO] Nginx is running.
2025-05-14 11:47:22,766 [INFO] Nginx is running.
Nginx is running.
2025-05-14 11:47:32,812 [INFO] Nginx is running.
Nginx is running.
Nginx is running.
2025-05-14 11:47:42,866 [INFO] Nginx is running.


```

► Solution 4: Working with ECR in AWS


EXERCISE 4: Working with ECR in AWS

- Get all the repositories in ECR
- Print the name of each repository
- Choose one specific repository and for that repository, list all the image tags inside, sorted by date.
Where the most recent image tag is on top

Step 1: I created my own ecr repo: 524196012679.dkr.ecr.eu-central-1.amazonaws.com/sg/java-app-demos



my tagged images:



Step 2: Executed my script with my new created ecr-repo: sg/java-app-demos

```
import boto3
import logging
from operator import itemgetter

# Setup logging
logging.basicConfig(
    level=logging.INFO,
    format='%(asctime)s [%(levelname)s] %(message)s',
)

ecr_client = boto3.client('ecr')

# Get all ECR repositories
try:
    repos = ecr_client.describe_repositories()['repositories']
    logging.info("Fetched ECR repositories successfully.")
    print("Available ECR repositories:")
    for repo in repos:
        print(repo['repositoryName'])
        logging.info(f"Repository found: {repo['repositoryName']}")
except Exception as e:
    logging.error(f"Error fetching ECR repositories: {e}")
    raise
```

```
print("-----")

# For one specific repo, get all the images and print them sorted by date
repo_name = "sg/java-app-demos"

try:
    images = ecr_client.describe_images(repositoryName=repo_name)
    logging.info(f"Fetchd images from repository: {repo_name}")
except Exception as e:
    logging.error(f"Error fetching images from repository '{repo_name}': {e}")
    raise

image_tags = []

for image in images['imageDetails']:
    tags = image.get('imageTags', ['<untagged>']) # Handle images with no tag
    pushed_at = image['imagePushedAt']
    image_tags.append({
        'tag': tags,
        'pushed_at': pushed_at
    })
    logging.debug(f"Image found - Tags: {tags}, Pushed At: {pushed_at}")

# Sort images by pushed date descending
images_sorted = sorted(image_tags, key=itemgetter("pushed_at"),
reverse=True)

print(f"Images for repository '{repo_name}' sorted by date:")
for image in images_sorted:
    print(image)
    logging.info(f"Image: {image}")
```

Output of my exercise-4.py script:

The screenshot shows the PyCharm IDE interface. The top toolbar includes buttons for Project, Run, and other development tools. The left sidebar displays the Project view with a file tree for 'chapter-14-automation-with-pyhton' and the Structure view showing variables like 'ecr_client', 'repo_name', 'image_tags', and 'images_sorted'. The main editor window shows the code for 'exercise-4.py', which uses the boto3 library to interact with AWS ECR. The bottom panel shows the Run output for 'exercise-4', displaying the execution of the script and the fetched ECR repository and image details.

```

21 ecr_client = boto3.client('ecr')
22
23 # Get all ECR repositories
24 try:
25     repos = ecr_client.describe_repositories()['repositories']
26     logging.info("Fetched ECR repositories successfully.")
27     print("Available ECR repositories:")
28     for repo in repos:
29         print(repo['repositoryName'])
30         logging.info(f"Repository found: {repo['repositoryName']}")
31 except Exception as e:
32     logging.error(f"Error fetching ECR repositories: {e}")
33     raise
34
35 print("-----")
36
37 # For one specific repo, get all the images and print them sorted by date
38 repo_name = "sg/java-app-demos"
39
40 try:
41     images = ecr_client.describe_images(repositoryName=repo_name)
42     logging.info(f"Fetched images from repository: {repo_name}")
43 except Exception as e:
44     logging.error(f"Error fetching images from repository '{repo_name}': {e}")
45     raise

```

```

/Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/venv/bin/python /Users/sgworker/PycharmProjects/chapter-14-automation-with-pyhton/exercise-4.py
2025-05-14 15:52:55,298 [INFO] Found credentials in shared credentials file: ~/.aws/credentials
Available ECR repositories:
sg/java-app-demos
-----
2025-05-14 15:52:55,603 [INFO] Fetched ECR repositories successfully.
2025-05-14 15:52:55,603 [INFO] Repository found: sg/java-app-demos
2025-05-14 15:52:55,679 [INFO] Fetched images from repository: sg/java-app-demos
2025-05-14 15:52:55,679 [INFO] Image: {'tag': ['v1', 'v2', 'v4', 'v3'], 'pushed_at': datetime.datetime(2025, 5, 14, 15, 48, 5, 108000, tzinfo=tzlocal())}
Images for repository 'sg/java-app-demos' sorted by date:
{'tag': ['v1', 'v2', 'v4', 'v3'], 'pushed_at': datetime.datetime(2025, 5, 14, 15, 48, 5, 108000, tzinfo=tzlocal())}
Process finished with exit code 0

```

► Solution 5: Python in Jenkins Pipeline

EXERCISE 5: Python in Jenkins Pipeline Create a Jenkins job that fetches all the available images from your application's ECR repository using Python. It allows the user to select the image from the list through user input and deploys the selected image to the EC2 server using Python.

Instructions

Do the following preparation manually:

- Start EC2 instance and install Docker on it
- Install Python, Pip and all needed Python dependencies in Jenkins
- Create 3 Docker images with tags 1.0, 2.0, 3.0 from one of the previous projects

Once all the above is configured, create a Jenkins Pipeline with the following steps:

- Fetch all 3 images from the ECR repository (using Python)
- Let the user select the image from the list (hint: <https://www.jenkins.io/doc/pipeline/steps/pipeline-input-step/>)
- SSH into the EC2 server (using Python)
- Run docker login to authenticate with ECR repository (using Python)
- Start the container from the selected image from step 2 on EC2 instance (using Python)

- Validate that the application was successfully started and is accessible by sending a request to the application (using Python)

Code

In exercise repo you will find the Jenkinsfile that executes 3 python scripts for different stages:

- get-images.py
- deploy.py
- validate.py

Before executing the Jenkins pipeline, set the following environment variable values inside Jenkinsfile

- ECR_REPO_NAME
- EC2_SERVER
- ECR_REGISTRY
- CONTAINER_PORT
- HOST_PORT
- AWS_DEFAULT_REGION

Step 1: In Step 1, I installed Python 3 and then used pip3 to install the following packages, since my Jenkins is installed on my Mac.

```
✓ Docker image nginx pushed with tag: v4
(venv) sgworker@MacBook-Pro-3.local /Users/sgworker/PycharmProjects/chapter-14-automation-with-python
% python3 --version
Python 3.12.0
pip3 --version
pip 23.2.1 from /Users/sgworker/PycharmProjects/chapter-14-automation-with-python/venv/lib/python3.12/site-packages/pip (python 3.12)
(venv) sgworker@MacBook-Pro-3.local /Users/sgworker/PycharmProjects/chapter-14-automation-with-python
% pip3 install boto3 paramiko requests
Requirement already satisfied: boto3 in ./venv/lib/python3.12/site-packages (1.38.13)
Requirement already satisfied: paramiko in ./venv/lib/python3.12/site-packages (3.5.1)
Requirement already satisfied: requests in ./venv/lib/python3.12/site-packages (2.32.3)
Requirement already satisfied: botocore<1.39.0,>=1.38.13 in ./venv/lib/python3.12/site-packages (from boto3) (1.38.13)
Requirement already satisfied: jmespath<2.0.0,>=0.7.1 in ./venv/lib/python3.12/site-packages (from boto3) (1.0.1)
Requirement already satisfied: s3transfer<0.13.0,>=0.12.0 in ./venv/lib/python3.12/site-packages (from boto3) (0.12.0)
Requirement already satisfied: bcrypt>=3.2 in ./venv/lib/python3.12/site-packages (from paramiko) (4.3.0)
Requirement already satisfied: cryptography>=3.3 in ./venv/lib/python3.12/site-packages (from paramiko) (44.0.3)
```

Step2 :In step 2, I modified the Jenkinsfile to reflect the required changes for deployment.

```
#!/usr/bin/env groovy

pipeline {
    agent any
    environment {
        ECR_REPO_NAME = 'sg/java-app-demos' // SET VALUE
```

```

    EC2_SERVER = '3.122.118.194' // SET VALUE
    EC2_USER = 'admin'

    // will be set to the location of the SSH key file that is
    temporarily created
    SSH_KEY_FILE = credentials('ssh_aws_access')

    ECR_REGISTRY = '524196012679.dkr.ecr.eu-central-1.amazonaws.com'
// SET VALUE
    DOCKER_USER = 'AWS'
    DOCKER_PWD = credentials('ecr-repo-pwd')
    CONTAINER_PORT = '80' // SET VALUE
    HOST_PORT = '8080' // SET VALUE


    AWS_ACCESS_KEY_ID = credentials('jenkins_aws_access_key_id')
    AWS_SECRET_ACCESS_KEY =
credentials('jenkins_aws_secret_access_key')
    AWS_DEFAULT_REGION = 'eu-central-1' // SET VALUE
}
stages {
    stage('select image version') {
        steps {
            script {
                echo 'fetching available image versions'
                def result = sh(script: 'python3 get-images.py',
returnStdout: true).trim()
                // split returns an Array, but choices expects either a
List or String, so we do "as List"
                def tags = result.split('\n') as List
                version_to_deploy = input message: 'Select version to
deploy', ok: 'Deploy', parameters: [choice(name: 'Select version',
choices: tags)]

                // put together the full image name
                env.DOCKER_IMAGE =
"${ECR_REGISTRY}/${ECR_REPO_NAME}:${version_to_deploy}"
                echo env.DOCKER_IMAGE
            }
        }
    }
    stage('deploying image') {
        steps {
            script {
                echo 'deploying docker image to EC2...'
                def result = sh(script: 'python3 deploy.py',
returnStdout: true).trim()
                echo result
            }
        }
    }
    stage('validate deployment') {
        steps {
            script {
                echo 'validating that the application was deployed
successfully...'

```

```
def result = sh(script: 'python3 validate.py',
returnStdout: true).trim()
echo result
}
```

Step 3: In step 3, I created my own repo for Jenkins in github :



Step 4: In step 4, I created my Jenkins pipeline job from Github and the credentials:

← → ↻

localhost:8080/job/python-boto3-automation/configure

🔍 ☆ 🌐

Dashboard > python-boto3-automation > Configuration

Configure

⚙️ General

🕒 Triggers

📜 Pipeline

🔧 Advanced

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script from SCM

SCM ?

Git

Repositories ?

Repository URL ?

https://github.com/Saban39/python-boto3-automation.git/

Credentials ?

my_local_jenkins/*****

+ Add

Erweitert ▾

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

*/main

Add Branch


Repository Browser ?

(Auto)

← → ↻

localhost:8080/manage/credentials/

🔍 ☆ 🌐

 **Jenkins**

🔍 🛡️ 2 👤 SG ▾


Dashboard > Jenkins verwalten > Zugangsdaten

Credentials


T	P	Store ↓	Domain	ID	Name
		System	(global)	jenkins_aws_access_key_id	jenkins_aws_access_key_id
		System	(global)	db_user	db_user
		System	(global)	db_pass	db_pass
		System	(global)	db_name	db_name
		System	(global)	db_root_pass	db_root_pass
		System	(global)	jenkins_aws_secret_access_key	jenkins_aws_secret_access_key
		System	(global)	jenkins-access	my_local_jenkins/*****
		System	(global)	ssh_aws_access	admin
		System	(global)	ecr-repo-pwd	ecr-repo-pwd

Stores scoped to Jenkins

Step 5: In step 5, I executed my Jenkins pipeline job:




My results are visible in the Jenkins job. I selected the tag v1 for deployment, and my NGINX container was successfully deployed, as shown in the screenshots and Jenkins logs.



```
(venv) sgworker@MacBook-Pro-3:Local /Users/sgworker/PycharmProjects/chapter-14-automation-with-python [main]
% ssh admin@3.122.118.194 -i my_python_automate_key.pem
X11 forwarding request failed on channel 0
Linux ip-172-31-43-139 6.1.0-32-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.129-1 (2025-03-06) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Thu May 15 09:48:49 2025 from 94.114.29.188
admin@ip-172-31-43-139:~$
admin@ip-172-31-43-139:~$
admin@ip-172-31-43-139:~$
admin@ip-172-31-43-139:~$ docker ps
CONTAINER ID   IMAGE                                     COMMAND                  CREATED        STATUS        PORTS                               NAMES
62298ca54e43   524196012679.dkr.ecr.eu-central-1.amazonaws.com/sg/java-app-demos:v1  "/docker-entrypoint..."  2 minutes ago  Up 2 minutes  0.0.0.0:8080->80/tcp, :::8080->80/tcp  stupefied_elgamal
admin@ip-172-31-43-139:~$
```



my jenkins logs:

Started by user SG

Obtained Jenkinsfile from git https://github.com/Saban39/python-boto3-automation.git/

[Pipeline] Start of Pipeline

[Pipeline] node

Running on Jenkins

`in` /var/root/.jenkins/workspace/python-boto3-automation

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

The recommended git tool is: NONE

using credential jenkins-access

> git rev-parse --resolve-git-dir /var/root/.jenkins/workspace/python-boto3-automation/.git # timeout=10

Fetching changes from the remote Git repository

> git config remote.origin.url https://github.com/Saban39/python-boto3-automation.git/ # timeout=10

Fetching upstream changes from https://github.com/Saban39/python-boto3-automation.git/

> git --version # timeout=10

> git --version # 'git version 2.39.5 (Apple Git-154)'

using GIT_ASKPASS to set credentials

> git fetch --tags --force --progress --

https://github.com/Saban39/python-boto3-automation.git/

+refs/heads/*:refs/remotes/origin/* # timeout=10

> git rev-parse refs/remotes/origin/main^{commit} # timeout=10

Checking out Revision 0da61964ee559da857b92d0e667481ab2f135b31

(refs/remotes/origin/main)

```

> git config core.sparsecheckout # timeout=10
> git checkout -f 0da61964ee559da857b92d0e667481ab2f135b31 # timeout=10
Commit message: "test"
> git rev-list --no-walk 0da61964ee559da857b92d0e667481ab2f135b31 #
timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withCredentials
Masking supported pattern matches of $AWS_ACCESS_KEY_ID or
$AWS_SECRET_ACCESS_KEY or $DOCKER_PWD or $SSH_KEY_FILE or
$SSH_KEY_FILE_PSW
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (select image version)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
fetching available image versions
[Pipeline] sh
+ python3 get-images.py
[Pipeline] input
Input requested
Approved by SG

```

Did you forget the `def` keyword? WorkflowScript seems to be setting a field named version_to_deploy (to a value of `type String`) which could lead to memory leaks or other issues.

```

[Pipeline] echo
524196012679.dkr.ecr.eu-central-1.amazonaws.com/sg/java-app-demos:v1
[Pipeline] }

```

```

[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (deploying image)
[Pipeline] script
[Pipeline] {

```

```

[Pipeline] echo
deploying docker image to EC2...
[Pipeline] sh
+ python3 deploy.py

```

Exception ignored in: `<function BufferedFile.__del__ at 0x102d6a940>`
Traceback (most recent call last):

```

  File "/Library/Python/3.9/site-packages/paramiko/file.py", line 67, in
__del__
  File "/Library/Python/3.9/site-packages/paramiko/channel.py", line 1390,
in close

```

```
File "/Library/Python/3.9/site-packages/paramiko/channel.py", line 989,
in shutdown_write
File "/Library/Python/3.9/site-packages/paramiko/channel.py", line 965,
in shutdown
File "/Library/Python/3.9/site-packages/paramiko/transport.py", line
1971, in _send_user_message
AttributeError: 'NoneType' object has no attribute 'time'
[Pipeline] echo
['Login Succeeded\n']
['62290ca54e43b71c21551c8b36043216214ca0eccb429c7e7f45b13a7f8b8975\n']
['Login Succeeded\n']
['2f0eaba845a5a12ff559b340fa875377d4ba4167db3991adbae9512e481da87f\n']
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage

[Pipeline] stage
[Pipeline] { (validate deployment)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
validating that the application was deployed successfully...
[Pipeline] sh

+ python3 validate.py

[Pipeline] echo
Application is running successfully!
[Pipeline] }
[Pipeline] // script
[Pipeline] }

[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // withEnv

[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```