



2&3.Configuration Of Topologies Using Packet Tracer





File Edit Options View Tools Simulation Help

Logical [Real] New Cluster Move Object Set Tiled Background Viewport

PC1

Physical Config Desktop Custom Interface

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IP Address: 192.168.1.8

Subnet Mask:

Default Gateway:

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address:

Link Local Address: FE80::2E0:F9FF:FE07:1147

IPv6 Gateway:

IPv6 DNS Server:

Time: 00:09:20 Power Cycle Devices Fast Forward Time

Connections

Scenario 0

New Delete

Toggle PDU List Window

| Fire | Last Status | Source | Destination | Type | Color | Time(sec) | Periodic | Num | Edit |
|------|-------------|--------|-------------|------|-------|-----------|----------|-----|------|
|------|-------------|--------|-------------|------|-------|-----------|----------|-----|------|

File Edit Options View Tools Simulation Help

Logical [Real] New Cluster Move Object Set Tiled Background Viewport

PC12

Physical Config Desktop Custom Interface

IP Configuration

IP Configuration

☐ DHCP ☒ Static This address is already used in the network.

IP Address: 192.168.1.10

Subnet Mask:

Default Gateway:

DNS Server:

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address:

Link Local Address: FE80::263:E4FF:FE16:37D0

IPv6 Gateway:

IPv6 DNS Server:

Time: 00:11:52 Power Cycle Devices Fast Forward Time

Connections

Scenario 0

New Delete

Toggle PDU List Window

| Fire | Last Status | Source | Destination | Type | Color | Time(sec) | Periodic | Num | Edit |
|------|-------------|--------|-------------|------|-------|-----------|----------|-----|------|
|------|-------------|--------|-------------|------|-------|-----------|----------|-----|------|