

EXPERIMENT – 4

Hash Cracking using John the Ripper (TryHackMe)

AIM:

To perform password hash cracking using John the Ripper tool on the TryHackMe platform and understand dictionary-based attacks on hashed passwords.

REQUIREMENTS:

1. TryHackMe Account
2. Kali Linux (AttackBox)
3. John the Ripper
4. rockyou.txt wordlist

PROCEDURE:

1. Login to TryHackMe and open the room "John The Ripper".
2. Start the machine and launch the AttackBox.
3. Verify John the Ripper installation using `john --version`.
4. Download the provided hash files.
5. Identify hash type using `hashid`.
6. Perform dictionary attack using `rockyou.txt`.
7. View cracked passwords using `john --show`.
8. Crack Linux shadow passwords using `unshadow`.
9. Crack ZIP file passwords using `zip2john`.

SOURCE CODE / COMMANDS:

```
john --version
```

```
hashid hash1.txt
```

```
john --wordlist=/usr/share/wordlists/rockyou.txt hash1.txt
```

```
john --show hash1.txt
```

```
unshadow passwd shadow > unshadowed.txt
```

```
john --wordlist=/usr/share/wordlists/rockyou.txt unshadowed.txt
```

```
zip2john secure.zip > ziphash.txt
```

```
john --wordlist=/usr/share/wordlists/rockyou.txt ziphash.txt
```

OUTPUT:

Password successfully cracked using dictionary attack.

RESULT:

Thus, hash cracking using John the Ripper was successfully performed on the TryHackMe platform.