

---

# COLOR MODELS

# OverView

---

- Color model
- Visible light Spectrum
- Color terminology
- Energy Spectrum
- Additive & Subtractive Mixing
- CIE standard
- RGB color model
- CMY color model (also, CMYK)
- HSV color model
- HLS color model

# COLOR MODELS

---

- A color model is a method for explaining the properties or behavior of color within some particular context.
  - Mathematical model in which a color is represented as numbers.
  - Forms a 3D coordinate system and each point represents a color
- No single color model explains all aspects of color, so different models are used to describe the different perceived characteristics of color

# Color

---


- Light is a narrow frequency band within the electromagnetic spectrum (380-750 nm).
- Each frequency value within the visible band corresponds to a distinct color.
- At low frequency end is red color and highest frequency is violet color.
- The various colors are described in terms of either frequency  $f$  or wavelength  $\lambda$  of electromagnetic wave.
- The colors that we see in the world around us are generally not pure colors consisting of a single wavelength.

# Color

---

- The combination of frequencies present in the reflected light determines what we perceive as the color of the object.
- Rather, color sensation results from the *dominant wavelength* of the light reflecting off or emanating from an object.
- The dominant frequency is called as HUE .

# Color



# Color Terminology

- **Hue** - the dominant frequency is called hue or simply color
- **Monochromatic color** - a color that is created from only one wavelength.
- **Brightness or Luminance** : perceived intensity of light.
- **Purity or saturation** : Describes how "pure" the color of light appears. *Saturation* is a matter of how much white light is added in. The less white light, the more saturated the color.(how strong a color is)
- **Lightness** is how much black is in the color.
- **Chromaticity**: Refers to two properties of color characteristics purity and dominant frequency
- Hue and saturation are elements of *chrominance*. Lightness is a matter of *luminance*.

# Color Terminology

---


- **Additive color systems** - based on adding colored light (as in computer monitors). A combination of all colors gives white.
- **Subtractive color systems** - based on adding pigments (as in printing). A combination of all colors gives black.



# Physical properties of light

---

- Energy emitted by a white-light source has a distribution over the visible frequencies as shown
- The distribution showing the relation between energy and wavelength (or frequency) is called *energy spectrum*.
- *Each frequency component from red to violet contributes more or less equally to total energy.*
- *The color of source are descibred as white.*




# Physical properties of light

- *The light has color corresponding to the dominant frequency*

This distribution may indicate:

- 1) a dominant wavelength (or frequency) which is the color of the light (*hue*),  $E_D$
- 2) Contributions from the other frequencies produces white light of energy density  $E_w$
- 3) brightness (luminance), intensity of the light (*value*), is the area  $A$  under curve.
- 4) purity (*saturation*),  $E_D - E_w$



Energy spectrum for a light source with a dominant frequency near the red color

# Color definitions


---

- Two different color light sources with suitable chosen intensities can be used to produce other range of colors.
- **Complementary colors** - two colors combine to produce white light.
  - Eg: red and cyan, green and magenta, blue and yellow
- **Color Gamut**: color models used to describe combination of light, in terms of hue, use three colors to obtain wide range of colors.
- **Primary colors** - (two or) three colors used for describing other colors
- Two main principles for mixing colors:
  - *Additive mixing & Subtractive mixing*

# Additive mixing

---

- This system express a color  $D$ , as the sum of certain amount of primaries.
- Overlapping gives yellow, cyan, magenta and white
- Typical technique used on color displays



# Subtractive mixing



---

- Color pigments are mixed directly in some liquid, e.g. Ink
- Primary colors: **cyan, magenta and yellow**, i.e. CMY
- The typical technique in printers/plotters
- This system expresses a color, D by means of three tuple in which each of the three values specifies how much of certain color to remove from white in order to produce D.



# Additive/subtractive mixing

---



# Overview of color models

---

The human eye can perceive about 382000(!) different colors

Some kind of classification system is necessary; all models use three coordinates as a basis:

- 1) CIE standard (XYZ model)
- 2) RGB color model
- 3) CMY color model (also, CMYK)
- 4) YIQ color model
- 5) HSV color model
- 6) HLS color model

# CIE Color Primaries

---

- The CIE (International Commission on Illumination) color primaries is referred as X, Y, and Z .
- X, Y, and Z are "artificial primaries,"(imaginary) not visible colors like R, G, and B.
  - Just a hypothetical model; to make it machine independent
- These primaries can be combined in various proportions to produce all the colors the human eye can see.
- In the CIE color model ,a color **C** is given by
$$\mathbf{C} = X_1 * \mathbf{X} + Y_1 * \mathbf{Y} + Z_1 * \mathbf{Z}$$

**XYZ** - Vectors in color space  $X_1 Y_1 Z_1$  - amt of standard primaries needed to match **C**



# CIE Color Model on the $X+Y+Z = 1$ Plane

---

- If we want to consider each component as a percentage of the total amount of light, we can “normalize” the values:

$$x = \frac{X}{X + Y + Z} \quad \text{_____} \quad (1)$$

$$y = \frac{Y}{X + Y + Z} \quad \text{_____} \quad (2)$$

$$z = \frac{Z}{X + Y + Z} \quad \text{_____} \quad (3)$$

Note:  $X + Y + Z$  is the luminance  
Also note that  $x + y + z = 1$

# CIE Color Model on the $X+Y+Z = 1$ Plane

---

- $x, y$  represent chromaticity values and depend on hue and purity.
- If we specify colors only with  $x$  and  $y$  values, we cannot obtain the amounts  $X, Y$ , and  $Z$
- So, for complete description of any color, we need  $x, y$  &  $Y$ .

$$(X, Y, Z) = \left( \frac{xY}{y}, Y, \frac{(1 - x - y)Y}{y} \right).$$

(1) *can be written as*  $X = x (X + Y + Z)$   
from (2) we know that,  $X+Y+Z = Y/y$   
Therefore,  $X = x (Y/y)$   
Similarly for  $Z$

# CIE Chromaticity Diagram


Plotting  $x$  vs.  $y$  for colors in the visible spectrum, we obtain a tongue-shaped curve called CIE Chromaticity diagram

• Points along the curve are the 'pure' colors in the spectrum.

• The line joining red to violet is called purple line, and is not a part of the spectrum

• Interior points specify all the visible color combinations.

• The dot corresponds to white light position.




# Chromaticity Diagram

---

- The CIE Chromaticity diagram is found useful in the following situations
  - Comparing *color gamuts* of different set of primaries
  - Identifying *complementary colors*
  - Determining *dominant wavelength & purity* of different colors

# Dominant Wavelength on CIE Color Diagram



- Color Gamut are represented in the chromaticity diagram as straight line segments or polygons.
- To determine the dominant wavelength of a color  $C_1$ , draw a line between  $C$  through  $C_1$  to intersect the spectral curve at  $C_s$ . The dominant wavelength is at  $C_s$ .
- The purity is given by the ratio of distance of  $C$  to  $C_1$  and distance of  $C$  to  $C_s$ .
- The closer  $C_1$  is to the perimeter, the more saturated the color.
- Dominant wavelength of  $C_2$  is  $C_{sp}$  (complement of  $C_p$ ) - 'coz  $C_p$  is on the purple line which is not a part of visible spectrum



*Figure 15-10*  
Determining dominant wavelength and purity with the chromaticity diagram.

# Color Gamuts Represented on CIE Diagram

- All colors on the line IJ can be created by additively mixing colors I and J; all colors in the triangle IJK can be created by mixing colors I, J, and K.



# Color Concepts


---

- An artist creates a color painting by mixing color pigments with white and black pigments
- **Shades:** Pure color + Black pigment
- **Tints** : White Pigment + original color
- **Tones** : original color + Black +White pigments

# RGB model

---



- All colors are generated from the three primaries R,G,B.
- various colors are obtained by changing the amount of each primary
- Additive mixing (r,g,b),  $0 \leq r,g,b \leq 1$  referred to RGB color model.





# RGB Model

- The *RGB* unit cube defined with *R,G,B* axes. Each color point within the cube is given as  $(R,G,B)$
- A color is expressed as  $C=RR+GG+BB$
- Origin= $\Rightarrow$ black,  $1,1,1\Rightarrow$ white,  $.5,.5,.5\Rightarrow$ gray
- Vertices of cube axes= $\Rightarrow$  primary colors
- Other vertices= $\Rightarrow$  complementary colors



# YIQ Colour Model

---

- Whereas an RGB monitor requires separate signals for the red, green, and blue components of an image, a television monitor uses a single composite signal
- The NTSC colour model for forming the composite video signal is the YIQ model. Same as XYZ model and used in television.
- Y represents the luminance IQ represents the hue and purity.
- A combination of red, blue and green are chosen for Y parameter to yield standard luminosity curve
- Since Y represents the luminance information black-white monitors use only the Y signal.
- I contains orange-cyan hue info (flesh-tone) Q contains green-magenta hue information.

# YIQ Colour Model

- Conversion of RGB values to YIQ values

$$\begin{bmatrix} Y \\ I \\ Q \end{bmatrix} = \begin{bmatrix} 0.299 & 0.587 & 0.114 \\ 0.596 & -0.275 & -0.321 \\ 0.212 & -0.523 & 0.311 \end{bmatrix} \begin{bmatrix} R \\ G \\ B \end{bmatrix}$$

Calculated using the chromaticity coordinates of the RGB phosphor

- Conversion of YIQ values to RGB values can be done with the inverse matrix transformation

$$\begin{bmatrix} R \\ G \\ B \end{bmatrix} = \begin{bmatrix} 1.000 & 0.956 & 0.620 \\ 1.000 & -0.272 & -0.647 \\ 1.000 & -1.108 & 1.705 \end{bmatrix} \cdot \begin{bmatrix} Y \\ I \\ Q \end{bmatrix}$$


# CMYK model

---

- CMYK is primarily a printing color model.
- Cyan, magenta, and yellow are called the subtractive primaries.
- The hard-copy devices produces color pictures by coating a paper with color pigment.
- Human eye - See the colors by reflected light which is a subtractive process.

# CMYK Model

- Cyan, magenta, yellow, and black
- Cyan is white light with red taken out.  
 $C = G + B = W - R$
- cyan can be formed by adding green and blue light. Therefore, when white light is reflected from cyan-colored ink, the reflected light must have no red component. That is red light is absorbed, or subtracted



# CMYK Model

---

- Magenta is white light with green taken out.  
 $M = R + B = W - G$
- Yellow is white light with blue taken out.  
 $Y = R + G = W - B$
- 1,1,1 => black (since all components of incident light are subtracted)
- Orgin=>white
- CMY model generates a color point with a collection of four ink dots, like a RGB monitor uses a collection of three phosphor dots.
- Cyan, magenta, yellow and black dots (black dot coz cyan+magenta+yellow=dark gray instead of black)

# CMYK vs. RGB

---

- RGB to CMY conversion:

$$\begin{pmatrix} C \\ M \\ Y \end{pmatrix} = \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} - \begin{pmatrix} R \\ G \\ B \end{pmatrix}.$$


CMY to RGB conversion can be done with matrix transformation

$$\begin{bmatrix} R \\ G \\ B \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} - \begin{bmatrix} C \\ M \\ Y \end{bmatrix}$$


# HSV model

---

- Uses color descriptions that are more intuitive to user. User selects a spectral color and then decides a shade, tint and tone
- HSV stands for Hue-Saturation-Value
- described by a hexcone derived from the RGB cube



RGB Color Cube  
(a)




Color Hexagon  
(b)





# HSV model

- Hue (0-360°); "the color",
- Saturation (0-1); "the amount of white"
- Value (0-1); "the amount of black"
- Top of HSV hex cone is projection seen by looking along principal diagonal of RGB color



# HSV Color Model

---



# HSV color model

---

- Hue: ranges from  $0^\circ$  at red through  $360^\circ$
- Vertices of the hexagon are separated by  $60^\circ$  intervals-Y at  $60^\circ$ , G at  $120^\circ$  etc
- Complementary colors  $180^\circ$  opposite
- Saturation S ranges from 0 to 1 – ratio of purity of a selected hue to its maximum purity at  $S=1$ .
- Value V varies from 0 at apex(black) to 1 at top(white).
- At
  - $V=1$  and  $S=1$ , pure hues
  - $V=1$  and  $S=0$ , white
  - $V=0$  and  $S=0$  black


# HSV Color model

---

- To get Dark Blue:
  - $H=240$ , say  $V=0.4$  and  $S=1$
  - Adding black decreases  $V$  while  $S$  is constant
- To get Light Blue:
  - $H=240$ ,  $V=1$  and say  $S=0.3$
  - Adding white decreases  $S$  while  $V$  is constant

# HSV Color Definition

- Cross section of the HSV hex cone showing regions for shades, tints, and tones.
- Shades:  $S=1$   $0 \leq V \leq 1$
- Tints:  $V=1$   $0 \leq S \leq 1$




# HLS model

Another model similar to HSV

L stands for *Lightness*

- color components:
- hue (H)  $\in [0^\circ, 360^\circ]$
- lightness (L)  $\in [0, 1]$
- saturation (S)  $\in [0, 1]$



# Color Models Summary

---

- **CIE-XYZ**: standard color description
- **RGB**: for monitors
- **CMY, CMYK**: for printers
- **HSV, HLS**: for user interfaces
- **YIQ**: for television (**NTSC**) ( $Y$ =luminance,  $I=R-Y$ ,  $Q=B-Y$ )