




labs.surennetwork.com/legacy/topology

Terminal

Win1 x Win2 x

Administrator: Command Prompt

Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\User>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::2ceb:ccb5:788:1e35%11
IPv4 Address. : 50.0.0.10
Subnet Mask : 255.0.0.0
Default Gateway :

Tunnel adapter isatap.{42A1F8B7-30A8-4E77-81AF-C694F5F3D81B}:

Media State : Media disconnected
Connection-specific DNS Suffix . :
Connection-specific IPv4 Address :
Connection-specific IPv6 Address :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . :
IPv6 Address. : 2002:3200:a::3200:a


LAB-1

TERMINAL (2)

Physical

01 : 00 : 00

START



labs.surrennetwork.com/legacy/topology

Terminal

Win1 x Win2 x

All Control Panel Items > Network Connections >

Search Network Connections

Organize

Administrator: Command Prompt

Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.
C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::35fd:cc8:9b31:c87e%11
IPv4 Address. : 50.0.0.20
Subnet Mask : 255.0.0.0
Default Gateway :

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Tunnel adapter 6TO4 Adapter:

Connection-specific DNS Suffix . :
IPv6 Address. : 2002:3200:14::3200:14

2:41 PM

LAB-1

TERMINAL (2)

Physical

01 : 00 : 00

START

