

CARDIO VASCULAR SYSTEM

Name Age Sex Occupation Address

Chief complaints

H/O Presenting complaints

Chest Pain

Duration
Site
Onset
Nature
Brought on by (Exertional work)
Continuous/Intermittent
Radiation
Postural Variation
Aggravating/relieving factor
Associated with Nausea, Vomiting, Sweating
Associated with food intake

Breathlessness

Duration
Onset
Progression
Grade
Postural and Diurnal Variation
Aggravating/relieving factor
PND/Orthopnea

Palpitation

Duration
Regular/Irregular
Paroxysmal/Not
Brought on by
Aggravating and relieving factor
Associated with pain and syncope

Loss of consciousness

Episodes/day
Duration
Total/Partial loss of consciousness
Recovery time
Associated with fits, bladder/bowel disturbances
Time of the last episode

Cough with expectoration

Duration
Mode of onset
Quantity
Colour/Odour
Postural/diurnal variation
Aggravating/relieving factor

Bloody Cough

No of episodes and duration
Colour
Followed by malena
Associated with food particles

Negative History

Symptoms of RHF

H/O Pedal Edema
H/O abdominal distention
H/O dyspepsia
H/O Rt Hypochondrial pain
H/O puffiness of face

Symptoms of LHF

H/O dyspnea
H/O bloody sputum

H/O PND/orthopnea
H/O palpitation
H/O easy fatigue ability
H/O palpitation
H/O syncope
H/O voice change
H/O dysphagia
H/O oliguria

Symptoms of RF

H/O fever with pain and sore throat
H/O involuntary movements
H/O skin manifestations like rashes, nodule

Symptoms of Congenital Heart Disease

H/O cyanotic episodes

Symptoms of Pulmonary Hyertension

H/O Recurrent respiratory infection

Past History

H/O previous similar episodes
H/O rheumatic fever
H/O HT, DM, TB , Ischemic Heart Disease
H/O STD
H/O chronic respiratory tract infection, cyanotic spell
H/O any surgery
H/O chronic fever(Subacute bacterial endocarditis)

Family History

Any other family members with similar compliants

Personal History

Smoking
Alcohol
Diet
Menstrual history

Treatment History

Examination

General Examination

Consciousness

Comfortable

Afebrile

Built

Pallor

Jaundice

Clubbing

Cyanosis

Pedal Edema

Significant lymphadenopathy

Markers of Congenital Heart disease

- Hypertelorism
- Low set ears
- High arched palate
- Syndactyly
- Polydactyly
- Arachnodactyly
- Kyphosis
- Webbed neck

Markers of Infective Endocarditis

- Anemia
- Jaundice
- Fever
- Hand (Clubbing, Osler's node, Splinter Hemorrhage)
- Spleenomegaly

Markers of Rheumatic Heart Disease

- Erythema nodosum
- Subcutaneous nodules

Markers of TB

- *Phlyctern*
- *Scar/Sinus in the neck*
- *Tenia versicolor*
- *Lupus vulgaris*
- *Erythema nodosum*
- *Gynecomastia –INH*

Markers of HIV

- *Oral hairy leukoplakia*
- *Oral candidiasis*
- *Molluscum contagiosum*
- *Herpetic infection (Zoster)*
- *Generalized lymphadenopathy*

Vital Signs

- Pulse (Rate, Rhythm, Volume, Character, Felt in all palpable peripheral vessels, any Radio femoral delay)

- BP(All limbs)
- Temperature
- JVP

Peripheral signs of Aortic Regurgitation

- Hills Sign
- Light house sign
- Locomotor brachii
- Collapsing or Water hammer pulse
- Pulsus bisferiens
- Landolfi's sign(Pupillary size according to cardiac cycle not by light)
- Becker's sign(Retinal artery pulsation)
- de Musset's sign(Head bobbing with each heart beat)
- Muller's sign(Systolic pulsation in Uvula)
- Quinke's sign(Capillary pulsation over the lips and nail bed while pressing with glass slide)
- Dancing Carotid (Corrigan's sign)
- Duroziez's sign(Auscultation by 'bell' over femoral artery while compression: Proximal - Systolic murmur, Distal – Diastolic murmur)
- Duroziez's murmur (Auscultation by 'diaphragm' over femoral artery while compression: Distal – Diastolic murmur)
- Traube's sign(Pistol shot femorals)
- Rosenbach's sign(liver pulsation)
- Gerhardt's sign(enlarged spleen pulsation)

Examination of CVS

Inspection

Chest wall symmetry, shape, kyphoscoliosis

Apical impulse

Tracheal position

Pulsations

- Epigastric – RVH
- Parasternal – RVH, LAE
- Supra & Infraclavicular, suprasternal and neck – Aortic aneurysm
- Interscapular, Suprascapular – Coarctation of Aorta

Precordial bulge

Sinus

Scar

Dilated veins

Discharge

Drooping of shoulder

Oral cavity

Palpation

Apical impulse

- Site
- Type(Heaving – AS, Hyperdynamic – AR, Tapping – MS)

- Association with thrill

Epigastric pulsation

Parasternal Heave

- Grade I - Visible
- Grade II - Visible + Palpable but obliterated
- Grade III - Visible + Palpable not obliterated

Trill over precordium and carotids

Palpable sounds

Tracheal position

Percussion

Heart borders are within the normal limit

Auscultation

Mitral – First and second heart sounds heard

MDM – A rough rumbling low pitched MDM of grade__ heard with the bell of the stethoscope heard when the patient is in left lateral position with breath held in expiratory apnea

PSM – A high pitched soft blowing PSM of grade__ heard with the diaphragm of the stethoscope, which is conducted to axilla and back, when the patient is in the left lateral position with breath held in expiratory apnea

Aortic – First and Second heart sounds heard

ESM – A crescendo decrescendo ESM of grade__ heard with the diaphragm of the stethoscope and conducted to carotids when the patient leaning forward with the breath held in the expiratory apnea

EDM – A high pitched decrescendo EDM of grade__ heard with the diaphragm of the stethoscope when the patient leaning forward with the breath held in the expiratory apnea

Pulmonary – First and Second heart sounds heard

Tricuspid – First and Second heart sounds heard

Other systems

RS NVBS, Basal crepitations

CNS Normal

Abdomen No organomegaly

No free fluid

Dianosis

A case of acquired/congenital heart disease of __ (rheumatic) etiology with MS/MR/AS/AR. The patient is __ (Sinus rhythm) __ (failure/Not) __ with (IE or not).