

ABDOMINAL EXAMINATIONS

Name Age Sex

Occupation Address

PRESENTING COMPLAINTS

H/o Presenting illness

Abdominal pain

Site

Duration

Onset

Progression

Character

Radiation

Aggravating factors

Association with vomiting, defecation

Abdominal distention

- Duration, Onset

- Progress

- Association with : leg swelling

Facial puffiness pain

Vomiting

- Character

- content

- projectile

- Association of relieving of pain
before / after food?

Hematemesis

- No of episodes

- Quantity

- Associated with malena?

Jaundice

- No of episodes

- Duration

- Color of urine, stools

- Local treatment

Dark colored stools

- Black/not

- Streaked or frank blood?

H/o Dysphagia

H/o Oliguria

H/o Loss of weight

H/o Loss of appetite

H/o Altered bowel habits

H/o Mass in abdomen

Size

Shape

Duration

Progress

Change in the size?

Association with pain?

H/o Fever

H/o Swelling of leg

H/o Pruritis

H/o Hematuria

H/o Bleeding tendencies

PAST HISTORY

H/o Previous similar episodes

Jaundice

Drug intake

Blood Transfusion

TB/DM/IHD/HD

Exposure to STD

Previous abdominal surgeries

Hematochezia

FAMILY HISTORY

Relevance to Wilson's disease

Alphal anti trypsin deficiency

Hemochromatosis

PERSONAL HISTORY

Smoking : No of cigarettes/beedies

Age at which the habit was started

If stopped - when? Reason?

Alcohol : Duration

Type

Quantity

Diet pattern

Menstrual history in females

TREATMENT HISTORY

Disease for which treatment

Institution where treatment was given

Details of the drugs taken

Duration of the treatment

Treatment continued/discontinued

GENERAL EXAMINATIONS

Conscious

Comfortable

Co-operative

Afebrile/febrile

Build

Nourishment

Decubitus

Anemia

Jaundice

Cyanosis

Clubbing

Pedal edema

Significant lymphadenopathy

Look for liver cell failure

Left supraclavicular region

neuroly axis low

Chenalized lymphadenopathy
- TB, HIV, lymphoma

SIGNS OF LIVER CELL FAILURE

Alopecia
Atrophy of breast,
Atrophy of testis
Bitots spots
Bleeding tendencies
Dupuytren's contracture
Flapping tremors
Fruity odour
Loss of buccal pad of fat
Parotid enlargement
Palmar erythema
Pedal edema
Pruritis
Scratch mark
Spider naevi ≥ 5
Xantholesma

VITAL SIGNS

Pulse

Rate
Rhythm
Value
Character
Palpable in all peripheral vessels
Conditions of vessel wall
Pulse deficit
Radio-femoral delay

Respiratory :

Rate, rhythm
Type

Blood Pressure

Upper limb/ lower limb
mm of hg
Limb
Posture
Peripheral signs of AR
JVP raised

Temperature

EXAMINATION OF ABDOMEN

INSPECTION

Shape of the abdomen (scaphoid/distended)
Flanks (free/full)

Umbilicus- position

- Slit
- Shape

Shape, Resp
Umbilicus, Skin
Flanks, Hernia
Scars / Sinuses / Dilated veins

- Discoloration

- Nodules

Skin Stretched

- Shiny

- Striae

- Jaundice

- Flapping tremors

Surgical marks

Pigmentation

Movement with respiration

Dilated veins on the flanks & back

Pulsation

Peristalsis

Hernial orifices free or not?

Divarication of recti

Scars

Sinuses

External genitalia

PALPATION

Superficial palpation

Abdomen warmth, tenderness,

Thrills

Desappalation (starts as enmass palpable)

Dilated veins

Fluid thrills

Flapping tremors

Dipping palpation

Bimanual palpation (Ballotability)

PERCUSSION

Spleen liver, kidney

Shifting dullness/resonance

Puddle's sign

AUSCULTATION

Normal bowel sounds

Bruit

Venous hum/rub

EXAMINATION OF OTHER SYSTEMS

RS/CVS/CNS

DIAGNOSIS

Chronic compensated / decompensated

Liver disease with or without

Portal hypertension.

Pulsation
peristalsis

Measurements

Spleen Liver Spleen
- Tender - Edge
- Surface
- Consistency
- Movt. & respiration

Cardio vascular System

Name age sex

Occupation Address

PRESENTING COMPLAINTS

Breathlessness

Onset, duration

Progressive / non-progressive

Grade

Aggravating / relieving factors

H/o paroxysmal nocturnal dyspnoea

H/o orthopnoea

Associated symptoms like

Wheeze

Cough with expectoration

Chest Pain

Chest Pain

Site

Duration

Brought on by?

Lasts for?

Character & serverity

Aggravating/Relieving factors

Associated with foot intake? Resp?

Associated symptoms vomiting

Sweating

Palpitations

Duration

Brought on by?

Regular/irregular

Relieved by?

Associated symptoms :

Chest pain

Syncope

ncope

Duration

No. of episodes

Brought on by?

Relieved by?

Total/partial loss

Recovery time

Associated with: Fits

Bladder/bowel disturbances

H/o swelling of feet

Aggravated by?

Relieved by?

Hemoptysis

No. of episodes

Amount

Colour

Associated with foot particles?

Followed by malena

Sputum present?

Cough with sputum

Duration, quality

Dry/Protective

Postural/diurnal variation

Aggravating/relieving factors

Histories of :

Abdominal distension

Puffiness of face

Diminished urine output

Right hypochondrial pain

✓ Fever with joint pain, sore throat

Involuntary movements

Skin rash, nodules

Voice change

Dysphagia

In children :

Cyanotic episodes

Brought on by

Releved by

LAS TS for

No. of episodes

H/o squatting

PAST HISTORY

Previous similar episodes

History suggestive of

Rheumatic fever

Hypertension

Diabetesdmllitus

Tuberculosis

Sexually transmitted diseases

Ischemic heart disease

H/o rheumatic fever

Duration

High/low grade

Associated with

Chills, rigors, sweating, sore Throat

Skin manifestations

Progression along which joints

Prophylaxis given or not

FAMILY HISTORY

Consanguinity of parents

Health of parents
Marital status,
Health of wife
Sibling status
Health of siblings
Education status
PERSONAL HISTORY
Smoking :
No of cigarettes/ beedies
Age at which the habit was started
If stopped when? Reason?
Alcohol :
Duration
Type
Quantity
Diet Pattern
Menstrual history in females

TREATMENT HISTORY
Disease for which treated
Institution where treatment was given
Details of the drugs taken
Duration of the treatment

SUMMARY OF THE HISTORY
Cardiovascular disease
Congenital/acquired
Etiology
Symptoms of RHF/LHF/CCF

GENERAL EXAMINATIONS
Conscious
Comfortable
Co-operative
Afebrile/febrile
BUILT
Nourishment
Anemia
Jaundice
Cyanosis
Clubbing
Pedal edema
Significant lymphadenopathy
Markers of cong. Heart disease

VITAL SIGNS

Pulse
Rate
Rhythm
Volume
Character

Palpable in all peripheral vessels
Condition of vessel wall
Pulse deficit
Radio-femoral delay
Respiratory :
Rate, rhythms
Type
Blood pressure :
Upper limb/lower limb
mm of hg
Limb
Posture
Peripheral signs of AR
JVP raised

Temperature
CVS EXAMINATION
INSPECTION

Chest wall symmetry
Precardial bulge
Kyphosis/scoliosis
Apical impulse position
Pulsations over precardium
Pulmonary area
Epigastric
Parasternal
Carotid Pulsations
Dilated veins
Scars of previous surgery

PALPATION

Apical impulse ;
Site
Character
Associated with thrill
Trachea
Thrill over precardium
Palpable sounds
Parasternal heave (grade1-3)
Epigastric pulsations

PERCUSSION

Cardiomegaly
Pericardial effusions
Dextrocardia

VASCULATATION

Heart sounds-S1, S2
S1-Soft/loud/variable in intensity
S2-Asent/soft/loud/single/
Splitting (wide fixed /wide split/
reverse split

Murmur

Character/timing
Diastolic/systolic
Site of the murmur
Intensity (grades)
Systolic Grade I-IV
ESM/MSM/LSM/PSM
Diastolic Grade I-IV
EDM/MDM/LDM
Continuous Murmur

To and fro murmur (biphasic)
Systolic diastolic murmur
Innocent murmur
Functional murmur
Changing murmur
Best heard with bell/diaphragm
Localized/conducted
Variation with respiration
Posture in which best heard?
Variation with Dynamic Auscultation
Presystolic accentuation
Associated with opening snap
S3, S4
Gallop
Ejection clicks (valvular vascular)
Pericardial knock
Pericardial rub
Tumor Plop
Prosthetic sounds

EXAMINATIONS OF OTHER SYSTEMS

CNS : signs of hemiplegia/TIA
Abdomen/Liver/Spleen
Ascites/Dilated veins

RESPIRATORY SYSTEM :

Breath sounds
Added sounds

DIAGNOSIS :

Acquired/congenital disease
Rheumatic in origin
Sinus rhythms
Patients in CCF
Signs of inf. Endocarditis?

Atherosclerosis:

- Xanthelasma
- Xanthoma
- Arcus senilis
- Transverse aorta (Fragile sign)
- Obesity
- Peripheral occlusion (discoloration)
- Osler's sign (Thickened vessel)
- Nicotine stains in wall

MARKERS OF INF. ENDOCARDITIS

Anemia
Jaundice
Clubbing
Splinter hemorrhages
Osler's nodes
Janeway lesions arthritis

MARKERS OF CON. HEART DISEASE

Abdominal
Absent
Arachnodactyly
Cubitus valgus
Cyanosis
Dwarfism
Organsm
High arched palate
Low set ears
Pectus carinatum
Pectus excavatum
Shield chest
Upper-lower segment inequality

MARKETING OF RH. FEVER

Joint swelling
(migratory poly arthritis involving major joints leads to residual deformities)
Erythema marginatum
Subcutaneous nodules
Sydenhams chorea
Fever

RESPIRATORY SYSTEM

Name age sex

Address occupation

PRESENTING COMPLAINTS

Cough

Duration

Dry/productive

Postural/diurnal variation

Aggravating/relieving factors

Cough syncope

Sputum

Duration

Quantity, color, odour

Consistency

Blood streaked?

Postural / diurnal variation

Breathlessness

Onset

Duration

Severity

Progressive/non-progressive?

Aggravating / relieving factors

Paroxysmal nocturnal dyspnea

Orthopnoea

Chest Pain

Site, onset,

Duration

Severity

Progressive/non progressive

Aggravating / relieving factors

Radiation

Associated factors : nausea, vomiting

Sweating, respiration

Hemoptysis

Duration

Episodes

Fresh/ altered blood?

Colour of blood (coffee-brown)

Associated with purulent sputum?

Associated with food particles?

Severity

H/o

Wheeze

Fever

- grade, type
- associated with chills, rigor?
- evening rise of temperature?

Loss of weight

Loss of appetite

Night sweats

Hoarseness of voice

Dysphagia

Halitosis

Pedal edema

Puffiness of face

Abdominal distention

Oliguria

Right hypochondrial pain

Bleeding disorders?

PAST HISTORY

Previous similar episodes

H/o TB, if present:

When

Duration of treatment

Complete/incomplete treatment

Cause for incomplete treatment

H/o Aspiration

- Anesthesia

- Booze (alcohol)

- Coma

- Drowning (near)

- Epilepsy

- Foreign body

H/o : exanthematous fever

- Whooping cough

- Tooth extraction

- Tonsillectomy

- Allergy

- Recurrent respiratory infection

Unconscious following alcohol.

Consumption

Hypertension

Diabetes mellitus

Contact with open case of TB

FAMILY HISTORY :

Consanguinity of parents

Health of parents

Marital status

Health of wife

Health of siblings

Any open case of TB or (1st complex)

H/o allergy

*Cough
Chest pain
Breathlessness
Hemoptysis
Fever*

Heart

TB

Asp.

Exanthematous

Contact

PERSONAL HISTORY

H/o infertility
Smoking : No. Per day
Age at which the habit was started?
If stopped, when? Reason?
Alcohol : duration, type, quantity
If stopped, when? Reason?

Diet pattern

H/o snuff/tobacco chewing/

Betal nut chewing

Occupation: allergy

Exposure of hazardous subs/pets

TREATMENT HISTORY

For which disease?
When where, duration?
Regular/ irregular intake of drugs?
Supervised/not supervised?

SUMMARY OF THE HISTORY

Respiratory pathology
Acute/chronic
Congenital / acquired
TB/Non TB
Parenchymal/Pleural/ Bronchial
Unilateral/Bilateral
Complications (Cor pulmonale)

GENERAL EXAMINATIONS

Conscious, cooperative
Febrile/afebrile
Build
Nourishment
Comfortable/dyspnoeic?
Anemia
Jaundice
Cyanosis
Clubbing-fingers/toes
Grade : I-IV

Pedal / sacral edema
Significant lymphadenopathy
Look specially for :

- Asterixis - respiratory failure
- Halitosis - Suppurative lung disease
- Gynaecomazia- INH, Digoxin
- Bronchogenic carcinoma
- Horner's syndrome: Pancoast
Ptosis, miosis, enophthalmos
Anhydrosis
- Small muscle wasting : Pancoast syndrome
- External markers of TB

- Phlycten,
- sinises/scrofuloderma
- Lupus vulgaris
- Erythema nodosum
- Cold abscess
- Tinea versicolor
- Epididymoorchitis
- Scars
- External markers of cor pulmonale
- raised JVP
- Pedal edema
- ascetis
- liver enlargement

VITAL SIGNS

Pulse :

- Rate, rhythms,
- Volume, character
- Palpable in all peripheral vessels?
- Radio femoral delay
- Pulse deficit

Respiratory rate,

Rhythm type

Blood pressure :

- Upperlimb/ lever limb
- mm Hg
- limb, posture

Temperature (degree F)

EXAMINATION OF THE RESP. SYSTEM

UPPER RESP TRACT :

- Oral cavity
- Oral hygiene
- Dental caries
- Oral thrush
- Tonsils
- Nose : deviated nasal septum
- Nasal polyps
- Pharynx : post nasal drip
- lymphoma deposits

RESPIRATORY SYSTEM PROPER INSPECTION

- Position of trachea
- Position of apical impulse
- Chest wall symmetry
- If asymmetric : Drooping
- Hollowing / fullness
- Flattening of chest
- Crowding of ribs
- Intercostal indrawing

yes ore chd
examination
up abcess
suppuration
and anoma
extra's axon
with in ribs
clubbing

limphadenopathy
- how many
which glands
involved
- size of nodes
- acute, chronic
mobile fixed
- tenderness

- ✓ Kyphosis/ Scoliosis
- Chest deformities :
 - Pectus excavatum (funnel)
 - Pectus carinatum (pigeon)
- Flail Chest
- Barrel Chest
- Harrison's sulcus
- Rickety rosary
- Scorbutic rosary
- Movements of the chest wall
 - Rate, Rhythm, quality
 - Type of breathing
- Scapular prominence
 - (distance between the inferior angle of the Scapula & the Vertebral column)

Movts :

- Expansion-general/unilateral / reduction
- Paradoxical movts - Flail segment
- Intercostals recession
 - indrawing of ribs
- Accessory muscles of respiration
 - Working or not
- Presence of

*the scans/
sinuses/
dil. V.*

PALPATION

- Position of trachea
- Position of apical impulse
- Movement of chest wall
- Measure of chest expansion
- Right hemithorax
- Left hemithorax
- Spino-scapular distance
- Vocal fremitus
- Intercostal tenderness

PERCUSSION

- Direct on the clavicle/Kronig's isthmus
- Anteriorly
 - Axillary
 - Infra axillary
 - Posteriorly
 - Supra scapular
 - Infra scapular
 - Inter scapular
 - Upper
 - Lower
- Tidel percussion
- Traube's space
- Shifting dullness straight line dullness
- Cardiac dullness

AUSCULTATION

- Normal vesicular breath sound
- Bronchial breathing : Site
 - Type : Tubular/Cavernous/Amphoric
- Absent breath sounds
- Vocal resonance
- Added sound
 - Wheeze
 - Creptations
 - Early inspiratory
 - Late inspiratory
 - Expiratory

VOCAL RESONANCE

- Types
 - Bronchophony
 - Aegophony
 - Whispering pectrology
- Miscellaneous sounds
 - Pleural rub
 - Pleuro-pericardial rub

OTHER FEATURES

- Helmlich's maneuver
- Post tussive suction
- Sussion splash
- Con sound

Others

- Stridor-laryngeal/tracheal
- Hamman's mediastinal crunch

OTHER SYSTEMS

- CVS, ABDOMEN, CNS
- Diagnosis

Myasthenia

CENTRAL NERVOUS SYSTEM

Name/age/sex/occupation/handedness

PRESENTING COMPLAINTS

H/o of present illness

Duration

Mode of onset

Time of onset

Progression

(Improves/static/worsening)

Weakness/inability to use

Upper limb alone

Lower limb alone

One half of body

All the four limbs

Bulk : Difference in size of muscle mass

(Wasting) – proximal/distal

Tone: flaccid/rigid

Weakness

*Upperlimb

Proximal – H/o difficulty in

Combing hair

Lifting hand above the head

Bringing food to the mouth

Using for toilet purpose (left) >

Getting up from bed

Distal-H/o difficulty in

Mixing food

Buttoning shirt

Writing/sewing

* Lower limb

Proximal-H/o difficulty in

Standing from squatting

Climbing stairs

H/o buckling of knees

Distal-H/o Slippers slipping

H/o tripping of toes >

H/o dragging of feet while

Walking

* Trunk

H/o difficulty in :

Turning in bed from side to side

Lifting head from pillow

Moving limbs in bed

Walking/running with or without support

H/o twitching of muscles (Fasciculations)

H/o diurnal variation of weakness

(Myasthenia gravis)

H/o episodes of agonizing pain over the

Muscles (Cramps)

COORDINATION

CEREBELLAR SYMPTOMS

H/o Unsteadiness in walking

Duration

Is it worse in the dark?

Paroxysmal/persistent

Tends to fall one particular side

Associated symptoms

- Motor/sensory disturbances

- Vertigo

- Tinnitus

- Deafness

H/o difficulty in :

Negotiating narrow Pathways

Bringing food to mouth

Reaching the target

POSTERIOR COLUMN SYMPTOMS

H/o incoordination in the dark

H/o feeling the ground like cotton wool

H/o unsteadiness while washing the face

(Washbasin singh)

INVOLUNTARY MOVEMENTS

Parts body affected

Constant / spasmodic occurrence

Present at rest/movement/both

Does vel Movement increase/decrease it

Any alternation with particular position of

Trunk or limbs

Alteration by environment/temp/emotion

Alteration by eye closure

Does it disappear in sleep?

SENSORY SYMTOMS

H/o loss of Sense of temperature

- Warm/Cold while balking

H/o loss of touch

- Can feel clothing

- On touching

- While bathing (temp of water)

H/o Loss of sensation of pain/root pain

H/o Tingling, numbness pins and needles

- Extent and duration

- Sudden or gradual onset

- Periodic or continuuqus

H/o Electric shock like sensation radiating

Down the spine while flexing the neck.

(Lhermitte's Sign)

H/o Feeling the ground well or
Feeling the ground like cotton wool

H/o Appreciation of insect bite

H/o Loss of consciousness

- Duration
- Complete/partial
- Aura present or not
- Recovery period
- How often it occurs?
- Association with
- Sensory disturbances
- Cranial nerves involvement
- Fits

CRANIAL NERVES HISTORY

I - H/o altered sensation of smell

III - H/o difficulty in vision/colour vision

III, IV, VI - H/o Diplopia, squint,
Drooping, nystagmus

H/o Abnormal sensation over the face
(sensory)

Difficulty in chewing (motor)

VII - H/o facial asymmetry

- Deviation of angle of mouth
- Drooling of saliva
- Dribbling of food
- Absence of wrinkling
- Escape of air from the angle of mouth
- Hallucination of taste

VIII - H/o vertigo/tinnitus/deafness

IX, X - H/o Nasal regurgitation

- Nasal twang
- Dysphagia
- Hoarseness of voice

XI - H/o Difficulty to shrug shoulder/
Rotate neck

XII - H/o Dysarthria

- Difficulty to protrude the tongue out/

Roll the tongue from side to
Side

AUTONOMIC NERVOUS SYSTEM HISTORY

Bowel - H/o difficulty in

- Feeling in the filling up of bowel
- Initiating /controlling the bowel
- H/o Loss of control / constipation

Bladder - H/o of difficulty in

- Feeling the sensation of bladder fullness
- Initiation of micturition immediately when desired
- Controlling micturition
- Complete evacuation /feeling of residual urine/passing urine

H/o Dribbling/retention/overflow

H/o Catheterization

H/o Postural giddiness (ie) giddiness on
standing from lying down position

H/o Dribbling/retention/overflow

H/o Catheterization

H/o Postural giddiness on

Standing from lying down position

H/o Lack of (or) abnormal sweating/
Salivation/acrimation

H/o Impotency

- Nocturnal tumescence/passing white/turbid (cloudy) urine in the morning

HIGHER FUNCTIONS HISTORY

H/o Mental symptoms

- Delusions
- Hallucinations
- Memory

H/o Speech disturbances

- Receptive
- Comprehensive
- Expressive
- Articulation

H/o symptoms of raised ICT

- Early morning headache
- No preceding nausea
- Projectile vomiting
- Defective vision/tubular vision

H/o Convulsions

- Aura
- Partial/generalized

- Tonic / clonic
- Tongue bite/other injuries during fall
- Consciousness lost or not?
- Incontinence of urine/stools
- Post Ictal state and duration
- Frequency of episodes
- Duration of each episode

H/o

- Trauma
- TIA / RIND
- Fever

PAST HISTORY

H/o

- Previous similar episodes
- TIA/RIND/HT/DM/TB/IHD
- Exposure to promiscuous sex
- Fever/Rheumatic Fever/
- Recurrent fever
- Trauma
- Fits/syncope
- Vaccination/dog bite/sera
- Administration
- Ear discharge
- Drug intake
- Exposure to neurotoxins
- Ingestion of adulterants in

PERSONAL HISTORY

Smoking/diet/alcohol/occupation/tobacco
Chewing/marital status

FAMILY HISTORY

Any similar episode in the family
Siblings number/health of siblings
Consanguinity of parents
Parentage, health if dead, reason?
Wife : health, H/o abortions

- If done PS or not / LCB
- Interval between children /health

SUMMARIZING THE HISTORY :

CNS - Acute/ chronic

- Cerebro vascular accidents
- Progress
- Probable site of lesion

Associated cranial nerve involvement
Is there a lesion? Where is it? What is it

GENERAL EXAMINATION

Conscious
Cooperative
Febrile/afebrile
Build/nourishment
Decubitus
Anemia/jaundice/cyanosis/clubbing
Pedal edema
Significant lymphadenopathy
Signs of vasomotor instability
Neurocutaneous markers
Thyroid examination
Kayser-fleischer ring
Low hairline
Height neck ratio (normal 13)
Head circumference (53-55 CMS)

VITAL SIGNS

Pulse/respiration/temperature
BP-supine/standing

CNS EXAMINATION

HIGHER FUNCTIONS

Handedness
Consciousness
Appearance
Cooperative
Emotional state
Delusions and hallucinations
Orientation in time, place, Person and self
Speech & Language
(Aphasia/dysphasia/dysarthria)
Sleep
Memory : (ability to register, retain, Reception & recall)
Types - Immediate /short term
Recent
Long term
Intelligence - ability to think purposefully
Behaviour-net rationally & deal effectively
Perceptions
Judgement
Attention & concentration
Find of general information
Powers of abstraction

Oppenheim reflex
Gordon reflex
Chaddock reflex
Deep tendon reflexes (Grade 0-4)
Jaw jerk

* Upper limb :

Trapezius Jerk
Biceps
Triceps
Supinator
Pectoral reflex
Finger flexion reflex

* Lower limb :

Knee
Ankle

Other allied reflexes

The Hoffman's reflex
Wartenberg's sign
Rossolimo's reflex

Abnormalities of Tendon reflexes

Diminished / absent
Exaggerated
Pendular
Pseudo myotonic

Inverted reflexes

Inversion of Radial reflex
Inverted Biceps reflex
Inverted Knee reflex

Primitive (Released) reflexes

Grasp reflex
Group reflex
Avoiding reflex
Plamomental reflex
Sucking reflex
Snout reflex
Glabellar reflex

Reinforcement

* Upper limb :

Ask patient to clench his Teeth
Ask patient to adduct his Thighs
Closely

* Lower limb: Jendrassik's maneuver

Three classic signs

Chvostek's sign
Trousseau's sign
Lhermitte's sign

CO ORDINATION TEST

Upper limb

Finger Nose test
Finger- finger Nose test
Tapping in a circle
Diadokokinesis
.....nting test
Rigid Hand tapping
Spiral Drawing
Dysmetria
Rebound phenomenon

Lower limb

Heel Knee test
Drawing a circle in air
Walking in St. line
Foot pat test

INVOLUNTARY MOVEMENTS

Epilepsy : Tonic-clonic

Typical absence
Myoclonic jerks
Opisthotonus

Choreas and dystonias

Chorea
Athetosis
Choreo athetosis
Dyskinesias
Hemiballismus
Idiopathic generalized torsion
Dystonia- (Dystonia musculorum
deformans)

Involuntary movements of Face and Neck

Facial ties
Hemi Facial spasm
Facial myokimia
Peri oral tremor
Spasmodic Torticollis
Facial dystonia
Tardive dyskinesia
Titubation

Tremors

Resting / Action
Postural / Intentional
Senile / Peri oral
Anxiety / nervousness
Thyrotoxicosis / Alcoholism
Other toxic tremors
Essential Heredofamilial
Parkinsonian tremor
Collagen disease
Red Nucleus Tremor
Wilson's disease
The Liver flap

Asterixis

Pseudo athetosis / Sensory

Wandering

Movements limited to muscles

Myoclonus

Fasciculations

Fibrillations

Myokimia

Minipolymyoclonus

Shivering

Tetany

Cramp

Flexion Dystonia

POSTURE STANCE SPINAL MOVEMENT

Bradykinesia

Stooped position

Kyphoscoliosis

Excessive Lordosis

Rigid Spine

Tender Spine

Rombergism

Squatting and standing up

CAIT

Circumduction gait

- (Hemiplegic gait)

Scissoring gait/spastic gait

- (Bipyramidal lesion)

Ataxic/ broad base gait

- (Cerebellar lesion)

Reeling /drunken Men's gait

Festinating gait/shuffling gait

- (Extra pyramidal lesion)

High stepping gait

- (Foot drop)

high stepping and stamping gait

- (Posterior column lesion)

Waddling gait

- (Primary muscle disease)

Hysterical gait

SENSORY SYSTEM

Peripheral Sensation

Touch-Fine/crude

Pain-superficial /deep

Temperature

Position

Proprioceptive sensations

Position sense

Joint sense

Romberg's test

Vibration sense

Timed vibration sense

Muscle sensitivity

Barber's chair sign/ Lhermitte's sign

Pressure

Look for Sacral sparing

Cortical sensation

Tactile localization

Tactile extinction /perception

Rivalry/sensory inattention

Two point discrimination

Stereognosis-objects/textures

Graphaesthesia

SIGNS OF MENINGIAL IRRITATION

Photophobia

Neck rigidity

Kernig's sign

Brudzinsky's sign

Flexed cuddled up posture

SSR Test

Inequus sign

EXAMINATION OF SPINE AND CRANIUM

Movements of spine

Flexion

Extension

Lateral

Paraspinal spasm/ tenderness

Vibration sense over spine &

Cranium

CEREBELLUM

Disorders of postural fixation

Hypotonia

Past pointing

Pendular knee jerk

Disorders of movement

Intentional tremor

Dysdynergia

Dysidiadochokinesia

Rebound phenomenon

Gait disorders

Tiubation

Nystagmus

Speech

AUTONOMIC NERVOUS SYSTEM

Color of the skin

General flushing

Cyanosis

Temperature

Sweating

CRANIAL NERVES

I - Olfactory nerve

Smell-cloves, peppermint
Asafetida

II- Optic nerve

Visual acuity-Snellen's test
Jaegers test
Field of vision - Confrontation
Perimetry
Color vision- Ishihara's chart
Pupillary responses
Optic nerve head (fundus)

III-Oculomotor nerve

IV- Trochlear nerve

V - Trigeminal nerve

VI - Abducent nerve

Extra ocular muscle movements
Size, shape, equality of pupils
Nystagmus
Strabismus/ squint
Ptosis

Cilio Spinal reflex

Papillary reflexes (light & accommodation)

Visual threat (Menace reflex)

VII-Facial nerve

Motor function:

Raise the eyebrows
Blinking
Wrinkling of the Forehead
Close the eyes tightly
Blow out the cheeks
Nasolabial fold
Purse the mouth
Show the teeth
Whistle

Sensory function

Taste-ant 2/3 of Tongue

Secretor function

Lacrimation
Schirmer's test
Nasolacrimal reflex
Salivation

Reflexes

Corneal reflex
Stapedial reflex

VIII-Vestibulo cochlear nerve

Cochlear :

Human voice

Watch test

Tuning fork test

- Rinne's test
- Weber's test
- ABC test

Vestibular :

Fistula sign

Oculocephalic reflex

(Doll's eye movement)

Rotational test

Caloric testing

Positional Vertigo & Nystagmus

IX - glossopharyngeal nerve

X - vagus

Taste-Post 1/3 of tongue

Palatal reflex

Gag reflex

AAA Movement

XI-spinal accessory nerve

* Trapezius

Shrugging of shoulders against

Resistance

* Sternocleidomastoid muscle

Bulk and strength

Movement of head to opposite side

Against resistance

XII-Hypoglossal nerve

Tongue

Wasting

Fasciculation

Fibrillation

Deviation

Strength

Tremors

Abnormal movements

MOTOR SYSTEM

Bulk (Nutrition)

Shoulder girdle

Upper limb-arm, forearm, hands

Hip girdle

Lower limb-thigh, calf

Look for wasting, hypertrophy

& fasciculations

Wasting-Generalized

Proximal

Distal

Measurement

- 10 cms above & below Olecranon
- 10 cms below Tibial Tuberosity
- 18 cms above

MUSCLE TONE (Passive movement)

Upper limb/lower limb

Hypotonia

Hypertonia

Clasp knife's rigidity

Lead pipe rigidity

Cog-wheel rigidity

CLONUS-Ankle/Patellar

MYOTONIA

MUSCLE POWER (Grade : 0-5)

Strong as might be expected

Strong as the same muscle on the other side

Degree of weakness

Weakness of weakness

Improvement on rest or

Encouragement

Painful conditions

Muscles of shoulder Girdle and Scapula

Deltoid

Supraspinatus

Infraspinatus

Rhomboids

Serratus anterior

Pectoralis major

Lattismus Dorsi

Muscles of Elbow joint

Biceps

Brachio radialis

Triceps

Muscles of the Forearm & Wrist Joint

Ext. carpi radialis longus

Ext. carpi ulnaris

Ext. digitorum

Flexor carpi ulnaris

Flexor carpi ulnaris

Muscles of the Thumbs

Abductor pollicis longus

Ext. Pollicis brevis

Ext. Pollicis longus

Opponens pollicis

Abductor pollicis brevis

Flexor pollicis longus

Adductor pollicis

Muscles of the Hand & Fingers

Lumbricals & Interossei

P Dorsal & P Plamar interossei

Flexor Dig. Sublimus

Flexor Dig. Profundus

Abductor Digiti Minimi

Muscles of the Trunk

Extensors of the Spine

Intercostals

Abdominal Muscles

Muscles of the Hip Girdle

Iliopsoas

Adductor Femoris

Gluteus Medius, Minimus

Gluteus Maximus

Muscles of the Thigh & Knees

Hamstrings

Quadriceps Femoris

Muscles of the Lower leg & ankle

Tibialis Anticus

Tibialis posticus

Peronei

Gastronomics

Muscles of the Foot & Great toe

Ext. digitorum longus

Flexor digitorum longus

Ext. hallucis longus

Ext. Digitorium brevis

REFLEXES (Grade)

Superficial Reflex : Present/Absent

Corneal reflex aff5 eff7

Conjunctival reflex aff5 eff7

Direct/indirect Light reflex aff2 eff3

Accommodation reflex aff2 eff3

Palatal reflex aff9 eff10

Pharyngeal-gag reflex aff9 eff10

Abdominal reflex T6-T12

Upper/middle/lower

Cremastric reflex

Bulbocavernous reflex

S2, S3, S4

Anal reflex

S2, S3, S4

Plantar reflex

Other methods of obtaining the Plantar reflexes

Cardiovascular reflexes
 Postural hypotension
 Deep breath test
 Hand grip test
 BP response test
 Heart rate responses
 The Valsalva Maneuver

Skin responses

Erythema
 Temperature
 Pilomotor responses
 Scrotal response

Examination of Rectum

Gripping of gloved finger
 Stroking of skin near
 External Sphincter

Constipation

Examination of Bladder function

Sexual function

EXTRAPYRAMIDAL SIGNS

EXAMINATION OF FUNUS

PERIPHERAL NERVOUS SYSTEM :

Thickening
 Neurofibromata
 Tinel sign

Tuft of hair

GRADES OF POWER

Grade 0 Total Paralysis

Grade 1 Visible / Palpable Flicker of
 Contraction, but no resultant move
 of joints.

Grade 2 gravity eliminated movts.
 (Lateral movts. in bed)

Grade 3 Movement against gravity

Grade 4 Movement against Resistance

Grade 5 Normal power

GRADES OF REFLEX

Grade 0 Reflex absent

Grade 1 Present (as normal ankle jerk)

Grade 2 Brisk (as normal knee jerk)

Grade 3 Exaggerated

Grade 4 Clonus

EXAMINATION OF OTHER SYSTEMS

CVS/RS/ABDOMEN

DIAGNOSIS

- Side of lesion
- Structure involved
- Level of lesion
- Nature of lesion
- Etiology of lesion
- Site of lesion

NEURO CUTANEOUS MARKERS

Adenoma Sebaceum
 Hypopigmented patches
 Angioma of face
 Angular stomatitis
 Ash Leaf Patches
 Cafe au lait spots
 Peripheral nerve thickening
 Shaligreen patches (tuberous sclerosis)
 Spine angulation