Project Proposal

Nao Soccer

Project Name	Nao Soccer
Project Leader	Viktoria Streibl, Melanie Mühleder, Sabina Brantner
Document state	In progress
Version	V. 1.0

Revisions

Date	Author	Change
August 31, 2016	V. Streibl, M. Mühleder,	More content in objectives and
	S. Brantner, P. Bauer	system concepts and consolidation
August 18, 2016	P. Bauer	Wording
August 17, 2016	V. Streibl, M. Mühleder,	First version
	S. Brantner, P. Bauer	

Contents

1	Intr	oducti	on	3
2	Init	ial Sitı	uation	3
3	Ger	neral C	Conditions and Constraints	4
	3.1	Organ	izational	4
		3.1.1	Due Dates	4
		3.1.2	Available Person Power	5
	3.2	Techni	ical	5
		3.2.1	Necessary Naos	6
		3.2.2	Indoor Competition Only	6
		3.2.3	Field Surface	6
		3.2.4	Light Conditions	6
4	Pro	ject O	bjectives and System Concepts	6
	4.1	Qualif	ication	6
		4.1.1	Analyses of Software Used in 2016	7
		4.1.2	Basic Walk and Kick	7
		4.1.3	Vision	7
	4.2	Suppo	rt the School at Official Events	8
		4.2.1	Messe "Jugend und Beruf 2016" Wels	8
		4.2.2	"Tag der offenen Tür" at the HTL Leonding	8
	4.3	Partici	ipation in the Competitions 2017 and/or 2018	8
		4.3.1	Advanced Walk and Kicks	8
		4.3.2	Show Robot Status	8
		4.3.3	Recognition of Obstacles	10
		4.3.4	Player to Player Communication	10
		4.3.5	Integration of GameController	
		4.3.6	Self Location and Orientation on the Field	11
		4.3.7	Long Time Tests	11
		4.3.8	Goal Keeper	11
		4.3.9	Recognition of the Referee's Whistle	12
		4.3.10	Penalty Shootout	12
5	Орр	ortuni	ities and Risks	12
6	Pla	nning		13
	6.1	Rough	Schedule	13
	6.2	Rudge		13

1 Introduction

This proposal describes a project which should push forward the development of robotic software at the HTL Leonding. In particular we want to achieve two goals:

- Participation in the RoboCup 2017 and/or 2018. The RoboCup is a world-wide robot competition with a number of several different disciplines. We want to participate in the so-called Standard Platform League (SPL), which is a robot soccer league where all teams have to use a standard hardware [?] and only compete in terms of different software. The software has to control the robots autonomously, i.e., that no possibilities for remote control or other external help is allowed. We plan to establish a software which lets us apply for the participation at the SPL 2017 by start of December 2016. In case of a successful application it is planned to take part in the SPL 2017 at Nagoya, Japan, as the first and only school worldwide which does not have a University level.
- A significant stabilization of the demonstration software. The Naos are a central point of the appearance of the HTL Leonding at official events. The software used so far for such events was unstable, hard to use and required a steep learning curve for students to do these demonstrations. The demonstration platform developed by the authors of this proposal during the last year shall be further stabilized and refined.

This project needs a set of supporting measures:

- Two more Nao Robots immediately
- Four more Robots for the competition. A total number of six fully working robots is necessary.
- A space to work
- A playing field in size and form of the fields used at the competitions
- Battery

2 Initial Situation

The HTL Leonding is already involved in the topic of robotics since several years. One of the highlights of the efforts done in this field so far was the participation in RoboCup competitions. Especially during the years 2008 to 2010 some awards

were won in the MiroSot league [?]. Furthermore, robots are a central part in all official promotion events of the HTL Leonding and serve as an effective eye catcher.

In the meanwhile the RoboCup competitions changed significantly and a good part of them nowadays focus on soccer for humanoid robots. Therefore our school purchased three Nao robots [?] during the years 2009 and 2010 to evaluate the possibility to participate in the new competitions called the *Nao Standard Platform League*. In this league all participating teams have to use the same hardware (the Nao robots produced by SoftBank Robotics) and the teams differ only in the quality of their software.

From this time onwards several student projects were done to get more expertise in this field but until now it was impossible to get a software done which would be competitive in the RoboCup challenges. Last year the authors of this proposal have taken over this field, have collected the available software and since then push forward a working code base for the Naos. During the last year we were able to implement a system to support demonstration of Nao capabilities at marketing events. In particular a server holding Nao apps and an Android app by which these apps can be downloaded easily to the Nao was developed. This software will be used during the next official events of our school.

During the last year the plan evolved to take part in the SPL, therefore, we visited the RoboCup 2016 in Leipzig. During this visit we gained a lot of impressions and we were able to talk to several teams which shed some clearer light how we can accomplish a successful application to the RoboCup 2017.

As previously mentioned the available Naos were purchased in the years 2009 and 2010 and gained already a significant age. Particularly all the Naos ran out of maintenance support by SoftBank Robotics. Currently we are still able to work with the newer two of our robots. The oldest can hardly be used anymore since it uses an AMD GEODE CPU which is not supported by NAOqi 2.x anymore[?]. But it can be foreseen that also the newer robots will not be usable for a longer time anymore since from our experience it is necessary to send them for maintenance every two years in order to keep them in a workable state.

3 General Conditions and Constraints

3.1 Organizational

3.1.1 Due Dates

The following table gives an overview of the most important due dates for the next year:

Date	Event	Remarks
October 12 to	Messe "Jugend und	Fair where our school takes
October 15, 2016	Beruf" 2016	part in and where the Naos are
		used to attract new students.
November 1,	Official release of call for	Typically the rule set is more a
2016	application and rule set	pre-release and given as a delta
	2017	to the rule set of 2016.
December 1,	Due date for applica-	The application for the
2016	tions	RoboCup 2017 has to be
		submitted.
December 20,	Qualification announce-	The teams who successfully
2016	ment deadline	qualified are announced.
January 26 and	"Tag der offenen Tür"	Open house at our school to
27, 2017		present the best to interested
		new students.
July 27 to 30,	RoboCup 2017, Nagoya,	The next years competition
2017	Japan	

It has to be noticed that the time frame between the official announcement of the new rule set and the due date for application is pretty narrow. Therefore, we tried to get some preview which result will be presented in section 3.2.

According to the Call for Application for Participation of last year [?] the core part of the application has to be a video which demonstrates the ability of the team to play soccer. The footage of a length of max. five minutes has to show at least one robot attempting to kick off and score. Furthermore it is very likely that the technical committee of the RoboCup wants to get a live demonstration of the soccer capabilities via a live telephone conference which is expected to take place in the first half of December 2016.

3.1.2 Available Person Power

The current team consists of three students and a supervising teacher. This means that an total time budget of not more than 20 hours per week as an average can be estimated.

3.2 Technical

The detailed list of all technical constraints known so far is listed in the current Nao SPL rule book [?]. For the 2017 competition some changes are announced. We will list these changes here and furthermore some of the constraints as far as they need some special concern.

3.2.1 Necessary Naos

A team taking part in the SPL has to consist of five Naos, one goal keeper and four field players. All these robots have to be of grey color. Additionally a sixth Nao could be used as coach. It is estimated that, for a fully functional team, a set of at least six Naos is necessary. The whole team has to wear jerseys which are same colored and numbered from 2 to 6 and the goal keeper has the number 1.

3.2.2 Indoor Competition Only

We plan to participate only in the Indoor Competition.

3.2.3 Field Surface

Switch field surface to 8mm artificial turf (similar to what was used in the 2016 SPL Outdoor competition)

3.2.4 Light Conditions

Move towards more natural lighting (full details in Nov 1 rulebook draft). Natural lighting will become more of a factor (as we will likely either be next to windows or in an arena with natural lighting).

4 Project Objectives and System Concepts

- Qualification
- Support the school at official events
- Participation in the competition 2017 and/or 2018

4.1 Qualification

By December 1 we have to get a software ready which, at least, controls the Nao such that it can kickoff a ball and then score a goal. The whole scenario has to take place on a standard, i.e., 9 m x 6 m field as used for the competition. The following goals have to be achieved to accomplish this.

- Analyses of Software used in 2016
- Vision: Recognition of ball, goal(s), and lines; analysis of the capabilities of the robot cameras
- Kicking the ball

4.1.1 Analyses of Software Used in 2016

Since all teams taking part in the RoboCup competition are requested to publish their software we will take this and start out by analyzing the software of the best teams of the competition 2016. Here we list the teams which software we want to investigate in particular and also the reasons why we chose these teams. Although the informal preview of the rule set for 2017 states that the amount of code used from other teams may be limited, we will take as much as possible and then adapt to the actual regulations as soon as they are released.

- B-Human This team won the competition 2016.
- *U-Chile* Had a strong team and convinced during the second day of the competition 2016. Unfortunately the performance dropped significantly in the finals. We suspect a bad adaption of the vision configuration.
- UNSW-Australia In this team we observed one of the most stable walks.
- *UT-Austin* We observed a good field scan (and therefore a pretty sophisticated self location and orientation of the Naos) and the indoor walk is more stable than the walk of UNSW-Australia

4.1.2 Basic Walk and Kick

Analysis of the competition 2016 has shown that several teams had troubles to keep the Naos in balance when they were kicking. So it is the main goal here to keep the Naos stable when they kick. It is planned to start off by analyzing the walks of the last year's successful teams and to adapt these to the new surface conditions. For a first attempt we do not concentrate on high energy efficiency since this will get of higher importance during a full length match.

4.1.3 Vision

A crucial part of the whole player software is the vision system. The hard part is to distinguish between the field lines, the goal, the ball, and the Naos which are all (more or less) white colored. The standard image detection/recognition library used on the Naos is OpenCv. It will be necessary to get in a good command of this library and the techniques it provides.

Furthermore it is assumed to be helpful to get a good understanding of the constraints of the camera hardware on the Naos. We want to understand within which distances the Naos are able to recognize a ball, a goal, another robot, etc.

4.2 Support the School at Official Events

Besides the goals directly related to the participation in the RoboCup 2017 we will support our school by taking part in two official events of the HTL Leonding.

4.2.1 Messe "Jugend und Beruf 2016" Wels

This fair will take place from October 12 to 15, 2016. Since we cannot expect to have significant software parts for playing soccer by October and, furthermore, due to space limitations at our booth we will present the project we developed during last school year. This includes the app *NaoRemote* to control the Naos via an Android device. Additionally we want to show some dances.

4.2.2 "Tag der offenen Tür" at the HTL Leonding

At this event we already expect to have some soccer software ready to be demonstrated. At least we want to show the visitors the software to be ready for the application to the competition 2017.

4.3 Participation in the Competitions 2017 and/or 2018

If we win the participation in one of the competitions of the next years we need to have a fully working team of five Naos. In order to come into this position we expect the following goals to be achieved. The goals are listed in a timely order as we expect that we need to tackle them.

4.3.1 Advanced Walk and Kicks


Based on the work done to get qualified for the RoboCup 2017 we will have to do optimizations concerning energy efficiency and temperature. During last years competition it became obvious that a mean energy efficiency which resulted in high joint temperatures caused a significant loss in stiffness of the joints which itself caused high instabilities of the robots. Furthermore, it was observed that some teams gained competitive advantage by having the possibility to do alternative kicks. Therefore it is planned to implement kicks to the side or kicks to the back.

4.3.2 Show Robot Status

To quickly monitor the status of the Naos, we plan to implement some status indicators via coloring its eyes. We plan the following status:

Remark: In the next table: What is if the Nao sees the goal? What means the red/red status? What do you mean by "the x/y state is necessary?

Remark: Please check if the state diagram is okay, and the table beneath



Shortcut	Meaning	Status
ww	Left and right eye are	The Nao can't see the ball or
	white	the goal
bw	Left eye blue, right eye	The Nao has found the goal but
	white	no ball
bb	Left and right eye are	Has found goal and ball, but to
	blue	far away for kick
wb	Left eye white, right eye	The Nao has found the ball but
	blue	not the goal
rw	Left eye red, right eye	Nao tells other teammates
	white	where the goal is
br	Left eye blue, right eye	The Nao has the ball and found
	red	the goal and it is on the way to
		the ball
wr	Left eye white, right eye	The Nao plans to access the
	red	ball, this is only possible if the
		left eye was blue before
rr	Left and right eye are	The Nao kick the ball to the
	red	goal, only after the blue-red
		status

4.3.3 Recognition of Obstacles

Remark: Do not know what you want to tell with this paragraph. Concentrate on the question Why? and How to solve?

Remark: Now we understand what you meant before, it is okay now?

We have seen so far that the a essential part during a game is to detect other players, the goal post, etc. because if a robot runs into a object it mostly falls down. The currently playing teams do their image analysis based on typical edge detection strategies like convolution matrices, Canny edge detection, etc. So, it seems to be worth investigating whether the use of spectral analytical models like Fourrier transforms or Wavelets could gain any competitive advantage.

4.3.4 Player to Player Communication

In order to have a basis for a useful work split between the four different team players on the field (not the goalie) it is necessary to get the status between the robots exchanged. This will be done via the local Wifi which is permitted by the rule set. We consider it useful to exchange player and ball coordinates and the different status of the individual Naos.

4.3.5 Integration of GameController

The GameController is the head of the game and sends different signals, like game status, penalty states, etc. to the Naos. The Naos have to react on these. This part of the software is considered to be one of the less critical ones.

4.3.6 Self Location and Orientation on the Field

Remark: This is hard to grasp what you want to do here

Remark: We also edited this section

At the

start of the game (called 'Set') the robots have to go to their field position. The robots would be able to use a short time to scan the field from the Set phase via their camera. This means for instance that the robots know on which half they play, where the goal is located, etc. The field is for the robots like a coordinate system. During the game they are calculating where they are, where the ball is, etc. and send the coordinates to each other. So the robots are able to notice when they go into the wrong direction or anything like that.

4.3.7 Long Time Tests

When monitoring the competition 2016 it became obvious that the top teams were able to keep their Naos stable until the end of each half time. This is not trivial since the joint temperatures raise heavily during one match. So we will have to focus on energy efficient movements to keep the joints as cool as possible, on the one hand and to save battery power, on the other hand. We expect to get most benefit by analyzing and adapting the most efficient walks from the teams of Australia and Austin, TX.

4.3.8 Goal Keeper

We observed that many teams have their goal keepers only standing between the posts and leaving it pretty inactive. However the top teams have a more active goalie which tries actively to catch the ball or, if possible, to throw the ball out of the penalty box by using its hand. We expect to be able to handle dangerous situations in our penalty box better if we adapt this kind of behavior.

4.3.9 Recognition of the Referee's Whistle

At the start of the game the referee blows a whistle and 15 seconds after this the game controller sends a start signal via wifi. If the Naos recognize the acoustic signal they have a competitive advantage. Here we expect to have some work in audio signal analysis, where a combination of frequency analysis (to distinguish the sound of the whistle from other rather loud sounds) and amplitude analysis (to distinguish from other high frequent sounds near the field) could be of help.

4.3.10 Penalty Shootout

The game is separated in two halves each taking 10 minutes. After these if the scores are the same the penalty shootout starts. How the penalty shootout works is described in the rule book [?]. For this process an own software has to be written for one player and for the goal keeper.

5 Opportunities and Risks

- Publicity for the school to be attractive for talented new students
- Publicity for the school to be attractive for the economic partners
- Attractive field of study for students of the third, fourth and fifth grade

The following risks have to be taken into account.

- Late release of rule set compared to due date of application
- Challenging topic which could get overwhelming
- Relatively high financial input necessary

6 Planning

6.1 Rough Schedule

Date	Milestone	DoD
August 20, 2016	Tool chain is installed on all team	Every team member can
	member's computers	build a sample applica-
		tion, flash it and start it
		on the Nao
August 31, 2016	Update Nao to current version	Upload the new software
		version on the Nao and
		rewrite the old code
September 2,	Overview of the different code	Every team member made
2016	parts from other teams	a summery of the differ-
		ent code releases from
		other teams(B-Humans,
		UTAustin, UNSW Aus-
		tralia)
October 12,	Rewrite the current dances to the	Current dances have to
2016	new version	work on the new version,
		so till Welser Messe they
		have to be functional
December 1,	Call for Application	deadline for application
2016		for participation
January 26,	Tag der offenen Tuer	demonstrate our current
2016		state of the soccer project
July 22, 2016	Start of the trainee camp at the	Everything has to work
	RoboCup	due to the start of the
		RoboCup

6.2 Budget

Till October 2016: Two Naos, a field, four auxiliary batteries, a web site (hosting + design) Till June 2017: Four to five more Naos, team jerseys (for the Naos and for the humans), travel costs to Nagoya,