

TF-1 / Authentication Module

Successful User Registration

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Launch the application		App loads with authentication screen displayed
2	Tap on "Don't have an account? Sign Up"		Registration form is displayed with username, phone, password fields
3	Enter valid phone number with country code (e.g., +998901234567)		Phone number is accepted and formatted correctly
4	Enter valid username (minimum 2 characters)		Username is accepted without validation errors
5	Enter valid password (minimum 6 characters)		Password is accepted without validation errors
6	Tap "Sign Up" button		User account is created successfully and redirected to main menu

TF-2 / Authentication Module

Successful User Login

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Launch the application		Authentication screen is displayed
2	Enter registered phone number		Phone number is accepted
3	Enter correct password		Password is accepted

#	Step	Action	Expected Result
4	Tap "Login" button		User is authenticated and redirected to main menu

TF-3 / Authentication Module

Login with invalid credentials

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Launch the application		Authentication screen is displayed
2	Enter unregistered phone number		Phone number is accepted
3	Enter any password		Password is accepted
4	Tap "Login" button		Error message "Authentication failed" is displayed

TF-4 / Authentication Module

Registration with weak password

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to registration screen		Registration form is displayed
2	Enter valid phone number		Phone number is accepted
3	Enter valid username		Username is accepted

#	Step	Action	Expected Result
4	Enter password with less than 6 characters		Password is entered
5	Tap "Sign Up" button		Validation error "Password must be at least 6 characters" is displayed

TF-5 / Authentication Module

Registration with short username

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to registration screen		Registration form is displayed
2	Enter valid phone number		Phone number is accepted
3	Enter username with less than 2 characters		Username is entered
4	Enter valid password		Password is accepted
5	Tap "Sign Up" button		Validation error "Enter a valid username" is displayed

TF-6 / Authentication Module

Registration with empty fields

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to registration screen		Registration form is displayed
2	Leave all fields empty		All fields remain empty
3	Tap "Sign Up" button		Validation errors are displayed for all required fields

TF-7 / Authentication Module

Phone number format validation

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to registration/login screen		Form is displayed
2	Enter invalid phone number format		Invalid phone is entered
3	Enter password		Password is entered
4	Tap submit button		Phone field validation error is displayed

TF-8 / Authentication Module

Toggle between login and registration

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Launch application		Authentication screen is displayed
2	Tap "Don't have an account? Sign Up"		Registration form appears with username field

#	Step	Action	Expected Result
3	Tap "Already have an account? Login"		Login form appears without username field
4	Verify form fields change appropriately		UI switches between modes correctly

TF-9 / Main Menu

Customer Menu display

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in as a customer

Steps to reproduce

#	Step	Action	Expected Result
1	User logs in successfully		User is authenticated
2	Navigate to main menu		Main menu screen is displayed
3	Observe menu options		Three menu options are displayed: "One-Time Pickup", "Subscriptions", "Settings"

TF-10 / Main Menu

Courier User Menu Display

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in as courier (+998012223322)

Steps to reproduce

#	Step	Action	Expected Result
1	Courier user logs in successfully		User is authenticated
2	Navigate to main menu		User is redirected directly to Courier Dashboard

TF-16 / Main Menu

MEnu refresh functionality

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Pull down to refresh on main menu		Refresh gesture is performed
2	Observe refresh indicator		Refresh indicator appears and disappears
3	Verify data update		Menu data refreshes and notification count updates

TF-11 / Navigation

Navigate to one time pickup

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	From main menu, tap "One-Time Pickup"		Menu option is tapped
2	Observe navigation		User is navigated to Trash Pickup Order Screen

TF-12 / Navigation

Navigate to Subscriptions

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	From main menu, tap "Subscriptions"		Menu option is tapped
2	Observe navigation		User is navigated to Subscriptions Screen

TF-13 / Navigation

Navigate to Settings

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Usre is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	From main menu, tap "Settings"		Menu option is tapped
2	Observe navigation		User is navigated to Settings Screen

TF-14 / Navigation

Access notificatins from Menu

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	From main menu, tap notification icon		Notification icon is tapped
2	Observe navigation		User is navigated to Chat/Notifications Screen

TF-15 / Navigation

Access about screen

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	From main menu, tap info icon		Info icon is tapped
2	Observe navigation		User is navigated to About Screen

TF-17 / Order Creation

Order Creation Flow

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select location using "Current Location" button		Current location is detected and displayed
3	Enter apartment number		Apartment number is entered
4	Enter floor number		Floor number is entered
5	Enter entrance number		Entrance number is entered
6	Select trash type from dropdown		Trash type is selected
7	Select package quantity		Quantity is selected
8	Select pickup date		Date is selected
9	Select pickup time		Time is selected
10	Enter additional notes		Notes are entered
11	Tap "Schedule Pickup" button		Order is created successfully and user returns to main menu

TF-18 / Order Creation

Order Creation with Missiing Location

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Fill all fields except location		All other fields are completed
3	Tap "Schedule Pickup" button		Validation error "Please fill all required fields" is displayed

TF-19 / Order Creation

Order Creation with Missiing Date

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select Location		Location is selected
3	Fill all fields except Pickup Date		All other fields are completed
4	Tap "Schedule Pickup" button		Validation error "Please fill all required fields" is displayed

TF-20 / Order Creation

Order Creation with Missing Time

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select Location and Date		Location and Date are selected
3	Fill all fields except Pickup Time		All other fields are completed
4	Tap "Schedule Pickup" button		Validation error "Please fill all required fields" is displayed

TF-21 / Order Creation

Order Creation with trash type

Priority	Severity	Behavior	Type
Not set	Normal	Negative	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed

#	Step	Action	Expected Result
2	Select location, date, and time		Location, date, and time are selected
3	Fill all fields except Pickup Date		All other fields are completed
4	Tap "Schedule Pickup" button		Validation error is displayed and trash type field is highlighted

TF-22 / Order Creation

Location selection via map

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Tap "Select on Map" button		Map screen is opened
3	Select location on map		Location is selected on map
4	Confirm selection		Selected location is displayed with address

TF-23 / Order Creation

Current location selection

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in, location services enabled

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Tap "Current Location" button		Location permission request appears
3	Grant location permission if prompted		Permission is granted
4	Observe location detection		Current location is detected and displayed

TF-24 / Order Creation

Location services denied

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in,

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Tap "Current Location" button		Location permission request appears
3	Deny location permission		Permission is denied
4	Observe error message		Error message about location permission is displayed

TF-25 / Order Creation

Location outside service area

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select location outside Namangan/Tashkent		Location outside service area is selected
3	Try to save location		Error message "Location is outside service area" is displayed

TF-26 / Order Creation

Date Selection - Past Date

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

USre is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Tap on date picker		Date picker is opened
3	Try to select a past date		Past dates are disabled
4	Verify selection		Past dates cannot be selected

TF-27 / Order Creation

Date selection - Future date limit

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Tap on date picker		Date picker is opened
3	Try to select date beyond 30 days from today		Dates beyond 30 days are disabled
4	Verify selection		Future dates beyond limit cannot be selected

TF-28 / Order Creation

Time slot availability - Today

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in, today selected

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select today's date		Today's date is selected
3	Open time picker		Time picker is opened

#	Step	Action	Expected Result
4	Observe available time slots		Past time slots and slots within 30 minutes are disabled

TF-29 / Order Creation

Time slot availability - Future date

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in, future date is selected

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select a future date		Future date is selected
3	Open time picker		Time picker is opened
4	Observe available time slots		All time slots are available

TF-30 / Order Creation

Trash type Selection - household

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select "Household" trash type		Household trash type is selected
3	Observe price calculation		Price is calculated at 20,000 UZS for first pack + 10,000 UZS for additional packs

TF-31 / Order Creation

Trash type selection - non-residential

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

USer is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select "Non-residential" trash type		Non-residential trash type is selected
3	Observe price calculation		Price is calculated at 30,000 UZS for first pack + 15,000 UZS for additional packs

TF-32 / Order Creation

Trash type selection - Construction

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

USer is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select "Construction debris" trash type		Construction trash type is selected
3	Observe price calculation and UI		Fixed price of 250,000 UZS is displayed, quantity selector is disabled

TF-33 / Order Creation

Package Quantity Adjustment

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in, non-construction type selected

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select trash type (not construction)		Non-construction trash type is selected

#	Step	Action	Expected Result
3	Increase package quantity		Quantity is increased
4	Observe price update		Total price updates correctly based on quantity

TF-34 / Order Creation

Price Display Validation

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Select different trash types and quantities		Various combinations are selected
3	Verify price display		Price is displayed with proper formatting and UZS currency

TF-35 / Order Creation

Building Details Input

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Enter apartment, floor, and entrance numbers		Numeric values are entered
3	Verify input validation		Numeric input is accepted and properly formatted

TF-36 / Order Creation

Additional Notes Input

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Enter text in additional notes field		Text is entered
3	Verify character limits		Notes are accepted and saved with the order

TF-37 / Order Creation

Order creation Network Error

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

USer is logged in, No internet connection

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to order creation screen		Order creation form is displayed
2	Fill all required fields		All fields are completed
3	Tap "Schedule Pickup" button		Network error message is displayed

TF-38 / Courier Dashboard

Courier Dashboard daily

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is logged in as a courier

Steps to reproduce

#	Step	Action	Expected Result
1	Courier user logs in		User is authenticated
2	Navigate to courier dashboard		Dashboard is displayed
3	Observe dashboard components		Dashboard displays statistics, pending orders, and completed orders tabs

TF-39 / Courier Dashboard

Statistics

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Observe statistics section		Statistics section is visible
3	Verify statistics data		Pending pickups, completed today, and earnings are displayed

TF-40 / Courier Dashboard

Pending Orders List

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, pending orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Select "Pending Orders" tab		Pending orders tab is selected
3	Observe orders list		List of pending orders with order details is displayed

TF-41 / Courier Dashboard

Completed Orders List

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, completed orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Select "Completed Orders" tab		Completed orders tab is selected
3	Observe orders list		List of completed orders with completion status is displayed

TF-42 / Courier Dashboard

Order Details navigation

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Tap on any order in the list		Order is tapped
3	Observe navigation		Order details screen is displayed with full order information

TF-43 / Courier Dashboard

City Filter - Namangan Only

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, orders in both cities

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Tap filter icon		Filter menu is opened
3	Disable Tashkent, enable Namangan		Namangan filter is enabled
4	Observe filtered results		Only orders from Namangan are displayed

TF-44 / Courier Dashboard

City Filter - Tashkent Only

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, orders in both cities

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Tap filter icon		Filter menu is opened
3	Disable Namangan, enable Tashkent		Tashkent filter is enabled
4	Observe filtered results		Only orders from Tashkent are displayed3

City Filter - Both Cities

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, orders in both cities

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Tap filter icon		Filter menu is opened
3	Enable both Namangan and Tashkent		Both city filters are enabled
4	Observe filtered results		Orders from both cities are displayed

Order Selection Mode

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, pending orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Long press on a pending order		Long press gesture is performed
3	Observe selection mode		Selection mode is activated with checkbox appearing

TF-47 / Courier Dashboard

Multiple Order Selection

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, multiple pending orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Enter selection mode		Selection mode is activated
2	Tap on multiple orders to select them		Multiple orders are tapped
3	Observe selection count		Multiple orders are selected and count is updated

TF-48 / Courier Dashboard

Select All Orders

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, multiple pending orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Enter selection mode		Selection mode is activated
2	Tap "Select All" button		Select all button is tapped

#	Step	Action	Expected Result
3	Observe selection		All visible orders are selected

TF-49 / Courier Dashboard

Batch Order Creation

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, orders selected

Steps to reproduce

#	Step	Action	Expected Result
1	Select multiple pending orders		Orders are selected
2	Tap complete button		Complete button is tapped
3	Confirm completion		Confirmation dialog appears
4	Verify completion		Selected orders are marked as completed

TF-50 / Courier Dashboard

Route Optimization

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier user logged in, pending orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Tap route optimization button		Route optimization is initiated
3	Wait for optimization to complete		Loading indicator appears
4	Observe optimized route		Optimized route is displayed with summary statistics

TF-51 / Courier Dashboard

Navigate To Courier Map

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Tap map icon		Map icon is tapped
3	Observe navigation		Courier map screen is displayed with order locations

TF-52 / Courier Dashboard

Dashboard Refresh

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier is logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Pull down to refresh		Refresh gesture is performed
3	Observe data update		Dashboard data is refreshed and updated

TF-53 / Courier Dashboard

Empty State - No pending Orders

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier is logged in, no pending orders

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Select "Pending Orders" tab		Pending orders tab is selected
3	Observe empty state		"No pending orders" message is displayed

TF-54 / Courier Dashboard

Empty State - No Completed Orders

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Select "Completed Orders" tab		Completed orders tab is selected
3	Observe empty state		"No completed orders" message is displayed

TF-55 / Courier Dashboard

Order Status badge display

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier is logged in, orders exist

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to courier dashboard		Dashboard is displayed
2	Observe order cards		Order cards are displayed
3	Verify status badges		Pending orders show orange "Pending" badge, completed orders show green "Completed" badge

TF-56 / Notifications

New Order notification to couriers

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

courier is logged in, FCM token registered

Steps to reproduce

#	Step	Action	Expected Result
1	Regular user creates a new order		Order is created in system
2	Observe courier's device		Notification appears on courier's device
3	Verify notification content		Courier receives notification about new order with proper navigation

TF-57 / Notifications

Orer completion notification to customer

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

customer is logged in, FCM token registered

Steps to reproduce

#	Step	Action	Expected Result
1	Courier completes an order		Order is marked as completed
2	Observe customer's device		Notification appears on customer's device

#	Step	Action	Expected Result
3	Verify notification content		Customer receives notification about order completion

TF-58 / Notifications

Global notification

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Multiple users logged in

Steps to reproduce

#	Step	Action	Expected Result
1	Admin sends global chat message		Message is sent to global chat
2	Observe other users' devices		Notifications appear on other users' devices
3	Verify notification recipients		All users except sender receive notification

TF-59 / Notifications

Notification Navigation - New order

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Courier receives new order notification

Steps to reproduce

#	Step	Action	Expected Result
1	Receive new order notification		Notification is displayed
2	Tap on new order notification		Notification is tapped
3	Observe navigation		App opens and navigates to courier dashboard

TF-60 / Notifications

Notification Navigation - Completed Orders

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Customer receives order completion notification

Steps to reproduce

#	Step	Action	Expected Result
1	Receive order completion notification		Notification is displayed
2	Tap on order completion notification		Notification is tapped
3	Observe navigation		App opens and navigates to completed orders screen

TF-61 / Notifications

Notification Navigation - General

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User receives general notification

Steps to reproduce

#	Step	Action	Expected Result
1	Receive general notification		Notification is displayed
2	Tap on general notification		Notification is tapped
3	Observe navigation		App opens and navigates to chat/notifications screen

TF-62 / Notifications

Notification badge display

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User has unread notifications

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to main menu		Main menu is displayed
2	Observe notification icon		Notification icon is visible
3	Verify badge count		Notification badge shows count of unread messages

TF-63 / Notifications

Mark notification as read

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User has unread notifications

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate to chat/notifications screen		Chat screen is opened
2	Observe notification badge		Badge is visible before opening
3	Verify badge clearing		Notification badge is cleared when screen opens

TF-64 / Notifications

Foreground notification handling

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

App is open and in foreground

Steps to reproduce

#	Step	Action	Expected Result
1	Keep app in foreground		App is visible on screen
2	Trigger a notification		Notification is triggered
3	Observe notification display		Local notification is displayed while app is in foreground

TF-65 / Notifications

Background notification handling

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

App is in background

Steps to reproduce

#	Step	Action	Expected Result
1	Put app in background		App is moved to background
2	Trigger a notification		Notification is triggered
3	Observe system notification		System notification is displayed in notification shade

TF-66 / Notifications

Notification with app closed

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

App is completely closed

Steps to reproduce

#	Step	Action	Expected Result
1	Close app completely		App is not running
2	Trigger a notification		Notification is triggered
3	Tap on notification		App opens and navigates to correct screen

TF-67 / Notifications

Admin Broadcast notification

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Steps to reproduce

#	Step	Action	Expected Result
1	Admin sends broadcast notification		Broadcast is initiated
2	Observe all users' devices		Notifications appear on all devices
3	Verify notification delivery		All users receive the broadcast notification

TF-68 / Maps

Map screen display

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Open map screen		Map screen is opened
2	Observe map display		Map displays with service area boundaries and order markers

TF-69 / Maps

Service area boundaries

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is on map screen

Steps to reproduce

#	Step	Action	Expected Result
1	Open map screen		Map screen is displayed
2	Observe Namangan area on map		Namangan area is visible
3	Verify boundary display		Namangan service area boundary is clearly marked

TF-70 / Maps

Service are boundaries - Tashkent

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is on map screen

Steps to reproduce

#	Step	Action	Expected Result
1	Open map screen		Map screen is displayed
2	Observe Tashkent area on map		Tashkent area is visible
3	Verify boundary display		Tashkent service area boundary is clearly marked

TF-71 / Maps

Order markers on Map

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Order exist in the system

Steps to reproduce

#	Step	Action	Expected Result
1	Open courier map screen		Courier map screen is opened
2	Observe order markers		Markers are visible on map
3	Verify marker display		Order locations are marked with appropriate icons

TF-72 / Maps

Map Location selection

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is slecting order

Steps to reproduce

#	Step	Action	Expected Result
1	Tap "Select on Map"		Map selection is initiated
2	Tap on desired location on map		Location is selected
3	Confirm selection		Selected location coordinates are captured and address is resolved

TF-73 / Maps

Map zoom controls

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

USer is on map screen

Steps to reproduce

#	Step	Action	Expected Result
1	Use zoom in controls		Zoom in is performed
2	Use zoom out controls		Zoom out is performed
3	Use pinch to zoom		Pinch zoom gesture is performed
4	Verify zoom behavior		Map zooms in and out smoothly

TF-74 / Maps

Map pan control

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is on map screen

Steps to reproduce

#	Step	Action	Expected Result
1	Drag to pan the map		Pan gesture is performed
2	Observe map movement		Map pans smoothly to show different areas

TF-75 / Maps

Current location on map

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Location services enabled

Steps to reproduce

#	Step	Action	Expected Result
1	Open map screen		Map screen is displayed
2	Tap current location button		Current location button is tapped
3	Verify location centering		Map centers on user's current location

TF-76 / Maps

Location permission handling

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Location permission not granted

Steps to reproduce

#	Step	Action	Expected Result
1	Attempt to get current location		Location request is initiated
2	Grant permission when prompted		Permission dialog appears
3	Verify permission granted		Location permission is requested and granted successfully

TF-77 / Maps

Geocoding services

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Location selected

Steps to reproduce

#	Step	Action	Expected Result
1	Select location on map		Location coordinates are selected
2	Observe address resolution		Address is being resolved
3	Verify address conversion		Selected coordinates are converted to readable address

TF-78 / Maps

Distance Calculation

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Two locations are selected

Steps to reproduce

#	Step	Action	Expected Result
1	Select two locations		Two points are selected
2	Calculate distance between points		Distance calculation is performed
3	Verify calculation accuracy		Distance is calculated correctly using Haversine formula

TF-79 / Settings

Language Switch - English

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is in settings screen

Steps to reproduce

#	Step	Action	Expected Result
1	Tap language dropdown		Language dropdown is opened
2	Select "English"		English language is selected
3	Verify language change		All UI text changes to English

TF-80 / Settings

Language Switch - Uzbek

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is in settings screen

Steps to reproduce

#	Step	Action	Expected Result
1	Tap language dropdown		Language dropdown is opened
2	Select "Uzbek"		Uzbek language is selected
3	Verify language change		All UI text changes to Uzbek

TF-81 / Settings

Language Switch - Russian

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

User is in settings screen

Steps to reproduce

#	Step	Action	Expected Result
1	Tap language dropdown		Language dropdown is opened
2	Select "Russian"		Russian language is selected
3	Verify language change		All UI text changes to Russian

TF-82 / Settings

Language Persistence

Priority	Severity	Behavior	Type
Not set	Normal	Not set	Other
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

Language has been changed

Steps to reproduce

#	Step	Action	Expected Result
1	Change language setting		Language is changed
2	Close and reopen app		App is restarted
3	Verify language preservation		Selected language is preserved