


The international public telecommunication numbering plan

Introduction

The following three categories
of International Public Telecommunication
numbers


**Geographical
areas**




**Global
services**




Networks






In addition to these three categories the following two new categories

Groups of countries



Trials





Structures and options

Number structure for geographical areas

CC

NDC

SN

1 to 3
digits

Max 15-n (number of
digits in CC) digits

CC: Country Code


NDC: National Destination Code

SN: Subscriber Number

Structures and options

Numbers for geographical areas, formats for national use.


Option 1: separated NDC and SN



Structures and options

Numbers for geographical areas, formats for national use.


Option 1: separated NDC and SN



Structures and options

Numbers for geographical areas, formats for national use.

Option 2: connected NDC and SN




National subscriber number

The leading digits of the national subscriber numbers indicates services and/or geography.

Structures and options


Numbers for geographical areas, formats for national use.

Option 2: connected NDC and SN



When NDC and SN are inseparably connected to form a single dialling sequence, a national prefix is not necessary.

Structures and options



Numbers for geographical areas, formats for national use.

Option 1 and 2 are normally used in parallel, with option 1 for geographic numbers and option 2 for national location independent numbers.

Option 2 can however be used for both type of numbers nationally.

Structures and options

Numbers for Global Services

CC

GSN

3 digits

Max 12 digits


CC: Country Code for global service (800, 808, 878, 979)

GSN: Global Subscriber Number

The leading digits of GSN may indicate some service specific characteristics. The global services have only one international format, but access to global services

Structures and options

Numbers for Networks. Network is inter-nationally interconnected physical nodes and operational systems operated and maintained by one or more ROAs to provide public telecommunication services.



Structures and options

Numbers for Networks.

CC

IC

SN

3 digits

1 to 4
digits

Max 15-n (number
of digits in CC+IC)
digits


CC: Country Code for Networks (882)

IC: Identification Code

SN: Subscriber Number

Structures and options

Numbers for Networks, optional formats



To use the three formats for the mentioned purposes each Network would have to create their own Network internal prefixes.

Structures and options

Numbers for Groups of countries

CC

GIC

SN

3 digits 1 digit Max 11 digits

CC: Country Code for Groups of countries (tbd)

GIC: Group Identification Code

SN: Subscriber Number

Structures and options



Numbers for Trials

CC

TIC


SN

3 digits 3 digits Max 9 digits

CC: Country Code for Trials (991)


TIC: Trial Identification Code

SN: Subscriber Number



Numbering for geographic areas

The digit analysis should not be more than 7 digits to determine the country of destination, the most appropriate routeing and the proper charging.




Planning advices for geographic areas

The national numbering plans should be designed:

- a) to allow for generous provision of future growth;
- b) so that the national networks be accessible to subscribers in other countries by means of international dialling procedures.
- c) so that subscribers would always be called by the same national number regardless of where the call is originated from within a national numbering plan.

It is recommended that notification of national numbering changes be submitted at least 2 years in advance.



Thank You!