

Cucumber Report

Sep 30, 2024, 4:16:15 PM

Start : Sep 30, 4:15:39.800 PM

End : Sep 30, 4:16:15.453 PM

Duration : 35.653 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 7
FAILED - 3
SKIPPED - 44



| Feature | | Scenario | | | | Step | | | |
|-----------------------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Verifying the Car Web Page</u> | 35.653 s | 4 | 0 | 4 | 0 | 54 | 7 | 3 | 44 |





| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------------------|---|---|---|---|----------|
| 1 | <u>Verifying the Car Web Page</u> | 4 | 0 | 4 | 0 | 35.653 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------------|---|----|---|---|----|----------|
| 1 | <u>Verifying the Car Web Page</u> | <u>Entering valid data in all fields throughout multiple pages</u> | 13 | 5 | 1 | 7 | 22.494 s |
| 2 | <u>Verifying the Car Web Page</u> | <u>Entering invalid data in all fields throughout multiple pages</u> | 13 | 1 | 1 | 11 | 6.560 s |
| 3 | <u>Verifying the Car Web Page</u> | <u>Entering valid data in all fields and invalid data in email field throughout multiple pages</u> | 13 | 1 | 1 | 11 | 4.234 s |
| 4 | <u>Verifying the Car Web Page</u> | <u>Entering valid data in all fields and custom data in Address field throughout multiple pages</u> | 15 | 0 | 0 | 15 | 2.333 s |

Verifying the Car Web Page

| | | | | | |
|--------------------------------------|---------------------|-----------|---|------------|---|
| FAILED | DURATION - 35.653 s | Scenarios |  | Steps |  |
| / 4:15:39.800 PM // 4:16:15.453 PM / | | Total - 4 | | Total - 54 | |
| | | Pass - 0 | | Pass - 7 | |
| | | Fail - 4 | | Fail - 3 | |
| | | Skip - 0 | | Skip - 44 | |



Entering valid data in all fields throughout multiple pages

| | | | | |
|--|--|---|--|--|
| <div><div>FAILED</div><div>DURATION - 22.494 s</div></div> | | <div></div> | <div>Steps</div> <div>Total - 13</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| / 4:15:39.802 PM // 4:16:02.296 PM / | | | | |
| Verifying the Car Web Page | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the Lemonade homepage | PASSED | 0.015 s |
| 2 | And User click on the Check Our Prices button | PASSED | 4.475 s |
| 3 | And User click on Nope radio button and click on Next button | PASSED | 3.297 s |
| 4 | And User select the Car Insurance link | PASSED | 3.558 s |
| 5 | And User click on Next Button | PASSED | 3.246 s |
| 6 | When user enters valid First Name | FAILED | 2.758 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='first_name']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c757341a2d1ef800030ba4cc0f7baab5, findElement {value=first_name, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57991/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c757341a2d1ef800030ba4cc0f7baab5 | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at pageObject.CarInsurancePage.enterFirstName(CarInsurancePage.java:106) at stepDef.LemonadeCarInsurance.user_enters_valid_First_Name(LemonadeCarInsurance.java:83) at ?.user enters valid First Name(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:12) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 7 | And user enters a valid Last Name | SKIPPED | 0.000 s |
| 8 | And user clicks on Next button | SKIPPED | 0.000 s |
| 9 | And user enters valid Address | SKIPPED | 0.000 s |
| 10 | And user clicks on the Next button | SKIPPED | 0.000 s |
| 11 | And user has to enter valid Email | SKIPPED | 0.000 s |
| 12 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 13 | Then user clicks on Back Home button | SKIPPED | 0.000 s |



Entering invalid data in all fields throughout multiple pages

| | | | |
|---|--|---|---|
| <div><div>FAILED</div><div>DURATION - 6.560 s</div></div> | | <div></div> | <div><div>Steps</div><div>Total - 13</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 11</div></div> <div></div> |
| / 4:16:02.312 PM // 4:16:08.872 PM / | | | |
| Verifying the Car Web Page | | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 1 | Given User navigate to the Lemonade homepage | PASSED | 0.000 s |
| 2 | And User click on the Check Our Prices button java.lang.RuntimeException: Unexpected result for screenshot command: null at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at utility.CommonUtility.screenshot(CommonUtility.java:30) at stepDef.LemonadeCarInsurance.user_click_on_the_check_our_prices_button(LemonadeCarInsurance.java:42) at ?.User click on the Check Our Prices button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:26) * Not displayable characters are replaced by '?'. | FAILED | 1.865 s |
| 3 | And User click on Nope radio button and click on Next button | SKIPPED | 0.000 s |
| 4 | And User select the Car Insurance link | SKIPPED | 0.000 s |
| 5 | And User click on Next Button | SKIPPED | 0.001 s |
| 6 | When user enters invalid First Name | SKIPPED | 0.000 s |
| 7 | And user enters a invalid Last Name | SKIPPED | 0.000 s |
| 8 | And user clicks on Next button | SKIPPED | 0.001 s |
| 9 | And user enters invalid Address | SKIPPED | 0.000 s |
| 10 | And user clicks on the Next button | SKIPPED | 0.000 s |
| 11 | And user has to enter invalid Email | SKIPPED | 0.000 s |
| 12 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 13 | Then user clicks on Back Home button | SKIPPED | 0.001 s |
| | AFTER - stepDef.Hooks.tearDown() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ba0e0a242fa860046a9625710655f168, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | FAILED | 0.018 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>windows, proxy: Proxy(), se:cdp: ws://localhost:58156/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ba0e0a242fa860046a9625710655f168</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at stepDef.Hooks.tearDown(Hooks.java:28)</p> | | |

Entering valid data in all fields and invalid data in email field throughout multiple pages



| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 4.234 s</div> | |  | <div>Steps</div> <div>Total - 13</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 11</div> |  |
| / 4:16:08.880 PM // 4:16:13.114 PM / | | | | |
| Verifying the Car Web Page | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User navigate to the Lemonade homepage | PASSED | 0.001 s |
| 2 | And User click on the Check Our Prices button | FAILED | 0.004 s |
| | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05f43128c7f48c0da5a43648ab5f71ee, findElement {value=gtm_button_main_check_prices, using=id}] Capabilities {acceptInsecureCerts:</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <p>false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58248/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05f43128c7f48c0da5a43648ab5f71ee</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at pageObject.CarInsurancePage.clickCheckPrice(CarInsurancePage.java:55) at stepDef.LemonadeCarInsurance.user_click_on_the_check_our_prices_button(LemonadeCarInsurance.java:41) at ?.User click on the Check Our Prices button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:45)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | And User click on Nope radio button and click on Next button | SKIPPED | 0.000 s |
| 4 | And User select the Car Insurance link | SKIPPED | 0.001 s |
| 5 | And User click on Next Button | SKIPPED | 0.000 s |
| 6 | When user enters valid First Name | SKIPPED | 0.000 s |
| 7 | And user enters a valid Last Name | SKIPPED | 0.000 s |
| 8 | And user clicks on Next button | SKIPPED | 0.000 s |
| 9 | And user enters valid Address | SKIPPED | 0.000 s |
| 10 | And user clicks on the Next button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 11 | And user has to enter invalid Email | SKIPPED | 0.000 s |
| 12 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 13 | Then user clicks on Back Home button | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.tearDown() org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05f43128c7f48c0da5a43648ab5f71ee, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58248/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05f43128c7f48c0da5a43648ab5f71ee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at stepDef.Hooks.tearDown(Hooks.java:28) | FAILED | 0.002 s |

Entering valid data in all fields and custom data in Address field throughout multiple pages

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 2.333 s</div> | |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 15</div> |  |
| / 4:16:13.120 PM // 4:16:15.453 PM / | | | | |
| Verifying the Car Web Page | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|----------------|----------|
| | BEFORE - stepDef.Hooks.launchApp() <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7f55b23a8e41ee3c2d273f5a4dbd761e, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58280}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58280/devtoo..., se.cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7f55b23a8e41ee3c2d273f5a4dbd761e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1034) at utility.BaseClass.<init>(BaseClass.java:43) at utility.BaseClass.setDriver(BaseClass.java:53) at stepDef.Hooks.launchApp(Hooks.java:16)</pre> | FAILED | 2.320 s |
| 1 | Given User navigate to the Lemonade homepage | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 2 | And User click on the Check Our Prices button | SKIPPED | 0.000 s |
| 3 | And User click on Nope radio button and click on Next button | SKIPPED | 0.000 s |
| 4 | And User select the Car Insurance link | SKIPPED | 0.000 s |
| 5 | And User click on Next Button | SKIPPED | 0.000 s |
| 6 | When user enters valid First Name | SKIPPED | 0.000 s |
| 7 | And user enters a valid Last Name | SKIPPED | 0.000 s |
| 8 | And user clicks on Next button | SKIPPED | 0.000 s |
| 9 | And user enters valid custom Address | SKIPPED | 0.000 s |
| 10 | And user enters details of valid custom Address | SKIPPED | 0.000 s |
| 11 | And user clicks Next button | SKIPPED | 0.000 s |
| 12 | And user clicks on Looks Good button | SKIPPED | 0.000 s |
| 13 | And user has to enter valid Email | SKIPPED | 0.000 s |
| 14 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 15 | Then user clicks on Back Home button | SKIPPED | 0.000 s |
| | AFTER - stepDef.Hooks.tearDown() | FAILED | 0.009 s |
| | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7f55b23a8e41ee3c2d273f5a4dbd761e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58280}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58280/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7f55b23a8e41ee3c2d273f5a4dbd761e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405) at stepDef.Hooks.tearDown(Hooks.java:28) | | |