Cucumber Report

| Start : Sep 30, 4:40:43.586 PM	End : Sep 30, 4:43:44.555 PM	Duration : 3 m 0.969 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 34 FAILED - 4 SKIPPED - 16

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verifying the Car Web Page	*3 m 0.969 s*	4	0	4	0	54	34	4	16

#	Feature Name	T	P	F	S	Duration
1	Verifying the Car Web Page	4	0	4	0	3 m 0.969 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	12	1	0	54.319 s
2	Verifying the Car Web Page	Entering invalid data in all fields throughout multiple pages	13	3	1	9	12.674 s
3	Verifying the Car Web Page	Entering valid data in all fields and invalid data in email field throughout multiple pages	13	10	1	2	55.080 s
4	Verifying the Car Web Page	Entering valid data in all fields and custom data in Address field throughout multiple pages	15	9	1	5	58.861 s

Verifying the Car Web Page

| FAILED	DURATION - 3 m 0.969 s		Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 54 Pass - 34 Fail - 4 Skip - 16	54
/ 4:40:43.586 PM // 4:43:44.555 PM /						

Entering valid data in all fields throughout multiple pages

FAILED	DURATION - 54.319 s		Steps Total - 13 Pass - 12 Fail - 1 Skip - 0	13
/ 4:40:43.589 PM // 4:41:37.908 PM /				
Verifying the Car Web Page				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.015 s
2	And User click on the Check Our Prices button	PASSED	4.344 s
3	And User click on Nope radio button and click on Next button	PASSED	3.313 s
4	And User select the Car Insurance link	PASSED	3.533 s
5	And User click on Next Button	PASSED	3.236 s
6	When user enters valid First Name	PASSED	2.695 s
7	And user enters a valid Last Name	PASSED	2.235 s
8	And user clicks on Next button	PASSED	5.205 s
9	And user enters valid Address	PASSED	12.991 s
10	And user clicks on the Next button	PASSED	5.189 s
11	And user has to enter valid Email	PASSED	2.248 s
12	And user clicks on Let Me Know button	PASSED	3.174 s
13	Then user clicks on Back Home button	FAILED	1.075 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="sc-bdfBwQ AnimatedButton__Wrapper-sc-1cjtkjm-1 kpQYKR iiFUwn" style="width: 131px;">...</div> is not clickable at point (624, 461). Other element		

#	Step / Hook Details	Status	Duration

	would receive the click: <div width="100%" class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator__FadeCSSTransition-d18v9l-0 eEBHGx WizardElements__WizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ">...</div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c7afdc41342c05e2179138e990aad305, clickElement {id=f. F7CEA09182E0D88ACC287D46ACE7005E.d.8A0FA0F8373415FF959F92BA31A05639.e.182}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59972}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59972/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c7afdc41342c05e2179138e990aad305)] -> xpath: //div[@class='sc-bdfBwQ AnimatedButton__Wrapper-sc-1cjtkjm-1 kpQYKR iiFUwn']] Session ID: c7afdc41342c05e2179138e990aad305
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source)
	  at pageObject.CarInsurancePage.clickBackHomeButton(CarInsurancePage.java:331)
	  at stepDef.LemonadeCarInsurance.user_clicks_on_back_home_button(LemonadeCarInsurance.java:232)
	  at ?.user clicks on Back Home button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:20)
	* Not displayable characters are replaced by '?'.		

Entering invalid data in all fields throughout multiple pages

FAILED	DURATION - 12.674 s
/ 4:41:37.920 PM // 4:41:50.594 PM /	
Verifying the Car Web Page	

Steps
Total - 13
Pass - 3
Fail - 1
Skip - 9

13

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.779 s
3	And User click on Nope radio button and click on Next button	PASSED	3.293 s
4	And User select the Car Insurance link	FAILED	0.016 s

org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [1b419fe060eac19161b28c71a5a0d1e9, actions {actions=[org.openqa.selenium.interactions.Sequence@715fa8c5]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60084}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60084/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b419fe060eac19161b28c71a5a0d1e9
   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)
   at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
   at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
   at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)
   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)		
	at java.base/java.util.Map.forEach(Map.java:713)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:603)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:568)		
	at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87)		
	at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59)		
	at ?.User select the Car Insurance link(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:28)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json.toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87) at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.		

#	Step / Hook Details	Status	Duration
	RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime. CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners$NoStepDescriptions. run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit. FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber. core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime. CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun. evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners. ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij. junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit. IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater. java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit. JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java. lang.reflect.InvocationTargetException 　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) 　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) 　at java.base/java.lang.reflect.Method.invoke(Method.java:568) 　at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) 　at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182) 　at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) 　at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204) 　at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) 　at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) 　at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) 　at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) 　at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) 　at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) 　at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) 　at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) 　at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) 　at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) 　at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204) 　at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) 　at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222) 　at java.base/java.util.Map.forEach(Map.java:713)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:603)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:568)		
	at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87)		
	at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@data-testid='car-checkbox']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [1b419fe060eac19161b28c71a5a0d1e9, findElement {using=xpath, value=//input[@data-testid='car-checkbox']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60084}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60084/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b419fe060eac19161b28c71a5a0d1e9		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'.		
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters invalid First Name	SKIPPED	0.000 s
7	And user enters a invalid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters invalid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and invalid data in email field throughout multiple pages

FAILED	DURATION - 55.080 s
/ 4:41:50.606 PM // 4:42:45.686 PM /	
Verifying the Car Web Page	

Steps
Total - 13
Pass - 10
Fail - 1
Skip - 2

13

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	12.822 s
3	And User click on Nope radio button and click on Next button	PASSED	3.254 s
4	And User select the Car Insurance link	PASSED	3.503 s
5	And User click on Next Button	PASSED	3.223 s
6	When user enters valid First Name	PASSED	2.265 s
7	And user enters a valid Last Name	PASSED	2.236 s
8	And user clicks on Next button	PASSED	5.199 s
9	And user enters valid Address	PASSED	12.919 s
10	And user clicks on the Next button	PASSED	5.187 s
11	And user has to enter invalid Email	FAILED	0.010 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='invitation_email']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [24a43a26a3f13cd165b73f588b984e9f, findElement {using=name, value=invitation_email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60184}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60184/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 24a43a26a3f13cd165b73f588b984e9f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.sendKeys(Unknown Source) at pageObject.CarInsurancePage.enterEmailAddress(CarInsurancePage.java:307) at stepDef.LemonadeCarInsurance.user_has_to_enter_invalid_email(LemonadeCarInsurance.java:207) at ?.user has to enter invalid Email(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:55) * Not displayable characters are replaced by '?'.		
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and custom data in Address field throughout multiple pages

FAILED	DURATION - 58.861 s
/ 4:42:45.694 PM // 4:43:44.555 PM /	
Verifying the Car Web Page	

Steps
Total - 15
Pass - 9
Fail - 1
Skip - 5

15

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	15.908 s
3	And User click on Nope radio button and click on Next button	PASSED	3.300 s
4	And User select the Car Insurance link	PASSED	3.541 s
5	And User click on Next Button	PASSED	3.240 s
6	When user enters valid First Name	PASSED	2.252 s

#	Step / Hook Details	Status	Duration
7	And user enters a valid Last Name	PASSED	2.218 s
8	And user clicks on Next button	PASSED	5.234 s
9	And user enters valid custom Address	PASSED	9.748 s
10	And user enters details of valid custom Address	FAILED	8.882 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input id="0.17492134136307147" placeholder="" type="text" height="45px" aria-labelledby="0.17492134136307147-label" class="sc-kfzAmx xiQTw" value="" tabindex="4"> is not clickable at point (420, 431). Other element would receive the click: <div class="FormRow__FormRowContainer-sc-18mztw6-0 emOaUf" style="grid-template-columns: 4fr 6fr; grid-template-rows: repeat(2, 1fr);">...</div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [194b0dd1a4b6a28d4acf0950823d739b, clickElement {id=f.128A8FFD7BFBEE6656C6522C190C273E.d.2E47E7C296187C6165B7FC389DBBE2AE.e.153}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60299}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60299/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (194b0dd1a4b6a28d4acf0950823d739b)] -> css selector: input.sc-kfzAmx.xiQTw] Session ID: 194b0dd1a4b6a28d4acf0950823d739b
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)
	    at jdk.internal.reflect.GeneratedMethodAccessor65.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source)
	    at pageObject.CarInsurancePage.enterCustomAddress(CarInsurancePage.java:269)
	    at stepDef.LemonadeCarInsurance.user_enters_details_of_valid_custom_address(LemonadeCarInsurance.java:173)
	    at ?.user enters details of valid custom Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.		

#	Step / Hook Details	Status	Duration
	feature:73) * Not displayable characters are replaced by '?'.		
11	And user clicks Next button	SKIPPED	0.000 s
12	And user clicks on Looks Good button	SKIPPED	0.000 s
13	And user has to enter valid Email	SKIPPED	0.000 s
14	And user clicks on Let Me Know button	SKIPPED	0.000 s
15	Then user clicks on Back Home button	SKIPPED	0.000 s