

Cucumber Report

Sep 30, 2024, 1:08:20 PM

Start : Sep 30, 1:05:25.244 PM

End : Sep 30, 1:08:19.654 PM

Duration : 2 m 54.410 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 41
FAILED - 4
SKIPPED - 13



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verifying the Car Web Page</u>	2 m 54.410 s	4	0	4	0	58	41	4	13





#	Feature Name	T	P	F	S	Duration
1	<u>Verifying the Car Web Page</u>	4	0	4	0	2 m 54.410 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verifying the Car Web Page</u>	<u>Entering valid data in all fields throughout multiple pages</u>	14	12	1	1	53.181 s
2	<u>Verifying the Car Web Page</u>	<u>Entering invalid data in all fields throughout multiple pages</u>	14	9	1	4	39.633 s
3	<u>Verifying the Car Web Page</u>	<u>Entering valid data in all fields and invalid data in email field throughout multiple pages</u>	14	12	1	1	52.312 s
4	<u>Verifying the Car Web Page</u>	<u>Entering valid data in all fields and custom data in Address field throughout multiple pages</u>	16	8	1	7	29.256 s

Verifying the Car Web Page

FAILED	DURATION - 2 m 54.410 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 58 Pass - 41 Fail - 4 Skip - 13	
/ 1:05:25.244 PM // 1:08:19.654 PM /					

Entering valid data in all fields throughout multiple pages

FAILED	DURATION - 53.181 s		Steps Total - 14 Pass - 12 Fail - 1 Skip - 1	
/ 1:05:25.246 PM // 1:06:18.427 PM /				
Verifying the Car Web Page				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.015 s
2	And User click on the Check Our Prices button	PASSED	4.388 s
3	And User click on Nope radio button and click on Next button	PASSED	3.296 s
4	And User select the Car Insurance link	PASSED	3.525 s
5	And User click on Next Button	PASSED	3.221 s
6	When user enters valid First Name	PASSED	2.714 s
7	And user enters a valid Last Name	PASSED	2.234 s
8	And user clicks on Next button	PASSED	5.196 s
9	And user enters valid Address	PASSED	12.974 s
10	And user clicks on the Next button	PASSED	5.195 s
11	And user has to enter valid Email	PASSED	2.233 s
12	And user clicks on Let Me Know button	PASSED	3.174 s
13	And user should see a message	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Step [user should see a message] is defined with 1 parameters at 'stepDef. LemonadeCarInsurance.user_should_see_a_message(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: user should		

#	Step / Hook Details	Status	Duration
	<p>see a message</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p>		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
14	Then user clicks on Back Home button	SKIPPED	0.004 s


Entering invalid data in all fields throughout multiple pages

FAILED DURATION - 39.633 s / 1:06:18.441 PM // 1:06:58.074 PM / Verifying the Car Web Page		Steps Total - 14 Pass - 9 Fail - 1 Skip - 4	
--	--	---	--

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.002 s
2	And User click on the Check Our Prices button	PASSED	4.388 s
3	And User click on Nope radio button and click on Next button	PASSED	3.304 s
4	And User select the Car Insurance link	PASSED	3.497 s
5	And User click on Next Button	PASSED	3.204 s
6	When user enters invalid First Name	PASSED	2.308 s
7	And user enters a invalid Last Name	PASSED	2.192 s
8	And user clicks on Next button	PASSED	5.242 s
9	And user enters invalid Address	PASSED	9.726 s
10	And user clicks on the Next button org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="sc-bdfBwQ AnimatedButton__Wrapper-sc-1cjkjm-1 kpQYKR iiFUwn" style="width: 131px;">...</div> is not clickable at point (624, 427). Other element would receive the click: <div width="100%" class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator__FadeCSSTransition-d18v9l-0 eEBHGx WizardElements__WizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ">...</div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [52cd880dd10b08f9416bbb112e670937, clickElement {id=f.F0A38B700A940DA1C353C61AFDA159BC.d.D8548DD78B97BAB5709A20A68882C266.e.146}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61076/devtoo..., se:cdpVersion:	FAILED	1.057 s

#	Step / Hook Details	Status	Duration
	<p>129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (52cd880dd10b08f9416bbb112e670937)] -> xpath: //div[@class='sc-bdfBwQ AnimatedButton__Wrapper-sc-1cjtjkm-1 kpQYKR iiFUwn']] Session ID: 52cd880dd10b08f9416bbb112e670937</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at pageObject.CarInsurancePage.clickNext3(CarInsurancePage.java:201) at stepDef.LemonadeCarInsurance.user_clicks_on_the_next_button(LemonadeCarInsurance.java:146) at ?.user clicks on the Next button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:35)</p> <p>* Not displayable characters are replaced by '?'. </p>		
11	And user has to enter invalid Email	SKIPPED	0.004 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	And user should see a message	SKIPPED	0.000 s
14	Then user clicks on Back Home button	SKIPPED	0.000 s


Entering valid data in all fields and invalid data in email field throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.402 s
3	And User click on Nope radio button and click on Next button	PASSED	3.255 s
4	And User select the Car Insurance link	PASSED	3.538 s
5	And User click on Next Button	PASSED	3.255 s
6	When user enters valid First Name	PASSED	2.240 s
7	And user enters a valid Last Name	PASSED	2.309 s
8	And user clicks on Next button	PASSED	5.260 s
9	And user enters valid Address	PASSED	12.960 s
10	And user clicks on the Next button	PASSED	5.191 s
11	And user has to enter invalid Email	PASSED	2.231 s
12	And user clicks on Let Me Know button	PASSED	3.190 s
13	And user should see a message	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Step [user should see a message] is defined with 1 parameters at 'stepDef. LemonadeCarInsurance.user_should_see_a_message(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: user should see a message at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
14	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and custom data in Address field throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	5.092 s
3	And User click on Nope radio button and click on Next button	PASSED	3.312 s
4	And User select the Car Insurance link	PASSED	3.562 s
5	And User click on Next Button	PASSED	3.223 s
6	When user enters valid First Name	PASSED	2.219 s
7	And user enters a valid Last Name	PASSED	2.227 s
8	And user clicks on Next button	PASSED	5.225 s
9	And user enters valid custom Address java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" because the return value of "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" is null at dataReader.ExcelConnection.getCellData(ExcelConnection.java:24) at stepDef.LemonadeCarInsurance.user_enters_valid_custom_address(LemonadeCarInsurance.java:153) at ?.user enters valid custom Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:72) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
10	And user enters details of valid custom Address	SKIPPED	0.000 s
11	And user clicks Next button	SKIPPED	0.000 s
12	And user clicks on Looks Good button	SKIPPED	0.000 s
13	And user has to enter valid Email	SKIPPED	0.000 s
14	And user clicks on Let Me Know button	SKIPPED	0.000 s
15	And user should see a message	SKIPPED	0.004 s
16	Then user clicks on Back Home button	SKIPPED	0.000 s