



Feature			Scer	nario			Step			
Name	Duration	T	P	F	S	T	P	F	S	
Verifying the Car Web Page	2 m 14.440 s	4	1	3	0	54	25	3	26	

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Verifying the Car Web Page	4	1	3	0	2 m 14.440 s


SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	2	1	10	19.520 s
2	Verifying the Car Web Page	Entering invalid data in all fields throughout multiple pages	13	2	1	10	16.076 s
3	Verifying the Car Web Page	Entering valid data in all fields and invalid data in email field throughout multiple pages	13	13	0	0	56.065 s
4	Verifying the Car Web Page	Entering valid data in all fields and custom data in Address field throughout multiple pages	15	8	1	6	42.753 s

DETAILED SECTION -- 5 --

## **Verifying the Car Web Page**



## Entering valid data in all fields throughout multiple pages




#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.014 s
2	And User click on the Check Our Prices button	PASSED	14.706 s
3	And User click on Nope radio button and click on Next button	FAILED	0.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/label[@class='input-radio no_account"]"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [1c91d8bb485464b0d42f31a3792957f2, findElement {value=/label[@class="input-radio no_account"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49954}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49954/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1c91d8bb485464b0d42f31a3792957f2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at org.openqa.selenium.support.pageractory.internal.cocalingElementHandler.invoke(cocalingElementHandler.java.se) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source)		
	at jak.proxyz/jak.proxyz.seroxyzs.click(Onknown Source) at pageObject.CarInsurancePage.clickNope(CarInsurancePage.java:64)		
	at stepDef.LemonadeCarInsurance.user_click_on_nope_radio_button_and_click_on_next_button(LemonadeCarInsurance.java:48)		
	at ?.User click on Nope radio button and click on Next button(file:///C:/Users/sabri/IdeaProjects/Automation Lemonade/src/test/java/features/		
	Lemonade.feature:8)		
	* Not displayable characters are replaced by '?'.		
4	And User select the Car Insurance link	SKIPPED	0.000 s
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters valid First Name	SKIPPED	0.000 s
7	And user enters a valid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters valid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter valid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s


Entering invalid data in all fields throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	11.490 s
3	And User click on Nope radio button and click on Next button	FAILED	0.013 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/label[@class=input-radio no_account"]"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: 42.1.0, revision: "79ed452eld" System info: os.name: Windows 11", os.arch: 'amd644, os.version: '10.0", java.version: '17.0.1" Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [3872ad86a8f2344eda85f8a99bc811b3, findElement {value=//label[@class=input-radio no_account*], using=xpath*]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userplatabilir: C2/userslsabir/AppDatalLoca), fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50064}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: wsi//localhost:50064/devtoo, se:cdp/version: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000], unhandledPromptBehadvior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} Session ID: 3872ad86a8f2344eda8f58a99bc811b3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance@VithCaller(Constructor.java:190) at org.openqa.selenium		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at pageObject.CarInsurancePage.clickNope(CarInsurancePage.java:64) at stepDef.LemonadeCarInsurance.user_click_on_nope_radio_button_and_click_on_next_button(LemonadeCarInsurance.java:48) at ?.User click on Nope radio button and click on Next button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/ Lemonade.feature:27) * Not displayable characters are replaced by '?'.		
4	And User select the Car Insurance link	SKIPPED	0.000 s
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters invalid First Name	SKIPPED	0.000 s
7	And user enters a invalid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters invalid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s


## Entering valid data in all fields and invalid data in email field throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	5.614 s
3	And User click on Nope radio button and click on Next button	PASSED	3.329 s
4	And User select the Car Insurance link	PASSED	3.554 s
5	And User click on Next Button	PASSED	3.235 s

#	Step / Hook Details	Status	Duration
6	When user enters valid First Name	PASSED	3.960 s
7	And user enters a valid Last Name	PASSED	2.297 s
8	And user clicks on Next button	PASSED	5.183 s
9	And user enters valid Address	PASSED	12.973 s
10	And user clicks on the Next button	PASSED	5.204 s
11	And user has to enter invalid Email	PASSED	2.237 s
12	And user clicks on Let Me Know button	PASSED	3.183 s
13	Then user clicks on Back Home button	PASSED	0.864 s

## Entering valid data in all fields and custom data in Address field throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	8.744 s
3	And User click on Nope radio button and click on Next button	PASSED	3.260 s
4	And User select the Car Insurance link	PASSED	3.507 s
5	And User click on Next Button	PASSED	3.236 s
6	When user enters valid First Name	PASSED	2.261 s
7	And user enters a valid Last Name	PASSED	2.267 s
8	And user clicks on Next button	PASSED	5.260 s
9	And user enters valid custom Address	FAILED	9.557 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='sc-bdfBwQ.sc-gsTCUz.AddressNoResult-sc-1dqewd0-0.kJtLJH.juqkhF.iJnsat']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21f77b1ae6efc4594205c086d2a5e5b5, findElement {value=//a[@class='sc-bdfBwQ.sc-gsTCUz.AddressNoResult-sc-1dqewd0-0.kJtLJH.juqkhF.iJnsat'], using=xpath}] Capabilities {acceptInsecureCerts: false,		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
#	browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca\), fedcm:accounts: true, gog:chromeOptions: {debuggerAddress: localhost:50304\), neworkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50304\), neworkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50304/devtoo, se:cdp\Version: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:implinLength: true, webauthn:extension:prf: true, webauthn:extension:implinLength: true, webauthn:extension:prf: true, webauthn:extension:implinLength: true, webauthn:extension:prf: true, webauthn:extension:implinLength: true, webauthn:extension:implicit true. webauthn:extension:implicit true. webauthn:extension:i	Status	Duration
	at ?.user enters valid custom Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:72)  * Not displayable characters are replaced by '?'.		
10	And user enters details of valid custom Address	SKIPPED	0.000 s
11	And user clicks Next button	SKIPPED	0.000 s
12	And user clicks on Looks Good button	SKIPPED	0.000 s
13	And user has to enter valid Email	SKIPPED	0.000 s
14	And user clicks on Let Me Know button	SKIPPED	0.000 s
15	Then user clicks on Back Home button	SKIPPED	0.000 s