Cucumber Report

| Start : Sep 30, 4:16:39.807 PM	End : Sep 30, 4:19:16.231 PM	Duration : 2 m 36.424 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 34 FAILED - 3 SKIPPED - 17

1

4

54

0 %

25 %

62 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verifying the Car Web Page	2 m 36.424 s	4	1	3	0	54	34	3	17

#	Feature Name	T	P	F	S	Duration
1	Verifying the Car Web Page	4	1	3	0	2 m 36.424 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	13	0	0	1 m 0.219 s
2	Verifying the Car Web Page	Entering invalid data in all fields throughout multiple pages	13	9	1	3	40.139 s
3	Verifying the Car Web Page	Entering valid data in all fields and invalid data in email field throughout multiple pages	13	3	1	9	13.578 s
4	Verifying the Car Web Page	Entering valid data in all fields and custom data in Address field throughout multiple pages	15	9	1	5	42.455 s

Verifying the Car Web Page

FAILED	DURATION - 2 m 36.424 s	Scenarios		Steps	
		Total - 4		Total - 54	
/ 4:16:39.807 PM // 4:19:16.231 PM /		Pass - 1	4	Pass - 34	54
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 17	

Entering valid data in all fields throughout multiple pages

PASSED	DURATION - 1 m 0.219 s		Steps	
			Total - 13	
/ 4:16:39.811 PM // 4:17:40.030 PM /			Pass - 13	13
			Fail - 0	
Verifying the Car Web Page			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.014 s
2	And User click on the Check Our Prices button	PASSED	9.459 s
3	And User click on Nope radio button and click on Next button	PASSED	3.281 s
4	And User select the Car Insurance link	PASSED	3.544 s
5	And User click on Next Button	PASSED	3.239 s
6	When user enters valid First Name	PASSED	2.729 s
7	And user enters a valid Last Name	PASSED	2.242 s
8	And user clicks on Next button	PASSED	5.249 s
9	And user enters valid Address	PASSED	12.970 s
10	And user clicks on the Next button	PASSED	5.185 s
11	And user has to enter valid Email	PASSED	2.246 s
12	And user clicks on Let Me Know button	PASSED	3.184 s
13	Then user clicks on Back Home button	PASSED	0.872 s

Entering invalid data in all fields throughout multiple pages

| FAILED	DURATION - 40.139 s
/ 4:17:40.038 PM // 4:18:20.177 PM /	
Verifying the Car Web Page	

Steps
Total - 13
Pass - 9
Fail - 1
Skip - 3

13

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.903 s
3	And User click on Nope radio button and click on Next button	PASSED	3.284 s
4	And User select the Car Insurance link	PASSED	3.512 s
5	And User click on Next Button	PASSED	3.239 s
6	When user enters invalid First Name	PASSED	2.240 s
7	And user enters a invalid Last Name	PASSED	2.205 s
8	And user clicks on Next button	PASSED	5.228 s
9	And user enters invalid Address	PASSED	9.632 s
10	And user clicks on the Next button	FAILED	1.057 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="sc-bdfBwQ AnimatedButton__Wrapper-sc-1cjtkjm-1 kpQYKR iiFUwn" style="width: 131px;">...</div> is not clickable at point (624, 427). Other element would receive the click: <div width="100%" class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator__FadeCSSTransition-d18v9l-0 eEBHGx WizardElements__WizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ">...</div>   (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [837f55ef694e89e897e088f2fd04da53, clickElement {id=f. 8ABE957306094EE183A4EDE639B6F8A3.d.3479073CF757DECD4AA04F5347ABFADC.e.145}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58454}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58454/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (837f55ef694e89e897e088f2fd04da53)] -> xpath: //div[@class='sc-bdfBwQ AnimatedButton__Wrapper-sc-1cjtkjm-1 kpQYKR iiFUwn']] Session ID: 837f55ef694e89e897e088f2fd04da53
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source) at pageObject.CarInsurancePage.clickNext3(CarInsurancePage.java:201) at stepDef.LemonadeCarInsurance.user_clicks_on_the_next_button(LemonadeCarInsurance.java:146) at ?.user clicks on the Next button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:35) * Not displayable characters are replaced by '?'.		
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and invalid data in email field throughout multiple pages

FAILED	DURATION - 13.578 s		Steps	
/ 4:18:20.190 PM // 4:18:33.768 PM /			Total - 13	
Verifying the Car Web Page			Pass - 3	13
			Fail - 1	
			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	5.725 s

#	Step / Hook Details	Status	Duration
3	And User click on Nope radio button and click on Next button	PASSED	3.305 s
4	And User select the Car Insurance link	FAILED	0.020 s

	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [73e2e235546b25db80689547bdca069a, actions {actions=[org.openqa.selenium.interactions. Sequence@65da01f4]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58569/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 73e2e235546b25db80689547bdca069a
	   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)
	   at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	   at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
	   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	   at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
	   at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	   at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)
	   at java.base/java.util.Map.forEach(Map.java:713)
	   at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)
	   at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)
	   at org.openqa.selenium.json.Json.toJson(Json.java:133)
	   at org.openqa.selenium.json.Json.toJson(Json.java:119)
	   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245)
	   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:603)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:568)		
	at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87)		
	at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59)		
	at ?.User select the Car Insurance link(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:47)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json.toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87) at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.		

#	Step / Hook Details	Status	Duration
	ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij. junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit. IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater. java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit. JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java. lang.reflect.InvocationTargetException 　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) 　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) 　　at java.base/java.lang.reflect.Method.invoke(Method.java:568) 　　at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) 　　at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182) 　　at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) 　　at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204) 　　at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) 　　at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) 　　at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) 　　at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) 　　at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) 　　at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) 　　at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) 　　at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) 　　at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) 　　at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) 　　at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204) 　　at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) 　　at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222) 　　at java.base/java.util.Map.forEach(Map.java:713) 　　at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217) 　　at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) 　　at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) 　　at org.openqa.selenium.json.Json.toJson(Json.java:133) 　　at org.openqa.selenium.json.Json.toJson(Json.java:119) 　　at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) 　　at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) 　　at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) 　　at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:603)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:568)		
	at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87)		
	at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@data-testid='car-checkbox']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [73e2e235546b25db80689547bdca069a, findElement {value=//input[@data-testid='car-checkbox'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58569/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 73e2e235546b25db80689547bdca069a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'.		
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters valid First Name	SKIPPED	0.000 s
7	And user enters a valid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters valid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and custom data in Address field throughout multiple pages

FAILED	DURATION - 42.455 s		Steps
/ 4:18:33.776 PM // 4:19:16.231 PM /			Total - 15
			Pass - 9
Verifying the Car Web Page			Fail - 1
			Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	8.138 s
3	And User click on Nope radio button and click on Next button	PASSED	3.301 s
4	And User select the Car Insurance link	PASSED	3.551 s
5	And User click on Next Button	PASSED	3.229 s
6	When user enters valid First Name	PASSED	2.342 s
7	And user enters a valid Last Name	PASSED	2.219 s

#	Step / Hook Details	Status	Duration
8	And user clicks on Next button	PASSED	5.247 s
9	And user enters valid custom Address	PASSED	9.753 s
10	And user enters details of valid custom Address	FAILED	0.000 s

	java.lang.NumberFormatException: For input string: "123, Winchester"
	    at java.base/java.lang.NumberFormatException.forInputString(NumberFormatException.java:67)
	    at java.base/java.lang.Integer.parseInt(Integer.java:668)
	    at java.base/java.lang.Integer.parseInt(Integer.java:786)
	    at stepDef.LemonadeCarInsurance.user_enters_details_of_valid_custom_address(LemonadeCarInsurance.java:166)
	    at ?.user enters details of valid custom Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:73)
	* Not displayable characters are replaced by '?'.		

11	And user clicks Next button	SKIPPED	0.000 s
12	And user clicks on Looks Good button	SKIPPED	0.000 s
13	And user has to enter valid Email	SKIPPED	0.000 s
14	And user clicks on Let Me Know button	SKIPPED	0.004 s
15	Then user clicks on Back Home button	SKIPPED	0.000 s