


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Verifying the Car Web Page	45.560 s	3	0	3	0	39	9	2	28

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration	
1	Verifying the Car Web Page	3	0	3	0	45.560 s	


SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	8	1	4	38.640 s
2	Verifying the Car Web Page	Entering invalid data in all fields throughout multiple pages	13	1	1	11	4.746 s
3	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	0	0	13	2.111 s

DETAILED SECTION -- 5 --

Verifying the Car Web Page



Entering valid data in all fields throughout multiple pages




#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.017 s
2	And User click on the Check Our Prices button	PASSED	4.451 s
3	And User click on Nope radio button and click on Next button	PASSED	3.300 s
4	And User select the Car Insurance link	PASSED	3.583 s
5	And User click on Next Button	PASSED	3.249 s
6	When user enters valid First Name	PASSED	3.118 s
7	And user enters a valid Last Name	PASSED	2.250 s
8	And user clicks on Next button	PASSED	5.245 s
9	And user enters valid Address	FAILED	7.809 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element value="Roosevelt Ave, Queens, NY, USA" tabindex="0" role="option" class="sc-iuAqxS jDyGBW"> is not clickable at point (550, 379). Other element would receive the click: <div class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimatorFadeCSSTransition-d18v9l-0 eEBHGx WizardElementsWizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ" width="100%"></div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [52ad54e1f878635449e76000ed404c30, clickElement {id=f. 5D595500A7EB43F89A0D9C9F93AFCF31.d.EBD35C9EC6C6D84472EE62A647C0DF31.e.136}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir:		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
#	C:\Users\sabri\AppData\Loca\}, fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65323/devtoo, se:cdpVersion: 129.0.6668.70, set\/indowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:ators: true} Element: [[ChromeDriver: chrome on windows (52ad54e1f878635449e76000ed404c30)] -> css selector: li[value='Roosevelt Ave, Queens, NY, USA']] Session ID: 52ad54e1f878635449e76000ed404c30 at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect. Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect. Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDelment.java:23) at org.openqa.	Status	Duration
	at ?.user enters valid Address(file:///C:/Users/sabri/IdeaProjects/Automation Lemonade/src/test/java/features/Lemonade.feature:15)		
	* Not displayable characters are replaced by '?'.		
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter valid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s
	Their door clicks on Buck frome button	OKII I LD	0.000 3


Entering invalid data in all fields throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	FAILED	0.244 s
	java.lang.RuntimeException: Unexpected result for screenshot command: null at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at utility.CommonUtility.screenshot(CommonUtility.java:22) at stepDef.LemonadeCarInsurance.user_click_on_the_check_our_prices_button(LemonadeCarInsurance.java:41) at ?.User click on the Check Our Prices button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade. feature:26) * Not displayable characters are replaced by '?'.		
3	And User click on Nope radio button and click on Next button	SKIPPED	0.000 s
4	And User select the Car Insurance link	SKIPPED	0.000 s
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters invalid First Name	SKIPPED	0.001 s
7	And user enters a invalid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters invalid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.tearDown()	FAILED	0.023 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [990924439562ab45eddb28465bce4db2, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

Step / Hook Details	Status	Duration
windows, proxy: Proxy(), se:cdp: ws://localhost:49154/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability:		
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	windows, proxy: Proxy(), se:cdp: ws://localhost:49154/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, web	windows, proxy: Proxy(), se:cdp: ws://localhost:49154/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:ming-inLength: true, webauthn:extension:prf: true, webauthn:extension:ming-inLength: true, webauthn:extension:prf: true

Entering valid data in all fields throughout multiple pages



#	Step / Hook Details	Status	Duration
	BEFORE - stepDef.Hooks.launchApp()	FAILED	2.096 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02638c91bdd40b52659098703d3c6a43, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49241}, networkConnectionEnabled: false, pageLoadStrategy:		

#	Step / Hook Details	Status	Duration
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49241/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:alrageBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02638c91bdd40b52659098703d3c6a43 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.S		
	at stepDef.Hooks.launchApp(Hooks.java:16)	0.415555	
1	Given User navigate to the Lemonade homepage	SKIPPED	0.000 s
2	And User click on the Check Our Prices button	SKIPPED	0.000 s
3	And User click on Nope radio button and click on Next button	SKIPPED	0.000 s
4	And User select the Car Insurance link	SKIPPED	0.000 s
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters valid First Name	SKIPPED	0.000 s
7	And user enters a valid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters valid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter valid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.tearDown()	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	(Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64',		
	os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[02638c91bdd40b52659098703d3c6a43, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts:		
	true, goog:chromeOptions: {debuggerAddress: localhost:49241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:49241/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02638c91bdd40b52659098703d3c6a43		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405)		
	at stepDef.Hooks.tearDown(Hooks.java:30)		