


| Feature | | | Scer | nario | | | St | ер | |
|----------------------------|--------------|---|------|-------|---|----|----|----|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Verifying the Car Web Page | 1 m 34.692 s | 3 | 0 | 3 | 0 | 40 | 20 | 3 | 17 |

FEATURES SUMMARY -- 3 --



| # | Feature Name | T | P | F | S | Duration |
|---|----------------------------|---|---|---|---|--------------|
| 1 | Verifying the Car Web Page | 3 | 0 | 3 | 0 | 1 m 34.692 s |


SCENARIOS SUMMARY -- 4




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------|---|----|---|---|---|----------|
| 1 | Verifying the Car Web Page | Entering valid data in all fields throughout multiple pages | 14 | 8 | 1 | 5 | 43.764 s |
| 2 | Verifying the Car Web Page | Entering invalid data in all fields throughout multiple pages | 13 | 9 | 1 | 3 | 38.643 s |
| 3 | Verifying the Car Web Page | Entering valid data in all fields throughout multiple pages | 13 | 3 | 1 | 9 | 12.264 s |

DETAILED SECTION -- 5 --

Verifying the Car Web Page



Entering valid data in all fields throughout multiple pages




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the Lemonade homepage | PASSED | 0.014 s |
| 2 | And User click on the Check Our Prices button | PASSED | 10.137 s |
| 3 | And User click on Nope radio button and click on Next button | PASSED | 3.308 s |
| 4 | And User select the Car Insurance link | PASSED | 3.536 s |
| 5 | And User click on Next Button | PASSED | 3.244 s |
| 6 | When user enters valid First Name | PASSED | 3.134 s |
| 7 | And user enters a valid Last Name | PASSED | 2.220 s |
| 8 | And user clicks on Next button | PASSED | 5.227 s |
| 9 | And user enters valid Address | FAILED | 7.794 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element value="Roosevelt Ave, Queens, NY, USA" tabindex="0" role="option" class="sc-iuAqxS jDyGBW"> is not clickable at point (550, 379). Other element would receive the click: <div class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimatorFadeCSSTransition-d18v9l-0 eEBHGx WizardElementsWizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ" width="100%"></div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [c9b9c57aad6a6ef4a1d5e82c1e494b16, clickElement {id=f. 480ED45D2DD52563F3342DE578057E6C.d.A00082242B674F23BBED7444602CD704.e.146}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | C:\Users\sabri\AppData\Loca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52404}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52404/devtoo, se:cdp\Version: 129.0.6668.70, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c9b9c57aad6a6ef4a1d5e82c1e494b16]] -> css selector: li.sc-iuAqxS.jDyGBW] Session ID: c9b9c57aad6a6ef4a1d5e82c1e494b16 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.Service.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.HttpCommandExecutor.execute(PtiverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:130) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:130) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:130) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:130) at org.openqa.selenium.remote.RemoteWebEle | | |
| 10 | And user clicks on the Next button | SKIPPED | 0.000 s |
| 11 | And user has to enter valid Email | SKIPPED | 0.000 s |
| 12 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 13 | And user should see a message | SKIPPED | 0.000 s |
| 14 | Then user clicks on Back Home button | SKIPPED | 0.000 s |

Entering invalid data in all fields throughout multiple pages


DETAILED SECTION -- 7 --



| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given User navigate to the Lemonade homepage | PASSED | 0.000 s |
| 2 | And User click on the Check Our Prices button | PASSED | 4.388 s |
| 3 | And User click on Nope radio button and click on Next button | PASSED | 3.282 s |
| 4 | And User select the Car Insurance link | PASSED | 3.539 s |
| 5 | And User click on Next Button | PASSED | 3.240 s |
| 6 | When user enters invalid First Name | PASSED | 2.239 s |
| 7 | And user enters a invalid Last Name | PASSED | 2.178 s |
| 8 | And user clicks on Next button | PASSED | 5.216 s |
| 9 | And user enters invalid Address | PASSED | 8.726 s |
| 10 | And user clicks on the Next button | FAILED | 1.114 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="sc-bdfBwQ AnimatedButton_Wrapper-sc-1cjtkjm-1 kpQYKR iiFUwn" style="width: 131px;"></div> is not clickable at point (624, 427). Other element would receive the click: <div class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator_FadeCSSTransition-d18v9l-0 eEBHGx WizardElements_WizardActionFadeAnimation-sc-11w1e7-8 gRyJPZ" width="100%"></div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [320de744d657228fbf1f0c27bfe96fc6, clickElement {id=f. EB5760P957546A94DD5211F2E2C2DE4.d.2E8BFAB1479543F8923F7916A6F204C.e.145}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52534}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52534/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miniPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:lic [[ChromeDriver: chrome on windows (320de744d657228fbf1f0c27bfe96fc6] -> xpath: //div[@class='sc-bdfBwQ AnimatedButtonWrapper-sc-1cjtkjm-1 kpQYKR iiFUwa.] Session ID: 320de744d657228fbf1f0c27bfe96fc6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConst | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) | | |
| | at pageObject.CarInsurancePage.clickNext3(CarInsurancePage.java:214) | | |
| | at stepDef.LemonadeCarInsurance.user_clicks_on_the_next_button(LemonadeCarInsurance.java:146) | | |
| | at ?.user clicks on the Next button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:35) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 11 | And user has to enter invalid Email | SKIPPED | 0.000 s |
| 12 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 13 | Then user clicks on Back Home button | SKIPPED | 0.000 s |

Entering valid data in all fields throughout multiple pages



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User navigate to the Lemonade homepage | PASSED | 0.000 s |
| 2 | And User click on the Check Our Prices button | PASSED | 4.473 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | And User click on Nope radio button and click on Next button | PASSED | 3.258 s |
| 4 | And User select the Car Insurance link | FAILED | 0.005 s |
| _ | And User select the Car Insurance link org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.inchrome. ChromeDriver Command: [ac3ef796de0633e26f7ed5ba97d6000], actions [actions=[org.openqa.selenium.interactions.Sequence@4d354a3e]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70, chromedriverVersion: 129.0.6668.70, chromedriv | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:133) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:119) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:603) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) | | |
| | at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87) | | |
| | at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59) | | |
| | at ?.User select the Car Insurance link(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:47) | | |
| | Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.21.0', revision: | | |
| | '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json. | | |
| | RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json. toJson(Json.java:119) at org.openqa.selenium.remote.codec. | | |
| | AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) at org.openqa.selenium.remote.codec. | | |
| | AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) at org.openqa.selenium.remote.HttpCommandExecutor. | | |
| | execute(HttpCommandExecutor.java:178) at org.openqa.selenium.remote.service.DriverCommandExecutor. | | |
| | invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor. | | |
| | execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions. Actions\$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at pageObject. | | |
| | Actions\$BuiltAction.perform(Actions.java:603) at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) at pageObject. CarInsurancePage.clickCar(CarInsurancePage.java:87) at stepDef.LemonadeCarInsurance. | | |
| | user select the car insurance link(LemonadeCarInsurance.java:59) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl. | | |
| | invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at | | |
| | java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang. | | |
| | reflect.Method.invoke(Method.java:568) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66) at io.cucumber.java.lnvoker. | | |
| | invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber. | | |
| | java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core. | | |
| | runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io. | | |
| | cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io. | | |
| | cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime. | | |
| | CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime. | | |
| | RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime. | | |
| | CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions. run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit. | | |
| | FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit. | | |
| | runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at | | |
| | org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io. | | |
| | cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit. | | |
| | runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber | | |
| | core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime. | | |
| | CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun. | | |
| | evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners. | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij. | | |
| | junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit. | | |
| | IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit. | | |
| | JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java. | | |
| | lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) | | |
| | at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) | | |
| | at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) | | |
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) | | |
| | at java.base/java.util.Map.forEach(Map.java:713) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) | | |
| | at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:133) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:119) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:245) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:111) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:178) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:603) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:568) | | |
| | at pageObject.CarInsurancePage.clickCar(CarInsurancePage.java:87) | | |
| | at stepDef.LemonadeCarInsurance.user_select_the_car_insurance_link(LemonadeCarInsurance.java:59) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) | | |
| | at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) | | |
| | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.junit.runner.JUnitCore.run(JUnitCore.java:137) | | |
| | at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) | | |
| | at com.intellij.rt.junit.ldeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) | | |
| | at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) | | |
| | at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) | | |
| | at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) | | |
| | at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: | | |
| | {"method":"xpath","selector":"//input[@data-testid='car-checkbox']"} (Session info: chrome=129.0.6668.70) For documentation on this error, | | |
| | please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', | | |
| | revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. | | |
| | selenium.chrome.ChromeDriver Command: [ac3ef796de0633e26f7ed5ba97d06009, findElement {using=xpath, value=//input[@data- | | |
| | testid='car-checkbox']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: | | |
| | {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52665}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | windows, proxy: Proxy(), se:cdp: ws://localhost:52665/devtoo, se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: | | |
| | false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: | | |
| | true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: ac3ef796de0633e26f7ed5ba97d06009 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:333) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openga.seternam.support.pagetactory.penantelementeocator.ilitaletentent(penantelementeocator.java.oo) | | |

DETAILED SECTION -- 14 --

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy23.getWrappedElement(Unknown Source) | | |
| | at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:259) | | |
| | at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:208) | | |
| | at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) | | |
| | at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 5 | And User click on Next Button | SKIPPED | 0.000 s |
| 6 | When user enters valid First Name | SKIPPED | 0.000 s |
| 7 | And user enters a valid Last Name | SKIPPED | 0.000 s |
| 8 | And user clicks on Next button | SKIPPED | 0.000 s |
| 9 | And user enters valid Address | SKIPPED | 0.000 s |
| 10 | And user clicks on the Next button | SKIPPED | 0.000 s |
| 11 | And user has to enter valid Email | SKIPPED | 0.000 s |
| 12 | And user clicks on Let Me Know button | SKIPPED | 0.000 s |
| 13 | Then user clicks on Back Home button | SKIPPED | 0.000 s |