



Feature		Scenario Step		Step					
Name	Duration	T	P	F	S	T	P	F	S
Verifying the Car Web Page	2 m 54.212 s	4	0	4	0	58	41	4	13

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration	
1	Verifying the Car Web Page	4	0	4	0	2 m 54.212 s	


SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	14	12	1	1	53.193 s
2	Verifying the Car Web Page	Entering invalid data in all fields throughout multiple pages	14	9	1	4	39.114 s
3	Verifying the Car Web Page	Entering valid data in all fields and invalid data in email field throughout multiple pages	14	12	1	1	51.881 s
4	Verifying the Car Web Page	Entering valid data in all fields and custom data in Address field throughout multiple pages	16	8	1	7	29.996 s

DETAILED SECTION -- 5 --

Verifying the Car Web Page



Entering valid data in all fields throughout multiple pages




#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.014 s
2	And User click on the Check Our Prices button	PASSED	4.455 s
3	And User click on Nope radio button and click on Next button	PASSED	3.293 s
4	And User select the Car Insurance link	PASSED	3.507 s
5	And User click on Next Button	PASSED	3.224 s
6	When user enters valid First Name	PASSED	2.700 s
7	And user enters a valid Last Name	PASSED	2.219 s
8	And user clicks on Next button	PASSED	5.213 s
9	And user enters valid Address	PASSED	12.890 s
10	And user clicks on the Next button	PASSED	5.172 s
11	And user has to enter valid Email	PASSED	2.219 s
12	And user clicks on Let Me Know button	PASSED	3.221 s
13	And user should see a message	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Step [user should see a message] is defined with 1 parameters at 'stepDef. LemonadeCarInsurance.user_should_see_a_message(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: user should		

#	Step / Hook Details	Status	Duration
	see a message		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
14	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering invalid data in all fields throughout multiple pages




#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.350 s
3	And User click on Nope radio button and click on Next button	PASSED	3.253 s
4	And User select the Car Insurance link	PASSED	3.543 s
5	And User click on Next Button	PASSED	3.239 s
6	When user enters invalid First Name	PASSED	2.242 s
7	And user enters a invalid Last Name	PASSED	2.182 s
8	And user clicks on Next button	PASSED	5.234 s
9	And user enters invalid Address	PASSED	9.616 s
10	And user clicks on the Next button	FAILED	1.044 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="sc-bdfBwQ AnimatedButtonWrapper-sc-1cjtkjm-1 kpQYKR iiFUwn" style="width: 131px;"></div> is not clickable at point (624, 427). Other element would receive the click: <div class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimatorFadeCSSTransition-d18v9l-0 eEBHGx WizardElementsWizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ" width="100%"></div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98d9a64c43cec86e43b00f0645becdf6, clickElement {id=f. B2F70134A6DC04F98EE3B9951A3D1ED2.d.DDC2B55A4F41481E5CB3357BD42114DA.e.141}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1, userDataDir: C:\Users\sabri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60212}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60212/devtoo, se:cdpVersion:		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
#	129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf:	Status	Duration
	* Not displayable characters are replaced by '?'.		
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	And user should see a message	SKIPPED	0.000 s
14	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and invalid data in email field throughout multiple pages




#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.266 s
3	And User click on Nope radio button and click on Next button	PASSED	3.275 s
4	And User select the Car Insurance link	PASSED	3.520 s
5	And User click on Next Button	PASSED	3.212 s
6	When user enters valid First Name	PASSED	2.235 s
7	And user enters a valid Last Name	PASSED	2.216 s
8	And user clicks on Next button	PASSED	5.190 s
9	And user enters valid Address	PASSED	12.946 s
10	And user clicks on the Next button	PASSED	5.182 s
11	And user has to enter invalid Email	PASSED	2.223 s
12	And user clicks on Let Me Know button	PASSED	3.202 s
13	And user should see a message	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Step [user should see a message] is defined with 1 parameters at 'stepDef. LemonadeCarInsurance.user_should_see_a_message(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: user should see a message at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
14	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering valid data in all fields and custom data in Address field throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.001 s
2	And User click on the Check Our Prices button	PASSED	4.495 s
3	And User click on Nope radio button and click on Next button	PASSED	3.264 s
4	And User select the Car Insurance link	PASSED	3.520 s
5	And User click on Next Button	PASSED	3.208 s
6	When user enters valid First Name	PASSED	2.247 s
7	And user enters a valid Last Name	PASSED	2.269 s
8	And user clicks on Next button	PASSED	5.225 s
9	And user enters valid custom Address	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" because the return value of "org.apache.poi.xssf.usermodel.XSSFSheet.getRow(int)" is null at dataReader.ExcelConnection.getCellData(ExcelConnection.java:24) at stepDef.LemonadeCarInsurance.user_enters_valid_custom_address(LemonadeCarInsurance.java:153) at ?.user enters valid custom Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:66) * Not displayable characters are replaced by '?'.		
10	And user enters details of valid custom Address	SKIPPED	0.000 s
11	And user clicks Next button	SKIPPED	0.000 s
12	And user clicks on Looks Good button	SKIPPED	0.000 s
13	And user has to enter valid Email	SKIPPED	0.004 s
14	And user clicks on Let Me Know button	SKIPPED	0.000 s
15	And user should see a message	SKIPPED	0.000 s
16	Then user clicks on Back Home button	SKIPPED	0.000 s