Cucumber Report

| Start : Sep 30, 4:15:52.439 AM	End : Sep 30, 4:16:37.363 AM	Duration : 44.924 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 9 FAILED - 2 SKIPPED - 28

Features: 1

Scenarios: 3

Steps: 39

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 23 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verifying the Car Web Page	44.924 s	3	0	3	0	39	9	2	28

#	Feature Name	T	P	F	S	Duration
1	Verifying the Car Web Page	3	0	3	0	44.924 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	8	1	4	37.785 s
2	Verifying the Car Web Page	Entering invalid data in all fields throughout multiple pages	13	1	1	11	4.758 s
3	Verifying the Car Web Page	Entering valid data in all fields throughout multiple pages	13	0	0	13	2.325 s

Verifying the Car Web Page

FAILED	DURATION - 44.924 s	Scenarios		Steps	
/ 4:15:52.439 AM // 4:16:37.363 AM /		Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 39 Pass - 9 Fail - 2 Skip - 28	39

Entering valid data in all fields throughout multiple pages

FAILED	DURATION - 37.785 s		Steps	
/ 4:15:52.441 AM // 4:16:30.226 AM /			Total - 13 Pass - 8 Fail - 1 Skip - 4	13
Verifying the Car Web Page				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.017 s
2	And User click on the Check Our Prices button	PASSED	4.343 s
3	And User click on Nope radio button and click on Next button	PASSED	3.315 s
4	And User select the Car Insurance link	PASSED	3.522 s
5	And User click on Next Button	PASSED	3.267 s
6	When user enters valid First Name	PASSED	2.823 s
7	And user enters a valid Last Name	PASSED	2.255 s
8	And user clicks on Next button	PASSED	5.260 s
9	And user enters valid Address	FAILED	7.812 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <li value="Roosevelt Ave, Queens, NY, USA" tabindex="0" role="option" class="sc-iuAqxS jDyGBW">... is not clickable at point (550, 379). Other element would receive the click: <div width="100%" class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator__FadeCSSTransition-d18v9l-0 eEBHGx WizardElements__WizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ">...</div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [0fc969eedff32e55ec4f468529d9f336, clickElement {id=f. 10604F32EFB7767FF9E35EF9907330F3.d.BD01FAE65A6D1328905E8FE19CF8331A.e.148}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49823}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49823/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (0fc969eedff32e55ec4f468529d9f336)] -> css selector: li.sc-iuAqxS.jDyGBW] Session ID: 0fc969eedff32e55ec4f468529d9f336 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pageObject.CarInsurancePage.enterStreetAddress(CarInsurancePage.java:182) at stepDef.LemonadeCarInsurance.user_enters_valid_Address(LemonadeCarInsurance.java:112) at ?.user enters valid Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:15) * Not displayable characters are replaced by '?'.		
10	And user clicks on the Next button	SKIPPED	0.001 s
11	And user has to enter valid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

Entering invalid data in all fields throughout multiple pages

FAILED	DURATION - 4.758 s		Steps	
/ 4:16:30.273 AM // 4:16:35.031 AM /			Total - 13	
Verifying the Car Web Page			Pass - 1	
			Fail - 1	
			Skip - 11	13

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.001 s
2	And User click on the Check Our Prices button	FAILED	0.003 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57d4bf466c30a8336d14458de9cf5efb, findElement {value=gtm_button_main_check_prices, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49968}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49968/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57d4bf466c30a8336d14458de9cf5efb
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy23.click(Unknown Source)
	  at pageObject.CarInsurancePage.clickCheckPrice(CarInsurancePage.java:55)
	  at stepDef.LemonadeCarInsurance.user_click_on_the_check_our_prices_button(LemonadeCarInsurance.java:40)
	  at ?.User click on the Check Our Prices button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:26)
	* Not displayable characters are replaced by '?'.		

3	And User click on Nope radio button and click on Next button	SKIPPED	0.000 s
4	And User select the Car Insurance link	SKIPPED	0.000 s
5	And User click on Next Button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	When user enters invalid First Name	SKIPPED	0.001 s
7	And user enters a invalid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.001 s
9	And user enters invalid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.001 s
	AFTER - stepDef.Hooks.tearDown()	FAILED	0.002 s

	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57d4bf466c30a8336d14458de9cf5efb, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49968}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49968/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57d4bf466c30a8336d14458de9cf5efb
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405)
	    at stepDef.Hooks.tearDown(Hooks.java:30)		

Entering valid data in all fields throughout multiple pages

FAILED	DURATION - 2.325 s
/ 4:16:35.038 AM // 4:16:37.363 AM /	
Verifying the Car Web Page	

Steps
Total - 13
Pass - 0
Fail - 0
Skip - 13

13

#	Step / Hook Details	Status	Duration
	BEFORE - stepDef.Hooks.launchApp()	FAILED	2.308 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6904e70f113d9135ecb66724ea7cd9ef, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50048}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50048/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6904e70f113d9135ecb66724ea7cd9ef
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:1034)
	  at utility.BaseClass.<init>(BaseClass.java:43)
	  at utility.BaseClass.setDriver(BaseClass.java:53)
	  at stepDef.Hooks.launchApp(Hooks.java:16)		

1	Given User navigate to the Lemonade homepage	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
2	And User click on the Check Our Prices button	SKIPPED	0.000 s
3	And User click on Nope radio button and click on Next button	SKIPPED	0.000 s
4	And User select the Car Insurance link	SKIPPED	0.001 s
5	And User click on Next Button	SKIPPED	0.000 s
6	When user enters valid First Name	SKIPPED	0.000 s
7	And user enters a valid Last Name	SKIPPED	0.000 s
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters valid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter valid Email	SKIPPED	0.001 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s
	AFTER - stepDef.Hooks.tearDown()	FAILED	0.012 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6904e70f113d9135ecb66724ea7cd9ef, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50048}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50048/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6904e70f113d9135ecb66724ea7cd9ef
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:405)		

#	Step / Hook Details	Status	Duration
	at stepDef.Hooks.tearDown(Hooks.java:30)		