

# Cucumber Report

Sep 30, 2024, 1:33:06 PM

Start : Sep 30, 1:30:12.127 PM

End : Sep 30, 1:33:06.399 PM

Duration : 2 m 54.272 s

Features


Scenarios

Steps


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 3  
SKIPPED - 0


PASSED - 35  
FAILED - 3  
SKIPPED - 16



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verifying the Car Web Page</u>	2 m 54.272 s	4	1	3	0	54	35	3	16





#	Feature Name	T	P	F	S	Duration
1	<u>Verifying the Car Web Page</u>	4	1	3	0	2 m 54.272 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verifying the Car Web Page</u>	<u>Entering valid data in all fields throughout multiple pages</u>	13	13	0	0	56.880 s
2	<u>Verifying the Car Web Page</u>	<u>Entering invalid data in all fields throughout multiple pages</u>	13	9	1	3	39.625 s
3	<u>Verifying the Car Web Page</u>	<u>Entering valid data in all fields and invalid data in email field throughout multiple pages</u>	13	5	1	7	22.092 s
4	<u>Verifying the Car Web Page</u>	<u>Entering valid data in all fields and custom data in Address field throughout multiple pages</u>	15	8	1	6	55.642 s

## Verifying the Car Web Page


<b>FAILED</b>	DURATION - 2 m 54.272 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 54 Pass - 35 Fail - 3 Skip - 16	
/ 1:30:12.127 PM // 1:33:06.399 PM /					

## Entering valid data in all fields throughout multiple pages

<div>PASSED</div>	<div>DURATION - 56.880 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:30:12.129 PM // 1:31:09.009 PM /</div>				
<div>Verifying the Car Web Page</div>				

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.012 s
2	And User click on the Check Our Prices button	PASSED	7.175 s
3	And User click on Nope radio button and click on Next button	PASSED	3.291 s
4	And User select the Car Insurance link	PASSED	3.529 s
5	And User click on Next Button	PASSED	3.219 s
6	When user enters valid First Name	PASSED	2.691 s
7	And user enters a valid Last Name	PASSED	2.220 s
8	And user clicks on Next button	PASSED	5.218 s
9	And user enters valid Address	PASSED	12.967 s
10	And user clicks on the Next button	PASSED	5.161 s
11	And user has to enter valid Email	PASSED	2.242 s
12	And user clicks on Let Me Know button	PASSED	3.180 s
13	Then user clicks on Back Home button	PASSED	0.911 s

## Entering invalid data in all fields throughout multiple pages



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.422 s
3	And User click on Nope radio button and click on Next button	PASSED	3.267 s
4	And User select the Car Insurance link	PASSED	3.572 s
5	And User click on Next Button	PASSED	3.204 s
6	When user enters invalid First Name	PASSED	2.237 s
7	And user enters a invalid Last Name	PASSED	2.246 s
8	And user clicks on Next button	PASSED	5.255 s
9	And user enters invalid Address	PASSED	9.644 s
10	And user clicks on the Next button	FAILED	1.049 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="sc-bdfBwQ AnimatedButton\_\_Wrapper-sc-1cjtjm-1 kpQYKR iiFUwn" style="width: 131px;">...</div> is not clickable at point (624, 427). Other element would receive the click: <div width="100%" class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator\_\_FadeCSSTransition-d18v9l-0 eEBHGx WizardElements\_\_WizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ">...</div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d575cac1e2ec946a8a1432273a996a0, clickElement {id=f.A0081A60118570AE2A3AD4A5D1040022.d.853BD09C14889104D00B85784792461E.e.143}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63280}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63280/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (6d575cac1e2ec946a8a1432273a996a0)] -> xpath: //div[@class='sc-bdfBwQ AnimatedButton\_\_Wrapper-sc-1cjtjm-1 kpQYKR iiFUwn']] Session ID: 6d575cac1e2ec946a8a1432273a996a0

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at pageObject.CarInsurancePage.clickNext3(CarInsurancePage.java:201) at stepDef.LemonadeCarInsurance.user_clicks_on_the_next_button(LemonadeCarInsurance.java:146) at ?.user clicks on the Next button(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:35) * Not displayable characters are replaced by '?'. </pre>		
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

### Entering valid data in all fields and invalid data in email field throughout multiple pages

<b>FAILED</b> DURATION - 22.092 s / 1:31:48.656 PM // 1:32:10.748 PM / Verifying the Car Web Page		Steps Total - 13 Pass - 5 Fail - 1 Skip - 7	
---	--	---	--



#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	4.663 s

#	Step / Hook Details	Status	Duration
3	And User click on Nope radio button and click on Next button	PASSED	3.296 s
4	And User select the Car Insurance link	PASSED	3.510 s
5	And User click on Next Button	PASSED	3.236 s
6	<p>When user enters valid First Name</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='first_name']"} (Session info: chrome=129.0.6668.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [60fad260480aa954de9e7be37a86ad0c, findElement {using=name, value=first_name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63414/devtoo..., se.cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 60fad260480aa954de9e7be37a86ad0c     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source)     at pageObject.CarInsurancePage.enterFirstName(CarInsurancePage.java:106)     at stepDef.LemonadeCarInsurance.user_enters_valid_First_Name(LemonadeCarInsurance.java:83)     at ?.user enters valid First Name(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:50)     * Not displayable characters are replaced by '?'. </pre>	FAILED	2.764 s
7	And user enters a valid Last Name	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
8	And user clicks on Next button	SKIPPED	0.000 s
9	And user enters valid Address	SKIPPED	0.000 s
10	And user clicks on the Next button	SKIPPED	0.000 s
11	And user has to enter invalid Email	SKIPPED	0.000 s
12	And user clicks on Let Me Know button	SKIPPED	0.000 s
13	Then user clicks on Back Home button	SKIPPED	0.000 s

### Entering valid data in all fields and custom data in Address field throughout multiple pages

<b>FAILED</b> DURATION - 55.642 s / 1:32:10.757 PM // 1:33:06.399 PM / Verifying the Car Web Page		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given User navigate to the Lemonade homepage	PASSED	0.000 s
2	And User click on the Check Our Prices button	PASSED	20.616 s
3	And User click on Nope radio button and click on Next button	PASSED	3.301 s
4	And User select the Car Insurance link	PASSED	3.516 s
5	And User click on Next Button	PASSED	3.223 s
6	When user enters valid First Name	PASSED	2.261 s
7	And user enters a valid Last Name	PASSED	2.254 s
8	And user clicks on Next button	PASSED	5.234 s
9	And user enters valid custom Address	FAILED	10.589 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a height="100%" class="sc-bdfBwQ sc-gsTCUz Address\_\_NoResult-sc-1dqewd0-0 kJtLJH juqkhF iJnsat">...</a> is not clickable at point (558, 376). Other element would receive the click: <div width="100%" class="sc-bdfBwQ sc-gsTCUz bxZCsG cxRMMi FadeAnimator\_\_FadeCSSTransition-d18v9l-0 eEBHGx WizardElements\_\_WizardActionFadeAnimation-sc-11wv1e7-8 gRyJPZ">...</div> (Session info: chrome=129.0.6668.70) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [43cfe37883aca0304965978e476fca15, clickElement {id=f.64C3C592C1E557F22668A3804C7117DC.d.E0C2383C58946A761AE6C3E583AF0503.e.148}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 129.0.6668.70, chrome: {chromedriverVersion: 129.0.6668.70 (df87d5cf12b1..., userDataDir: C:\Users\sabri\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63524}, networkConnectionEnabled:

#	Step / Hook Details	Status	Duration
	<p>false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63524/devtoo..., se:cdpVersion: 129.0.6668.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (43cfe37883aca0304965978e476fca15)] -&gt; xpath: //a[@class='sc-bdfBwQ sc-gsTCUz Address__NoResult-sc-1dqewd0-0 kJtLJH juqkhF iJnsat']] Session ID: 43cfe37883aca0304965978e476fca15</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)  atjdk.internal.reflect.GeneratedMethodAccessor65.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  atjdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source)  at pageObject.CarInsurancePage.clickCustomStreetAddress(CarInsurancePage.java:219)  at stepDef.LemonadeCarInsurance.user_enters_valid_custom_address(LemonadeCarInsurance.java:158)  at ?.user enters valid custom Address(file:///C:/Users/sabri/IdeaProjects/Automation_Lemonade/src/test/java/features/Lemonade.feature:72)</p> <p>* Not displayable characters are replaced by '?'.</p>		
10	And user enters details of valid custom Address	SKIPPED	0.000 s
11	And user clicks Next button	SKIPPED	0.000 s
12	And user clicks on Looks Good button	SKIPPED	0.000 s
13	And user has to enter valid Email	SKIPPED	0.000 s
14	And user clicks on Let Me Know button	SKIPPED	0.000 s
15	Then user clicks on Back Home button	SKIPPED	0.000 s