






a
PCA – Full Cohort
Unsupervised multi–omic structure
PC2 (4.5%)
PC1 (5.4%)
Female Amyloid+
Female Amyloid–
Male Amyloid+
Male Amyloid-



b
PLS–DA – Full Cohort
Component 2 (3.6%)
Component 1 (2.8%)
Female Amyloid+
Female Amyloid–
Male Amyloid+
Male Amyloid-



c
PLS–DA – Female
Component 2 (4%)
Component 1 (3.6%)
Negative
Positive


d
PLS–DA – Male
Component 2 (4.3%)
Component 1 (3.5%)
Negative
Positive


e
Loading on Component 1 (Female)
Positive = elevated in amyloid+; Negative = elevated in amyloid–
MRC1
mupirocin H
Chrycolide
1–Methyl–1_3–cyclohexadiene
5–dehydro–4–deoxy–2–O–sulfo–D–glucuronate
Imidazoleacetic acid
Butyric acid
2_3–Dihydroxycyclopentaneundecanoic acid
2–Hydroxydecanoate
KRT1
Homo–L–arginine
IGKV1D–39
Tridecanamide
dihydroxypyridine
6–bromo–heneicosa–dienoic acid
N(alpha)–Benzyloxycarbonyl–L–leucine
5–Hydroxytryptophol
SRGN
histidine methyl ester
1–deoxyxylonojirimycin
N–Acetyl–beta–alanine
Methylthioglycolate
Mecamylamine
PON1
D–galactopyranosyl trimethylammonium bromide
N–acetyl–aminoadipic acid
NID2
quinic acid
Mannosamine
methoxypyrazine
−0.08
−0.04
0.00
0.04


f
Loading on Component 1 (Male)
Positive = elevated in amyloid+; Negative = elevated in amyloid–
pyrroline hydroxycarboxylic acid
OMD
CTSS
N2–(gamma–Glutamyl)–4–carboxyphenylhydrazine
sulfur–containing pentapeptide
IGKV3D–20
IGKJ1
4–phenylcoumarin
diazaborine
hydroxyheptanoic acid
STAB1
TFRC
SB 206553
3–Oxotetradecanoic acid
Hongguanggenin
N–hydroxyisoleucine
CACNA2D1
CDHR5
FA (14:1)nonanoic acid
unsaturated polyhydroxy–ergostanoid
PKHD1L1
1–Aminocyclopropanecarboxylic acid
Hydroxyoctanoic acid
LPL
LPA
7beta–acetoxy–gorgostan–3beta_5alpha_6beta–triol
acetylated polyhydroxy–ergostanoid
TNXB
25–hydroxyvitamin D3 3–sulfate
oxo–hexadecanoic acid
−0.05
0.00
0.05
0.10


g
Female Specific
Univariate volcano selection: p < 0.05
methoxypyrazine
Mannosamine
N–acetyl–aminoadipic acid
N–Acetyl–beta–alanine
quinic acid
NID2
MRC1
1–Methyl–1_3–cyclohexadiene
Butyric acid
KRT1
2_3–Dihydroxycyclopentaneundecanoic acid
Homo–L–arginine
2–Hydroxydecanoate
−Log2(P–Value)
9
6
3
0
−1.0
−0.5
0.0
0.5
Standardized mean difference


h
Male Specific
Univariate volcano selection: p < 0.05
pyrroline hydroxycarboxylic acid
15
10
5
0
−Log2(P–Value)
25–hydroxyvitamin D3 3–sulfate
TNXB
oxo–hexadecanoic acid
acetylated polyhydroxy–ergostanoid
LPL
LPA
OMD
CTSS
sulfur–containing pentapeptide
IGKJ1
−1.0
−0.5
0.0
0.5
1.0
Standardized mean difference