
Panel D: Feature Selection Frequency by Sex (Sorted by Total)
Female
Male
Neuropsych.MMSE
threo-1-(p-Hydroxyphenyl)propylene glycol 4'-glucoside.8
Demographic.GDS
Neuropsych.Composite.AIBLPACCscore
Pyrroline hydroxycarboxylic acid
Methylimidazole acetaldehyde
epithio-seco-cholestadienetriol S_S-dioxide
FA hydroxy(7:0)
LPA
APOE4
Citroside A.4
CTSS
2-deoxy-3-dehydro-D-ribonate
2-Acetyl-3_5_5_6_8_8-hexamethyl-5_6_7_8- tetrahydronaphthalene
2_5-Dihydroxypyridine
6-Butyryl-5_7-dihydroxy-8-(3'_3'-dimethylallyl)-4-phenylcoumarin
4-sulfophenyl acetate
C8A
LPL
6beta-acetoxy-24-methylcholestan-3beta_5alpha_22R_24-tetrol
OMD
N-acetyl-L-2-aminoadipate(2-).1
CKM
adhumulone.1
IGKV1D-39
Deoxyribose
Stoloniferone F
Dihomocholic acid
DG(22:5/22:6/0:0)
Swainsonine
50
40
30
20
10
0
Selection Frequency (Female)
0
10
20
30
40
50
Selection Frequency (Male)
Proteomics
Metabolomics
Demographics
Neuropsychological