STATE UNIVERSITY OF BANGLADESH (SUB)

Course No: CSE-0408

Course Name: Artificial Intelligence Lab

Semester: Summer 2021

Submitted to:

Khan Md. Hasib

Lecturer,

Department of CSE, SUB

Submitted By:

Name: Sabrina Zaman Oyshe

ID: UG02-44-17-002

Batch: 44

Email: sabrinaoyshe188@gmail.com

```
#include<bits/stdc++.h>
using namespace std;
#define D(x) cerr<<__LINE__<<" : "<<#x<<" -> "<<x<<endl
#define rep(i,j) for(int i = 0; i < 3; i++) for(int j = 0; j < 3; j++)
#define PII pair < int, int >
typedef vector<vector<int>> vec2D;

const int MAX = 1e5+7;
int t=1, n, m, l, k, tc;

int dx[4] = {0, 0, 1, -1};
int dy[4] = {1, -1, 0, 0};

vec2D init{
   {8, 1, 2},
   {3, 6, 4},
   {0, 7, 5}
};
vec2D goal{
   {1, 3, 2},
   {8, 0, 4},
   {7, 6, 5}
};
//vec2D init{
```

```
//    {1, 2, 3},
//    {8, 6, 0},
//    {7, 5, 4}
//};
//vec2D goal{
//    {1, 2, 3},
//    {8, 0, 4},
//    {7, 6, 5}
//};
//vec2D init{
//    {1, 3, 2},
//    {4, 0, 7},
//    {6, 5, 8}
//};
//vec2D goal{
//    {0, 2, 4},
//    {1, 3, 8},
//    {6, 5, 7}
//};

struct Box {
    vec2D mat{ { 0,0,0 },{ 0,0,0},{ 0,0,0} };
    int diff, level;
    int x, y;
```

```
    int lastx, lasty;
    Box(vec2D a,int b = 0, int c = 0, PII p = {0,0}, PII q = {0,0}) {
        rep(i,j) mat[i][j] = a[i][j];
        diff = b;
        level = c;
        x = p.first;
        y = p.second;
        lastx = q.first;
        lasty = q.second;
    }
};

bool operator < (Box A, Box B) {
    if(A.diff == B.diff) return A.level < B.level;
    return A.diff < B.diff;
}

int isEqual(vec2D a, vec2D b) {
    int ret(0);
    rep(i,j) if (a[i][j] != b[i][j]) ret--;
    return ret;
}

bool check(int i, int j) {
```

```
    return i>=0 and i<3 and j>=0 and j<3;
}

void print(Box a) {
    rep(i,j)
    cout << a.mat[i][j] << (j == 2 ? "\n" : " ");
    D(-a.diff);
    D(-a.level);
    cout << "(" << a.x << "," << a.y <<")\n\n";
}



void dijkstra(int x, int y) {
    map < vec2D,  bool > mp;
    priority_queue < Box > PQ;
    int nD = isEqual(init, goal);
    Box src = {init, nD, 0, {x,y}, {-1,-1}};
    PQ.push(src);
    int state = 0;
    while(!PQ.empty()) {
        state++;
        Box now = PQ.top();
        PQ.pop();
```

```
print(now);
if(!now.diff) {
   puts("Goal state has been discovered");
   cout << "level : " << -now.level << "\n";
   D(state);
   break;
}
if(mp[now.mat]) continue;
mp[now.mat] = true;
for(int i = 0; i < 4; i++) {
   int xx = now.x + dx[i];
   int yy = now.y + dy[i];
   if(check(xx, yy)) {
      if(now.lastx == xx and now.lasty == yy) continue;
      Box temp = now;
      swap(temp.mat[temp.x][temp.y], temp.mat[xx][yy]);
      temp.diff = isEqual(temp.mat, goal);
      temp.level = now.level - 1;
      temp.x = xx;
      temp.y = yy;
      temp.lastx = now.x;
      temp.lasty = now.y;
      PQ.push(temp);
   }
```

```
        }
    }
}



signed main() {
    puts("Current State:");
    rep(i,j) cout << init[i][j] << (j == 2 ? "\n" : " ");
    puts("");
    puts("Goal State:");
    rep(i,j) cout << goal[i][j] << (j == 2 ? "\n" : " ");
    puts("\n.....Search Started.....\n");
    rep(i,j) if(!init[i][j]) dijkstra(i,j);
    return 0;
}
```

Output Clear

```
/tmp/kuWxkyV4qd.o
Current State:
8 1 2
3 6 4
0 7 5

Goal State:
1 3 2
8 0 4
7 6 5
.............Search Started...............

8 1 2
3 6 4
0 7 5
79 : -a.diff -> 6
80 : -a.level -> 0
(2,0)
```

Output

Clear

```
8 1 2
3 6 4
7 0 5
79 : -a.diff -> 5
80 : -a.level -> 1
(2,1)

8 1 2
3 0 4
7 6 5
79 : -a.diff -> 3
80 : -a.level -> 2
(1,1)

8 1 2
0 3 4
7 6 5
79 : -a.diff -> 4
80 : -a.level -> 3
(1,0)
```

Output

Clear

```
8 1 2
0 3 4
7 6 5
79 : -a.diff -> 4
80 : -a.level -> 3
(1,0)

0 1 2
8 3 4
7 6 5
79 : -a.diff -> 3
80 : -a.level -> 4
(0,0)

1 0 2
8 3 4
7 6 5
79 : -a.diff -> 2
80 : -a.level -> 5
(0,1)
```

```
7 6 5
79 : -a.diff -> 3
80 : -a.level -> 4
(0,0)

1 0 2
8 3 4
7 6 5
79 : -a.diff -> 2
80 : -a.level -> 5
(0,1)

1 3 2
8 0 4
7 6 5
79 : -a.diff -> 0
80 : -a.level -> 6
(1,1)

Goal state has been discovered
level : 6
101 : state -> 7
```