


MolProbity Ramachandran analysis

1wnc.H.pdb, model 1



all residues (2000) at all residues were in favored (98%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.

all residues (2000) at all residues were in allowed (100%) regions.