

The best privacy defense is a good privacy offense: obfuscating a search engine users profile

Joshua Fenech & Omar Salbrout

University of Jean Monnet

jfenech22@hotmail.com

November 20, 2017

1 First Section

- Subsection Example

2 Second Section

Companies can't be trusted




Figure:

www.csoonline.com/article/2130877/data-breach/the-16-biggest-data-breaches-of-the-21st-century.html

- We trust that companies will protect our data
- Data breaches are commonplace today
- Unencrypted data is often leaked
- There is currently no or little legal requirement to protect data, and therefore represents an additional cost that some companies try to avoid
- Can we encrypt our own data before it is submitted to such companies?

Other methods of obfuscation

- Private browsing - no cookies stored, but... IP still revealed
- Proxy servers to hide IP - web browser fingerprints still revealed
- Ultimately, TOR for maximum anonymity
- Problem - lose benefits that personalisation of websearches provides
- Can an alternative means of securing privacy without more intensive [change intensive here] methods be found

Structure of Paper

-
- Presents a new method of obfuscation related to adversarial data mining
- Approach is explored in common setting of Internet search engines
- A learning method is presented for environments where a user can get feedback from her or his counterpart

Figure

Uncomment the code on this slide to include your own image from the same directory as the template .TeX file.



John Smith (2012)

Title of the publication

Journal Name 12(3), 45 – 678.

The End