



Review on "The best privacy defense is a good privacy offense: obfuscating a search engine user's profile"

Joshua Fenech *, and Omar Elsabrout *

* Jean Monnet University

Submitted to the faculty of science and technology at Jean Monnet University

Since the growth rate of the Internet is almost exponential, it has a drastic effect on people's lives even the ones who do not use it. Such effect is accompanied with many issues such as user privacy. It is not settled until now how service providers are allowed to use stored information of the users and compromise their privacy. Jörg Wicker and Stefan Kramer introduce a tool that utilizes machine learning and data mining to confuse search engines to protect the user's privacy by obfuscating exploited personal information. Not only methods are introduced for such technique, but also an experiment to evaluate its results indicating whether this approach should be investigated further.

Keyword1 | Keyword2 | Keyword3

Abbreviations: SAM, self-assembled monolayer; OTS, octadecyltrichlorosilane

Introduction

Am fermentum sapien at enim varius consectetur. Quisque lobortis imperdiet mauris, et accumsan libero vulputate vitae. Integer lacinia purus vel metus tempus suscipit. Curabitur ac sapien quis mauris euismod commodo. Sed pharetra sem elit. Fusce ultrices, mauris eu fermentum tempor, tellus sem ornare lectus, in convallis nunc urna id dolor. Donec convallis ligula vitae sem viverra fermentum. Mauris in ullamcorper erat. Donec ultrices tempus nibh quis vestibulum. This statement requires citation [3].

$$\frac{D\theta}{Dt} = \frac{\partial\theta}{\partial t} + u \cdot \nabla\theta = 0$$
 [1]

Referencing equation [1]. Praesent volutpat, nibh in dignissim commodo, tellus justo consequat erat, vel consequat mi arcu vel lectus. Aliquam a tellus nec felis sagittis consequat. Quisque convallis imperdiet neque a tempor. Nulla non erat urna. Mauris vel lorem magna, tristique auctor ipsum. Aliquam pharetra eleifend massa. Donec porttitor sagittis luctus. Aliquam pretium luctus leo quis congue. Morbi vel felis mi. Suspendisse viverra tortor pretium orci lacinia eleifend. Phasellus aliquam, nunc eu cursus feugiat, erat odio porttitor libero, quis accumsan orci ipsum ut lorem. Vestibulum pharetra malesuada egestas. Sed non orci sit amet erat suscipit fringilla in et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Nunc ut rhoncus nulla. Aenean porta rhoncus suscipit.

Results

Mauris vel lorem magna, tristique auctor ipsum. Aliquam pharetra eleifend massa. Donec portitor sagittis luctus. Aliquam pretium luctus leo quis congue. Morbi vel felis mi. Referencing Table 1. Referencing Figure 1.

Simulations.

www.pnas.org/cgi/doi/10.1073/pnas.0709640104

Simulation 1

Vivamus magna enim, aliquet id cursus a, pharetra ut purus. Phasellus suscipit nisi iaculis mi vulputate id interdum velit dictum. Nam ullamcorper elit in lectus ultrices vitae volutpat massa gravida. Etiam sagittis commodo neque eget placerat. Sed et nisi faucibus metus interdum adipiscing id nec lacus. Donec ipsum diam, malesuada at euismod consectetur, placerat quis diam. Phasellus cursus semper viverra. Proin magna tortor, blandit in ultricies id, facilisis at nibh. Proin eu neque est. Etiam euismod auctor ante. Mauris mauris sem, tincidunt a placerat rutrum, porta id est. Aenean non velit porta eros condimentum facilisis at in nibh. Etiam cursus purus ut orci rhoncus sit amet semper eros porttitor. Etiam ac leo at ipsum tincidunt consequat ac non sapien. Aenean sed leo diam, venenatis pharetra odio.

Simulation 2

Suspendisse viverra eleifend nulla at facilisis. Nullam eget tellus orci. Cras sit amet lorem velit. Maecenas rhoncus pellentesque orci eget vulputate. Phasellus massa nisi, mattis nec elementum accumsan, blandit non neque. In ac enim elit, sit amet luctus ante. Cras feugiat commodo lectus, vitae convallis dui sagittis id. In in tellus lacus, sed lobortis eros. Phasellus sit amet eleifend velit. Duis ornare dapibus porttitor. Maecenas eros velit, dignissim at egestas in, tincidunt lacinia erat. Proin elementum mi vel lectus suscipit fringilla. Mauris justo est, ullamcorper in rutrum interdum, accumsan eget mi. Maecenas ut massa aliquet purus eleifend vehicula in a nisi. Fusce molestie cursus lacinia.

Real Data. Aliquam interdum pellentesque scelerisque. Sed tincidunt suscipit purus, id aliquet nulla vehicula quis. Duis sed nisl lorem. Vivamus erat ante, dignissim et aliquam vel, adipiscing vitae magna. Cras id dapibus metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Proin ut lectus ut nisi congue ullamcorper. Ut ac turpis ligula. Sed faucibus bibendum nunc eget gravida.

Reserved for Publication Footnotes

PNAS | Issue Date | Volume | Issue Number | 1-4







Discussion

Nam fermentum sapien at enim varius consectetur. Quisque lobortis imperdiet mauris, et accumsan libero vulputate vitae. Integer lacinia purus vel metus tempus suscipit. Curabitur ac sapien quis mauris euismod commodo. Sed pharetra sem elit. Fusce ultrices, mauris eu fermentum tempor, tellus sem ornare lectus, in convallis nunc urna id dolor. Donec convallis ligula vitae sem viverra fermentum. Mauris in ullamcorper erat. Donec ultrices tempus nibh quis vestibulum.

Praesent volutpat, nibh in dignissim commodo, tellus justo consequat erat, vel consequat mi arcu vel lectus. Aliquam a tellus nec felis sagittis consequat. Quisque convallis imperdiet neque a tempor. Nulla non erat urna. Mauris vel lorem magna, tristique auctor ipsum. Aliquam pharetra eleifend massa. Donec porttitor sagittis luctus. Aliquam pretium luctus leo quis congue. Morbi vel felis mi. Suspendisse viverra tortor pretium orci lacinia eleifend. Phasellus aliquam, nunc eu cursus feugiat, erat odio porttitor libero, quis accumsan orci ipsum ut lorem. Vestibulum pharetra malesuada egestas. Sed non orci sit amet erat suscipit fringilla in et diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Nunc ut rhoncus nulla. Aenean porta rhoncus suscipit.

Vivamus magna enim, aliquet id cursus a, pharetra ut purus. Phasellus suscipit nisi iaculis mi vulputate id interdum velit dictum. Nam ullamcorper elit in lectus ultrices vitae volutpat massa gravida. Etiam sagittis commodo neque eget placerat. Sed et nisi faucibus metus interdum adipiscing id nec lacus. Donec ipsum diam, malesuada at euismod consectetur, placerat quis diam. Phasellus cursus semper viverra. Proin magna tortor, blandit in ultricies id, facilisis at nibh. Proin eu neque est. Etiam euismod auctor ante. Mauris mauris sem, tincidunt a placerat rutrum, porta id est. Aenean non velit porta eros condimentum facilisis at in nibh. Etiam cursus purus ut orci rhoncus sit amet semper eros porttitor. Etiam ac leo at ipsum tincidunt consequat ac non sapien. Aenean sed leo diam, venenatis pharetra odio.

Suspendisse viverra eleifend nulla at facilisis. Nullam eget tellus orci. Cras sit amet lorem velit. Maecenas rhoncus pellentesque orci eget vulputate. Phasellus massa nisi, mattis nec elementum accumsan, blandit non neque. In ac enim elit, sit amet luctus ante. Cras feugiat commodo lectus, vitae convallis dui sagittis id. In in tellus lacus, sed lobortis eros. Phasellus sit amet eleifend velit. Duis ornare dapibus porttitor. Maecenas eros velit, dignissim at egestas in, tincidunt lacinia erat. Proin elementum mi vel lectus suscipit fringilla. Mauris justo est, ullamcorper in rutrum interdum, accumsan eget mi. Maecenas ut massa aliquet purus eleifend vehicula in a nisi. Fusce molestie cursus lacinia.

Materials and Methods

Suspendisse viverra eleifend nulla at facilisis. Nullam eget tellus orci. Cras sit amet lorem velit. Maecenas rhoncus pellentesque orci eget vulputate. Phasellus massa nisi,

- M. Belkin and P. Niyogi, Using manifold structure for partially labelled classification, Advances in NIPS, 15 (2003).
- P. Bérard, G. Besson, and S. Gallot, Embedding Riemannian manifolds by their heat kernel, Geom. and Fun. Anal., 4 (1994), pp. 374–398.
- R.R. Coifman and S. Lafon, Diffusion maps, Appl. Comp. Harm. Anal., 21 (2006), pp. 5–30.
- R.R. Coifman, S. Lafon, A. Lee, M. Maggioni, B. Nadler, F. Warner, and S. Zucker, Geometric diffusions as a tool for harmonic analysis and structure definition of data. Part I: Diffusion maps, Proc. of Nat. Acad. Sci., (2005), pp. 7426–7431.
- P. Das, M. Moll, H. Stamati, L. Kavraki, and C. Clementi, Low-dimensional, freeenergy landscapes of protein-folding reactions by nonlinear dimensionality reduction, P.N.A.S., 103 (2006), pp. 9885–9890.

mattis nec elementum accumsan, blandit non neque. In ac enim elit, sit amet luctus ante. Cras feugiat commodo lectus, vitae convallis dui sagittis id. In in tellus lacus, sed lobortis eros. Phasellus sit amet eleifend velit. Duis ornare dapibus porttitor. Maecenas eros velit, dignissim at egestas in, tincidunt lacinia erat. Proin elementum mi vel lectus suscipit fringilla. Mauris justo est, ullamcorper in rutrum interdum, accumsan eget mi. Maecenas ut massa aliquet purus eleifend vehicula in a nisi. Fusce molestie cursus lacinia.

Definition 1. A bounded function θ is a weak solution of QG if for any $\phi \in C_0^\infty(\mathbb{R}/\mathbb{Z} \times \mathbb{R} \times [0, \varepsilon])$ we have

$$\begin{split} &\int_{\mathbb{R}^{+}\times\mathbb{R}/\mathbb{Z}\times\mathbb{R}}\theta(x,y,t)\,\partial_{t}\phi\left(x,y,t\right)dydxdt + \\ &+ &\int_{\mathbb{R}^{+}\times\mathbb{R}/\mathbb{Z}\times\mathbb{R}}\theta\left(x,y,t\right)u(x,y,t)\cdot\nabla\phi\left(x,y,t\right)dydxdt = 0 \quad \textbf{[2]} \end{split}$$

where u is determined previously.

Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Mauris eu sapien nunc, sit amet accumsan dui. Nulla ac diam ut nunc placerat semper eget et libero. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Cras hendrerit ullamcorper sapien vitae luctus. Quisque vel diam massa. Vestibulum dui nibh, facilisis vel vestibulum eu, viverra in quam.

Theorem 1. If the active scalar θ satisfies the equation [2], then φ satisfies the equation

$$\frac{\partial \varphi}{\partial t}(x,t) = \int_{\mathbb{R}/\mathbb{Z}} \frac{\frac{\partial \varphi}{\partial x}(x,t) - \frac{\partial \varphi}{\partial u}(u,t)}{\left[(x-u)^2 + (\varphi(x,t) - \varphi(u,t))^2\right]^{\frac{1}{2}}} \\
\chi(x-u,\varphi(x,t) - \varphi(u,t))du + \\
+ \int_{\mathbb{R}/\mathbb{Z}} \left[\frac{\partial \varphi}{\partial x}(x,t) - \frac{\partial \varphi}{\partial u}(u,t)\right] \\
\eta(x-u,\varphi(x,t) - \varphi(u,t))du + Error \quad [3]$$

with $|Error| \leq C \, \delta |log\delta|$ where C depends only on $\|\theta\|_{L^{\infty}}$ and $\|\nabla \varphi\|_{L^{\infty}}$.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Integer accumsan ornare tortor at varius. Phasellus ullamcorper blandit dolor sit amet tempus. Curabitur ligula urna, ultrices in iaculis eu, eleifend vel urna. Praesent ullamcorper imperdiet purus, ut interdum sem interdum dictum. Proin euismod volutpat eros ac mattis. Quisque sit amet massa ac tortor cursus malesuada at vitae nisi. Nam quis neque et nunc vehicula cursus sit amet at tellus.

Appendix

An appendix without a title.

Appendix: Appendix title

An appendix with a title.

ACKNOWLEDGMENTS. This work was partially supported by a grant from the Spanish Ministry of Science and Technology.

- D. Donoho and C. Grimes, Hessian eigenmaps: new locally linear embedding techniques for high-dimensional data, Proceedings of the National Academy of Sciences, 100 (2003), pp. 5591–5596.
- D. L. Donoho and C. Grimes, When does isomap recover natural parameterization of families of articulated images?, Tech. Report Tech. Rep. 2002-27, Department of Statistics, Stanford University, August 2002.
- M. Grüter and K.-O. Widman, The Green function for uniformly elliptic equations, Man. Math., 37 (1982), pp. 303-342.
- 9. R. Hempel, L. Seco, and B. Simon, The essential spectrum of neumann laplacians on some bounded singular domains, 1991.
- Kadison, R. V. and Singer, I. M. (1959) Extensions of pure states, Amer. J. Math. 81, 383-400.



- 11. Anderson, J. (1981) A conjecture concerning the pure states of B(H) and a related theorem. in Topics in Modern Operator Theory, Birkhaüser, pp. 27-43.
- 12. Anderson, J. (1979) Extreme points in sets of positive linear maps on ${\cal B}(H).$ J. Funct. Anal. 31, 195-217.
- 13. Anderson, J. (1979) Pathology in the Calkin algebra. J. Operator Theory 2, 159-167.
- 14. Johnson, B. E. and Parrott, S. K. (1972) Operators commuting with a von Neumann algebra modulo the set of compact operators. J. Funct. Anal. 11, 39-61.
- 15. Akemann, C. and Weaver, N. (2004) Consistency of a counterexample to Naimark's problem. Proc. Nat. Acad. Sci. USA 101, 7522-7525.
- J. Tenenbaum, V. de Silva, and J. Langford, A global geometric framework for nonlinear dimensionality reduction, Science, 290 (2000), pp. 2319–2323.
- Z. Zhang and H. Zha, Principal manifolds and nonlinear dimension reduction via local tangent space alignement, Tech. Report CSE-02-019, Department of computer science and engineering, Pennsylvania State University, 2002.

Footline Author



PNAS | Issue Date | Volume | Issue Number | 3





Placeholder

Image

Fig. 1. Figure caption

Table 1. Table caption

Treatments	Response 1	Response 2
Treatment 1	0.0003262	0.562
Treatment 2	0.0015681	0.910
Treatment 3	0.0009271	0.296



