




LABORATORIO VIRTUALE



PING DEL PC 1



PING DEL PC 2



Command Prompt

```
Control-C
^C
C:\>ping 192.168.100.1

Pinging 192.168.100.1 with 32 bytes of data:

Reply from 192.168.100.1: bytes=32 time<1ms TTL=128
Reply from 192.168.100.1: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.100.1:
    Packets: Sent = 2, Received = 2, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

Control-C
^C
C:\>ping 192.168.100.2

Pinging 192.168.100.2 with 32 bytes of data:

Reply from 192.168.100.2: bytes=32 time<1ms TTL=128
Reply from 192.168.100.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.100.2:
    Packets: Sent = 2, Received = 2, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

Control-C
^C
C:\>ping 192.168.100.3

Pinging 192.168.100.3 with 32 bytes of data:

Reply from 192.168.100.3: bytes=32 time<1ms TTL=128
Reply from 192.168.100.3: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.100.3:
    Packets: Sent = 2, Received = 2, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

Control-C
^C
C:\>
```

Command Prompt

```
Pinging 192.168.100.1 with 32 bytes of data:

Reply from 192.168.100.1: bytes=32 time<1ms TTL=128
Reply from 192.168.100.1: bytes=32 time<1ms TTL=128
Reply from 192.168.100.1: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.100.1:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

Control-C
^C
C:\>ping 192.168.100.2

Pinging 192.168.100.2 with 32 bytes of data:

Reply from 192.168.100.2: bytes=32 time<1ms TTL=128
Reply from 192.168.100.2: bytes=32 time<1ms TTL=128
Reply from 192.168.100.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.100.2:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

Control-C
^C
C:\>ping 192.168.100.3

Pinging 192.168.100.3 with 32 bytes of data:

Reply from 192.168.100.3: bytes=32 time=3ms TTL=128
Reply from 192.168.100.3: bytes=32 time=5ms TTL=128
Reply from 192.168.100.3: bytes=32 time=6ms TTL=128

Ping statistics for 192.168.100.3:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 6ms, Average = 4ms

Control-C
^C
C:\>
```