API Endpoint: Get Single Product

Endpoint Details

- URL: http://localhost:5000/api/product/<p_id>
- Method: GET
- **Description:** This endpoint retrieves a single product based on its ID and requires the user to be authenticated.

Request Parameters

Parameter	Type	Required	Description
p_id	string	Yes	Product ID

Request Headers

• Cookie: token=<authentication_token>

Test Cases

1. Successful Retrieval of Product

- **Description**: Verify that the API returns the product details for a valid product ID and authenticated user.
- Input:
 - o URL:

```
http://localhost:5000/api/product/<valid_product_id>
```

- Headers:
 - Cookie: token=<valid_token>
- Expected Response:
 - o Status Code: 200 OK
 - Body: JSON object containing product details

2. Invalid Product ID

- **Description**: Verify that the API returns an error when an invalid product ID is provided.
- Input:
 - URL:

```
http://localhost:5000/api/product/<invalid_product_id>
```

Headers:

■ Cookie: token=<valid_token>

- Expected Response:
 - o Status Code: 404 Not Found
 - Body: JSON object containing an error message (e.g., { "error":
 "Product not found" })

3. User Not Authenticated

- **Description:** Verify that the API returns an error when the user is not authenticated or the authentication token is missing/invalid.
- Input:
 - URL:

http://localhost:5000/api/product/<valid_product_id>

- Headers:
 - Cookie: token=<invalid_or_missing_token>
- Expected Response:
 - Status Code: 401 Unauthorized
 - Body: JSON object containing an error message (e.g., { "error": "Not authorized" })

Test Results

Test Case	Statu s	Response Code	Response Body	Remarks
Successful Retrieval of Product	Pass	200	JSON object with product details	Product retrieved successfully
Invalid Product ID	Pass	404	{ "error": "Product not found" }	Appropriate error message shown
User Not Authenticated	Pass	401	{ "error": "Not authorized" }	Appropriate error message shown