

OS LAB ASSIGNMENT-1

1) Description of commands:

1. ls : list directory contents .
2. man : an interface to the system reference manuals.
3. pwd : Displays the present/ current working directory.
4. who : It shows who is logged in.
5. whoami : It displays the effective username.
6. date : It displays date and time in the format ' DAY MMM DD HH:MM:SS IST YYYY' .
7. cal : It displays the calendar. If run usually , it displays calendar of the current month. If used in format ' cal YYYY' , it displays the calendar of the whole year.
8. mkdir : It used to create empty folders/directories.
9. rm : It is used to remove a file (of any extension) or to remove a non-empty directory.
 - rm file.txt – used to remove a file
 - rm -r foldername – used to remove a non-empty directory.
10. rmdir :It is used to remove empty directory.
11. cat : It is used to :
 - print file on standard output. e.g. \$ cat file.txt
 - simultaneously create and write data in a file e.g. \$ cat > newfile.txt
 - overwrite the previous content of a file. e.g. \$ cat > oldfile.txt
 - Append data into a text file . e.g. \$ cat >> oldfile.txt

12. head: It is used to print first 'n' lines of the file. With no options used , it prints first 10 lines of a file.

13. tail : It is used to print last 'n' lines of the file. With no options used , it prints last 10 lines of a file.

14. more : It is a filter for paging through text one screenful at a time.

15. less : opposite of more.

16. cp : It is used to :

- Copy the content of one file to another file.
- Copy one file from one directory to another directory.

17. mv : It is used to move one file from one directory to another directory or to rename files.

18. echo : It simply display the text.

2) Implementation of commands: Executed in ascending order :

```
sachingola@DESKTOP-S4K7IU0:~$ pwd
/home/sachingola
sachingola@DESKTOP-S4K7IU0:~$ whoami
sachingola
sachingola@DESKTOP-S4K7IU0:~$ date
Sun Jan 28 19:01:10 IST 2024
sachingola@DESKTOP-S4K7IU0:~$ cal
    January 2024
Su Mo Tu We Th Fr Sa
    1  2  3  4  5  6
 7  8  9 10 11 12 13
14 15 16 17 18 19 20
21 22 23 24 25 26 27
28 29 30 31

sachingola@DESKTOP-S4K7IU0:~$ mkdir firstdir
sachingola@DESKTOP-S4K7IU0:~$ cd firstdir
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cat file1.txt
cat: file1.txt: No such file or directory
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cat > file1.txt
This is my first file in ubuntu.
It is a text file.
It contains just three lines.
^C
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cat >> file1.txt
I am adding few mores lines.
Hello to whole world.
^C
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cat file1.txt
This is my first file in ubuntu.
It is a text file.
It contains just three lines.
I am adding few mores lines.
Hello to whole world.
sachingola@DESKTOP-S4K7IU0:~/firstdir$ head file1.txt
This is my first file in ubuntu.
It is a text file.
It contains just three lines.
I am adding few mores lines.
Hello to whole world.
```



sachingola@DESKTOP-S4K7IL



d
dd
ff

g
ss
s
ggh

jjj
j
f
f
d
a
a
d
de
e
s
d
f
gr
d
e
s
w
s
d
e

r
f
g
c
s
x
d
c
^C

```
sachingola@DESKTOP-S4K7IU0:~/firstdir$ more file2.txt
```

```
aa
```

```
b
```

```
c
```

```
d
```

```
e
```

```
f
```

```
g
```

```
h
```

```
i
```

```
q
```

```
w
```

```
e
```

```
r
```

```
t
```

```
y
```

```
u
```

```
u
```

```
i
```

```
o
```

```
p
```

```
a
```

```
s
```

```
d
```

```
f
```

```
g
```

```
h
```

```
j
```

```
k
```

```
l
```

```
z
```

```
x
```

```
c
```

```
v
```

```
b
```

```
n
```

```
m
```

```
z
```

...back 1 page

aa

b

c

d

e

f

g

h

i

q

w

e

r

t

y

u

u

i

o

p

a

s

d

f

g

h

j

k

l

z

x

c

v

b

n

m

```
sachingola@DESKTOP-S4K7IL  ×  +  ▾  
d  
dd  
ff  
  
g  
ss  
s  
ggh  
  
jjj  
j  
f  
f  
d  
a  
a  
d  
de  
e  
s  
d  
f  
gr  
d  
e  
s  
w  
s  
d  
e  
  
r  
f  
g  
c  
s  
x  
d  
c  
sachingola@DESKTOP-S4K7IU0:~/firstdir$ less file2.txt
```

```
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cp file1.txt /home/sachingola/
sachingola@DESKTOP-S4K7IU0:~/firstdir$ touch file2.txt
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cp file1.txt file2.txt
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cp file1.txt /home/sachingola/firstfile
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cd ..
sachingola@DESKTOP-S4K7IU0:~$ cat firstfile
This is my first file in ubuntu.
It is a text file.
It contains just three lines.
I am adding few mores lines.
Hello to whole world.
sachingola@DESKTOP-S4K7IU0:~$ cat > secondfile.txt
This is my second file.
It is in the directory of its own.
But it going to moved in new directory.
^C
sachingola@DESKTOP-S4K7IU0:~$ mv secondfile.txt /home/sachingola/firstdir/
sachingola@DESKTOP-S4K7IU0:~$ cat seconfile.txt
cat: seconfile.txt: No such file or directory
sachingola@DESKTOP-S4K7IU0:~$ cd firstdir
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cat seconfile.txt
cat: seconfile.txt: No such file or directory
sachingola@DESKTOP-S4K7IU0:~/firstdir$ cat secondfile.txt
This is my second file.
It is in the directory of its own.
But it going to moved in new directory.
sachingola@DESKTOP-S4K7IU0:~/firstdir$ echo My Own Dell
My Own Dell
```