	1 ) django-admin startproject crudexample
	2 ) python3 manage.py startapp employee
	Model.py
	from django.db import models
clas	ss Employee(models.Model):
•	eid = models.CharField(max_length=20)
•	ename = models.CharField(max_length=100)
•	eemail = models.EmailField()
•	econtact = models.CharField(max_length=15)
•	class Meta:
	db_table = "employee"
	ub_table = employee
	forms.py
fror	n django <b>import</b> forms
fror	n employee.models <b>import</b> Employee
cla	ss EmployeeForm(forms.ModelForm):
c	class Meta:
	model = Employee
	fields = "all"

```
from django.shortcuts import render, redirect
from employee.forms \mathbf{import} EmployeeForm
from employee.models import Employee
# Create your views here.
def emp(request):
  if request.method == "POST":
     form = EmployeeForm(request.POST)
     if form.is_valid():
       try:
          form.save()
          return redirect('/show')
       except:
          pass
  else:
     form = EmployeeForm()
  return render(request, 'index.html', {'form':form})
def show(request):
  employees = Employee.objects.all()
  return render(request, "show.html", {'employees':employees})
def edit(request, id):
```

```
employee = Employee.objects.get(id=id)
  return render(request, 'edit.html', {'employee':employee})
def update(request, id):
  employee = Employee.objects.get(id=id)
  form = EmployeeForm(request.POST, instance = employee)
  if form.is_valid():
    form.save()
    return redirect("/show")
  return render(request, 'edit.html', {'employee': employee})
def destroy(request, id):
  employee = Employee.objects.get(id=id)
  employee.delete()
  return redirect("/show")
                      ------urls.py-----
from django.urls import path
from employee import views
urlpatterns = [
  path('admin/', admin.site.urls),
  path('emp', views.emp),
  path('show', views.show),
```

```
path('edit/<int:id>', views.edit),
  path('update/<int:id>', views.update),
  path('delete/<int:id>', views.destroy),
]
                                       --index.html-----
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Index</title>
  {% load staticfiles %}
  k rel="stylesheet" href="{% static 'css/style.css' %}"/>
</head>
<body>
<form method="POST" class="post-form" action="/emp">
     {% csrf_token %}
  <div class="container">
<br>
  <div class="form-group row">
  <label class="col-sm-1 col-form-label"></label>
```

```
<div class="col-sm-4">
 <h3>Enter Details</h3>
 </div>
</div>
 <div class="form-group row">
 <label class="col-sm-2 col-form-label">Employee Id:</label>
 <div class="col-sm-4">
  {{ form.eid }}
 </div>
</div>
<div class="form-group row">
 <label class="col-sm-2 col-form-label">Employee Name:</label>
 <div class="col-sm-4">
  {{ form.ename }}
 </div>
</div>
 <div class="form-group row">
     <label class="col-sm-2 col-form-label">Employee Email:
 <div class="col-sm-4">
  {{ form.eemail }}
```

```
</div>
 </div>
  <div class="form-group row">
  <label class="col-sm-2 col-form-label">Employee Contact:</label>
  <div class="col-sm-4">
   {{ form.econtact }}
  </div>
 </div>
  <div class="form-group row">
  <label class="col-sm-1 col-form-label"></label>
  <div class="col-sm-4">
  <button type="submit" class="btn btn-primary">Submit
  </div>
 </div>
  </div>
</form>
</body>
</html>
                 -----show.html-----
<!DOCTYPE html>
```

```
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Employee Records</title>
  {% load staticfiles %}
 k rel="stylesheet" href="{% static 'css/style.css' %}"/>
</head>
<body>
  <thead class="thead-dark">
 Employee ID
   Employee Name
   Employee Email
   Employee Contact
   Actions
 </thead>
 {% for employee in employees %}
```

```
{{employee.eid }}
  {{ employee.ename }}
  {{employee.eemail }}
  {{ employee.econtact }}
  an></a>
   {% endfor %}
 <br>
<br>
<center><a href="/emp" class="btn btn-primary">Add New Record</a></center
</body>
</html>
```

------Edit.html-----

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Index</title>
  {% load staticfiles %}
  k rel="stylesheet" href="{% static 'css/style.css' %}"/>
</head>
<body>
<form method="POST" class="post-form" action="/update/{{employee.id}}">
    {% csrf_token %}
  <div class="container">
<br>>
  <div class="form-group row">
  <label class="col-sm-1 col-form-label"></label>
  <div class="col-sm-4">
  <h3>Update Details</h3>
  </div>
 </div>
  <div class="form-group row">
```

```
<label class="col-sm-2 col-form-label">Employee Id:</label>
  <div class="col-sm-4">
     <input type="text" name="eid" id="id_eid" required maxlength="20" value="{{ employee.ei</pre>
d }}"/>
  </div>
 </div>
 <div class="form-group row">
  <label class="col-sm-2 col-form-label">Employee Name:</label>
  <div class="col-sm-4">
     <input type="text" name="ename" id="id_ename" required maxlength="100" value="{{ em</pre>
ployee.ename }}" />
  </div>
 </div>
  <div class="form-group row">
  <label class="col-sm-2 col-form-label">Employee Email:</label>
  <div class="col-sm-4">
      <input type="email" name="eemail" id="id_eemail" required maxlength="254" value="{{ e</pre>
mployee.eemail }}" />
  </div>
 </div>
```

```
<div class="form-group row">
  <label class="col-sm-2 col-form-label">Employee Contact:</label>
  <div class="col-sm-4">
     <input type="text" name="econtact" id="id_econtact" required maxlength="15" value="{{</pre>
employee.econtact }}" />
  </div>
 </div>
  <div class="form-group row">
  <label class="col-sm-1 col-form-label"></label>
  <div class="col-sm-4">
  <button type="submit" class="btn btn-success">Update</button>
  </div>
 </div>
  </div>
</form>
</body>
</html>
```