



# EC2 Instance Created



# EC2 Instance Description



us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#InstanceDetails:instanceId=i-0df7e0c5f2f6a2fd3

aws Services Search [Alt+S] N. Virginia sachinbiradar771@gmail.com

EC2

New EC2 Experience Tell us what you think

EC2 Dashboard  
EC2 Global View  
Events  
Tags  
Limits

▼ Instances  
Instances  
Instance Types  
Launch Templates  
Spot Requests  
Savings Plans  
Reserved Instances  
Dedicated Hosts  
Scheduled Instances

Details Security Networking Storage Status checks Monitoring Tags

▼ Instance details Info

Platform Ubuntu (Inferred)	AMI ID ami-00874d747dde814fa	Monitoring disabled
Platform details Linux/UNIX	AMI name ubuntu/images/hvm-ssd/ubuntu-jammy-22.04-amd64-server-20230115	Termination protection Disabled
Stop protection Disabled	Launch time Sat Jan 21 2023 10:01:14 GMT+0530 (India Standard Time) (4 minutes)	AMI location amazon/ubuntu/images/hvm-ssd/ubuntu-jammy-22.04-amd64-server-20230115
Instance auto-recovery Default	Lifecycle normal	Stop-hibernate behavior disabled
AMI Launch index 0	Key pair name sachin	State transition reason -
Credit specification standard	Kernel ID -	State transition message -
Usage operation	RAM disk ID	Owner

Feedback Looking for language selection? Find it in the new Unified Settings © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

# Jenkins

← → ↻ ⚠ Not secure | 18.212.8.144:8080/login?from=%2F

Getting Started

## Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```

Please copy the password from either location and paste it below.

Administrator password

Continue

← → ↻ 🔒 Not secure | 18.212.8.144:8080

🔍 📄 ☆ ⚙️ 📱 👤 ⋮

Getting Started


# Instance Configuration






Jenkins URL:

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD\_URL environment variable provided to build steps.


The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.


Jenkins 2.375.2Not nowSave and Finish


 **Jenkins**


   **sachin**   **log out**


Dashboard >

 New Item

 People

 Build History

 Manage Jenkins

 My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

Add description

## Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job →

Set up a distributed build

Set up an agent →